**Table 1** Leaf lengths (mm) from five fully developed leaves of the 1<sup>st</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Week | (mm)  |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| #1 Rep. 3 | week | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |      | 14.44 | 19.26 | 25.68 | 34.24 | 45.67 | 50.13 | 54.59 | 63.43 |
| 2         |      | 14.99 | 19.99 | 26.66 | 35.56 | 47.42 | 51.88 | 56.34 | 62.12 |
| 3         |      | 13.99 | 18.65 | 24.87 | 33.17 | 44.23 | 48.69 | 53.15 | 61.08 |
| 4         |      | 12.91 | 17.21 | 22.96 | 30.61 | 40.82 | 45.29 | 49.75 | 58.23 |
| 5         |      | 12.71 | 16.95 | 22.61 | 30.15 | 40.20 | 44.66 | 49.13 | 57.37 |
|           |      |       |       |       |       |       |       |       |       |

**Table 2** Leaf lengths (mm) from five fully developed leaves of the  $2^{nd}$  seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks ( $\pm$  56 days). Rep.: Replication.

| Seedling  | Week  | (mm)  |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| #2 Rep. 3 | vveek | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |       | 14.63 | 19.51 | 26.02 | 34.70 | 46.27 | 50.73 | 55.19 | 61.27 |
| 2         |       | 14.43 | 19.25 | 25.67 | 34.23 | 45.65 | 50.11 | 54.57 | 59.88 |
| 3         |       | 13.49 | 17.99 | 24.00 | 32.00 | 42.67 | 47.13 | 51.60 | 57.91 |
| 4         |       | 12.48 | 16.64 | 22.19 | 29.59 | 39.46 | 43.92 | 48.39 | 56.87 |
| 5         |       | 12.42 | 16.56 | 22.08 | 29.45 | 39.27 | 43.73 | 48.19 | 56.06 |
|           |       |       |       |       |       |       |       |       |       |

**Table 3** Leaf lengths (mm) from five fully developed leaves of the  $3^{rd}$  seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks ( $\pm$  56 days). Rep.: Replication.

| Seedling  | Wools | (mm)  |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| #3 Rep. 3 | Week  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |       | 9.99  | 13.32 | 17.76 | 23.69 | 31.59 | 36.05 | 40.51 | 46.19 |
| 2         |       | 9.67  | 12.90 | 17.20 | 22.94 | 30.59 | 35.06 | 39.52 | 47.08 |
| 3         |       | 10.04 | 13.38 | 17.85 | 23.80 | 31.74 | 36.20 | 40.67 | 44.42 |
| 4         |       | 10.07 | 13.43 | 17.90 | 23.87 | 31.84 | 36.30 | 40.76 | 45.42 |
| 5         |       | 10.42 | 13.90 | 18.54 | 24.72 | 32.97 | 37.43 | 41.89 | 50.77 |
|           |       |       |       |       |       |       |       |       |       |

**Table 4** Leaf lengths (mm) from five fully developed leaves of the 4<sup>th</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Week   | (mm)  |
|-----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| #4 Rep. 3 | vv cek | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |        | 11.03 | 14.70 | 19.61 | 26.15 | 34.87 | 39.33 | 43.80 | 52.61 |
| 2         |        | 10.90 | 14.54 | 19.39 | 25.86 | 34.48 | 38.95 | 43.41 | 50.95 |
| 3         |        | 10.80 | 14.40 | 19.20 | 25.61 | 34.15 | 38.62 | 43.08 | 50.63 |
| 4         |        | 10.42 | 13.90 | 18.54 | 24.72 | 32.97 | 37.43 | 41.89 | 50.07 |
| 5         |        | 11.20 | 14.93 | 19.92 | 26.56 | 35.42 | 39.88 | 44.34 | 48.24 |
|           |        |       |       |       |       |       |       |       |       |

**Table 5** Leaf lengths (mm) from five fully developed leaves of the 5<sup>th</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Week | (mm)  |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| #5 Rep. 3 | week | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |      | 12.97 | 17.30 | 23.07 | 30.76 | 41.02 | 45.48 | 49.94 | 58.10 |
| 2         |      | 13.01 | 17.35 | 23.14 | 30.86 | 41.15 | 45.62 | 50.08 | 56.78 |
| 3         |      | 12.28 | 16.38 | 21.84 | 29.13 | 38.84 | 43.30 | 47.77 | 54.58 |
| 4         |      | 11.38 | 15.18 | 20.24 | 27.00 | 36.00 | 40.46 | 44.93 | 54.01 |
| 5         |      | 11.80 | 15.74 | 20.99 | 27.99 | 37.32 | 41.79 | 46.25 | 52.34 |
|           |      |       |       |       |       |       |       |       |       |

**Table 6** Leaf lengths (mm) from five fully developed leaves of the  $6^{th}$  seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks ( $\pm$  56 days). Rep.: Replication.

| Seedling  | Wools | (mm)  |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| #6 Rep. 3 | Week  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |       | 12.12 | 16.16 | 21.56 | 28.75 | 38.33 | 42.80 | 47.26 | 53.08 |
| 2         |       | 10.98 | 14.65 | 19.53 | 26.05 | 34.74 | 39.20 | 43.66 | 51.12 |
| 3         |       | 11.37 | 15.16 | 20.22 | 26.97 | 35.96 | 40.42 | 44.89 | 51.45 |
| 4         |       | 10.53 | 14.05 | 18.73 | 24.98 | 33.32 | 37.78 | 42.24 | 50.11 |
| 5         |       | 11.21 | 14.95 | 19.94 | 26.59 | 35.46 | 39.92 | 44.38 | 48.26 |
|           |       |       |       |       |       |       |       |       |       |

**Table 7** Leaf lengths (mm) from five fully developed leaves of the 7<sup>th</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Week | (mm)  |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| #7 Rep. 3 | week | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |      | 11.67 | 15.57 | 20.76 | 27.68 | 36.91 | 41.38 | 45.84 | 55.66 |
| 2         |      | 12.07 | 16.09 | 21.46 | 28.61 | 38.16 | 42.62 | 47.08 | 53.03 |
| 3         |      | 11.46 | 15.29 | 20.39 | 27.19 | 36.25 | 40.72 | 45.18 | 52.87 |
| 4         |      | 10.77 | 14.37 | 19.16 | 25.55 | 34.07 | 38.54 | 43.00 | 51.69 |
| 5         |      | 11.34 | 15.12 | 20.17 | 26.89 | 35.86 | 40.33 | 44.79 | 49.29 |
|           |      |       |       |       |       |       |       |       |       |

**Table 8** Leaf lengths (mm) from five fully developed leaves of the 8<sup>th</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Wash. | (mm)  |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| #8 Rep. 3 | Week  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |       | 10.79 | 14.38 | 19.18 | 25.58 | 34.11 | 38.58 | 43.04 | 51.49 |
| 2         |       | 10.41 | 13.88 | 18.52 | 24.69 | 32.93 | 37.39 | 41.85 | 50.77 |
| 3         |       | 10.55 | 14.07 | 18.76 | 25.01 | 33.35 | 37.82 | 42.28 | 49.67 |
| 4         |       | 10.38 | 13.84 | 18.45 | 24.60 | 32.81 | 37.27 | 41.74 | 48.98 |
| 5         |       | 11.00 | 14.67 | 19.57 | 26.09 | 34.79 | 39.26 | 43.72 | 47.43 |
|           |       |       |       |       |       |       |       |       |       |

**Table 9** Leaf lengths (mm) from five fully developed leaves of the 9<sup>th</sup> seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks (± 56 days). Rep.: Replication.

| Seedling  | Week | (mm)  |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| #9 Rep. 3 | week | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1         |      | 12.95 | 17.26 | 23.02 | 30.70 | 40.94 | 45.40 | 49.87 | 57.82 |
| 2         |      | 13.01 | 17.35 | 23.14 | 30.86 | 41.15 | 45.62 | 50.08 | 55.81 |
| 3         |      | 12.04 | 16.06 | 21.41 | 28.56 | 38.08 | 42.54 | 47.01 | 54.51 |
| 4         |      | 11.30 | 15.07 | 20.09 | 26.79 | 35.73 | 40.19 | 44.65 | 53.37 |
| 5         |      | 11.80 | 15.73 | 20.98 | 27.97 | 37.30 | 41.77 | 46.23 | 50.89 |
|           |      |       |       |       |       |       |       |       |       |

**Table 10** Leaf lengths (mm) from five fully developed leaves of the  $10^{th}$  seedling of *Amaranthus tricolor* with CHCF fertilizer treatment during the duration of experimentations; eight weeks ( $\pm$  56 days). Rep.: Replication.

| Seedling   | Week | (mm)  |
|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| #10 Rep. 3 | WEEK | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
| 1          |      | 12.79 | 17.05 | 22.74 | 30.32 | 40.43 | 44.90 | 49.36 | 58.74 |
| 2          |      | 13.23 | 17.64 | 23.52 | 31.37 | 41.83 | 46.30 | 50.76 | 57.32 |
| 3          |      | 12.66 | 16.89 | 22.52 | 30.03 | 40.05 | 44.51 | 48.97 | 55.31 |
| 4          |      | 11.57 | 15.43 | 20.58 | 27.45 | 36.60 | 41.07 | 45.53 | 55.13 |
| 5          |      | 11.98 | 15.98 | 21.30 | 28.41 | 37.89 | 42.35 | 46.81 | 53.52 |
|            |      |       |       |       |       |       |       |       |       |