



NOT Stockholm Supernovae

Jesper Sollerman

Department of Astronomy, Stockholm University, Sweden
The Oskar Klein Centre, Albanova, Stockholm University
Stockholm Observatory

Abstract

This proceeding contribution is a short summary of the invited talk about observational supernova science at Stockholm University that has been conducted at the Nordic Optical Telescope over the past 25 years, and some expectations for the future.

Keywords: Stockholm, Supernovae, Sollerman, Transients, Nordic Optical Telescope

1 Introduction

In the NOT workshop in June 2022, I delivered an invited talk about supernova research conducted at the Nordic Optical Telescope (NOT) from Stockholm University. It was titled *The Nordic Optical Telescope and Stockholm Supernovae 1994-2024 (my personal view)*. This talk was given in a semi-historical context from my own first observing runs in 1994 to future plans for supernova classifications of LSST supernovae. The talk is available on the NOT WWW, and here I simply give a summary of a few of the points given in that presentation. I have been running a supernova program at the NOT as service mode / Target-of-Opportunity for the past 10+ years, most of them as Large Programmes. The talk was not intended to be comprehensive, rather nostalgic.

2 Early days

I have been doing supernova observations for over 30 years and am a keen user of the NOT. It was indeed the first observing runs at this telescope that made me aim for an observational astronomy career, even though all other supernova researchers at Stockholm observatory at that time were doing modeling.

I remember well my first observing runs as amazingly fascinating, although in hindsight maybe not that efficient. Filling the nitrogen dewars yourself while integrating on a supernova, using the offline PC to find coordinates for guide-stars to track on, screwdriver in the pocket to fight with filter wheels. The NOT in the 1990s was a great telescope on a fantastic site, but the instrumentation and automation that enabled efficient observing, including service mode and Target-of-Opportunity, came later. I argued in my talk that this was at least a good way to learn the skills of observing, even if the scattered epochs of supernova observations that emerged from a typical visitor run in the 1990s is a far cry from what modern supernova science requires. The training aspect later motivated me to run two [summer schools](#) at the NOT with Nordic PhD students (2003 and 2006). Other contributions in this conference proceeding focus more on the important educational aspects of the telescope.

In my talk I also briefly reviewed the development of supernova surveys. In the early days, a great number of nearby supernovae were in fact discovered by dedicated amateur astronomers, and professional astronomers were slow to take up the supernova survey strategies developed by Fritz Zwicky in

the middle of the last century. With the High-z Supernova Search team (Tonry et al., 2003) where I participated to search for Type Ia supernovae for cosmology in the late 1990s, the technique was adopted with modern CCDs to image the sky several nights apart and search for transients in the difference image subtractions. With subsequent pre-planned visitor runs on larger telescopes we could then classify the newly discovered SNe. ESSENCE (Miknaitis et al., 2007) followed a similar scheme, whereas the SDSS-II supernova search (Frieman et al., 2008) employed a dedicated telescope with a rolling search. This automatically gave well-covered multi-band, high-cadence supernova light curves. iPTF and its successor ZTF (Graham et al., 2019; Bellm et al., 2019) have added increasingly larger fields, higher cadence and automation and are bringing transient science to the new era that the Vera Rubin Observatory will cement.

This development and evolution in survey capacity has not only hugely increased the number of SNe detected with time, but also the quality of the observations. More SNe means that we find rarer objects, and there is often a lot of physics to deduce from such outliers. Higher cadence means we find the SNe earlier, and the untargeted search strategy gives a less biased view of the underlying populations, which has also revealed new classes of objects.

3 Recent past

I have not done the exercise to count the number of refereed papers that have been published based on the supernova programmes at the NOT led from Stockholm. There must be $\gtrsim 100$ such papers, and deciding which ones have been most important of course depends on who you ask. Some handful of PhD students have based their supernova PhD-theses on NOT data, most of them supervised by myself on the core-collapse side of the supernova spectrum, or by Ariel Goobar for the thermonuclear ones. A handful of publications have made it into high-impact journals like *Nature* and *Science* over the years¹.

The reason NOT is so good for us doing transient astronomy is that it is **flexible**, simple, accessible and often fast. Transient astronomy is about getting the data when needed, and within international collaborations we can complement or even rival larger telescopes by being smart on when and how to get the spectra. This has allowed us to participate in many interesting investigations, but also to take the lead in a number of projects.

Figure 1 illustrates this by showing a person-gallery of Stockholm scientists that have all led papers based on data from the NOT, including work on (this is from left to right, from top to bottom in Fig. 1): Helium-rich Type Ia-CSM supernova with radio detections (Kool et al., 2022), oxygen abundances in Type II supernovae (Jerkstrand et al., 2014), the stripped-envelope supernova iPTF13bvn (Fremling et al., 2016), superluminous supernovae from ZTF (Lunnan et al., 2020) the magnetar-driven iPTF15dtg (Taddia et al., 2019), and the enigmatic zombie-supernova iPTF14hls (Arcavi et al., 2017; Sollerman et al., 2019).

A stripped-envelope SN with a H-shell (Tartaglia et al., 2021), Type Ia supernova distances (Johansson et al., 2021), the candidate pair-instability supernova SN 2018ibb (Schulze and et al., 2022), or hydrogen deficient Type Ibn supernovae (Karamehmetoglu et al., 2021), and a Type Ic SN metamorphosing into a Type IIn (Chen et al., 2018), or the bumpy light-curve of Type IIn iPTF13z (Nyholm et al., 2017).

The PhD-thesis papers on the now canonical Type IIb SN 2011dh (Ergon et al., 2014, 2015), the low-luminosity supernova SN 2020cxd (Yang et al., 2021), the almost superluminous SN 2012aa (Roy

¹For the 2 dozens of papers in Nature/Science journals that I have co-authored over the past 20 years, about a third include data from the NOT, including the birth of the field of Flash spectroscopy for supernovae (Gal-Yam et al., 2014; Yaron et al., 2017), and the new Type Icn supernova class (Gal-Yam et al., 2022).



Figure 1: To pick a single slide from my presentation I would select this one. These are all astronomers that first-authored a refereed publication including observations from the NOT while they were working at Stockholm University. See text for further information on some of these articles.

et al., 2016), the multiply imaged gravitationally lensed Type Ia supernova iPTF16geu (Goobar et al., 2017), or work on circumstellar interaction supernovae like in the monumental paper on SN 2010jl where NOT data were complemented with spectra from the Hubble Space Telescope (Fransson et al., 2014), or analysis of Type Ia SN spectra (Nordin et al., 2011), the power of supernova siblings (Biswas et al., 2022), or extinction law studies for Type Ia supernovae (Amanullah et al., 2015), and the full sample of stripped-envelope Type Ic SNe from PTF (Barbarino et al., 2021).

Bumpy superluminous supernovae (SLSNe) of Type I (West et al., 2022) and of SLSNe Type II (Kangas et al., 2022), constraints on hydrogen in Type Ia SNe (Lundqvist et al., 2015) and a very detailed study of a normal Type Ia (Stanishev et al., 2007). The NOT spectroscopic follow-up of SDSS-II SNe Ia (Östman et al., 2011) and long-lived interaction powered Type IIn supernovae (Stritzinger et al., 2012), an oxygen-rich stripped envelope supernova (Schweyer et al., 2022) and finally the Crab supernova remnant and its famous pulsar (Sandberg and Sollerman, 2009).

There is a strong legacy not only in the scientific data and these published results, but also in the number of researchers that have benefited from this long-term collaboration. The relative diversity in the topics mentioned above also illustrates that an observing programme for transient sources needs flexibility to allow seizing the opportunities as they arise in the universe. We must both be ready to work on systematic and complete samples and to quickly jump on whatever new explosion that occurs.

That Nordic transient astronomy has flourished with the help of the NOT was also obvious from the many presentations given during this workshop. In the distant past, the proposal I lead was the only one for supernovae at the NOT, while today there is a plethora of projects from for example Århus, Åbo, Copenhagen and also several from outside the Nordic countries (like Spain and Italy). Many of these Nordic supernova nodes are now led by astronomers that once did an observational supernova

postdoc with us in Stockholm. NOT has clearly been a key component for allowing astronomers in the Nordic countries to do competitive transient science on the international scene.

4 Nowadays

The current main focus of my own SN research is the [Zwicky Transient Facility](#) (ZTF). With a refurbished Schmidt telescope (P48) on classical Palomar, a super-sized 47 square-degree detector, and a very low-resolution dedicated follow-up spectrograph (SEDM on P60), I can discover a handful of supernovae every night, immediately get a spectrum and classify them. Since 2018 we have trawled the Northern sky on a nightly basis and within the Bright Transient Survey (BTS) (Fremling et al., 2020; Perley et al., 2020) we have so far classified over 6000 SNe. I have discovered just as many myself, which highlights the new era we are in². The light curves of these supernovae are directly made available to the public via the [Bright Transient Survey explorer](#) and the classification spectra are immediately uploaded to the Transient Name Server (TNS).

In contrast to the early days of supernova science, this rolling, untargeted and systematic system more or less automatically provides three (*gri*) photometric band light curves for supernovae and other transients. The new era thus combines the survey strategies once developed in the supernova cosmology framework with the rapid follow-up capacities inherited from the fast-shooting γ -ray burst community.

An illustrative example of how the scope of the transient astronomy has expanded could be to think of supernova 1987A, which was the main topic of research for the supernova group in Stockholm when I started my PhD. It got the designation ‘A’ since it was the first supernova discovered in that year, on February 24 1987. This means that the first 54 days that year did not have a single supernova. In contrast, this year, 2022, 340 classified SNe had already been reported to the TNS up to February 24 (about 6 per day), so a SN discovered that day got a more complicated name such as SN 2022dek. Of these 340 SNe, ZTF follows some 68% and discovered around 20%. But the classified supernovae are only a small fraction of the reported transients; there were in fact over 3000 transients reported to TNS in the first 55 days of the year 2022, so only 11% were classified supernovae. One third of the classifications were done with the SEDM on the P60, for which I am the main responsible.

The name of the game is now instead to recognize which of all the new objects are interesting enough for a dedicated follow-up campaign. We have seldom used the NOT for pure classifications, most objects are simply not interesting enough to waste valuable NOT time. Today the SEDM on the P60 is the classification work horse, and we trigger NOT mainly for objects that we already know are going to be of interest (for some specific publication). Once I have allocated a target to SEDM, the robotic execution is automatic, the reductions are automatic (Rigault et al., 2019) and if it is a typical SN Ia it will automatically be classified (Fremling et al., 2021) and uploaded to the TNS. Once NOT confirms the interest of a particular object, many other, often larger, telescopes are typically triggered for further investigations. This is a good food-chain for transient astronomy where every telescope kicks in where (and only where) it is best needed.

5 Future

I strongly believe NOT will continue to be competitive due to its size, location and flexibility. At Stockholm University, half a dozen of scientists have joined the Vera Rubin Observatory to conduct

²Fritz Zwicky himself was for a long time the record holder in discovering SNe, with 120 SNe over a period of ~ 50 years. Hard work at a cold telescope, daytime blinking of the plates and endurance that contrasts with my own clicking on the computer over breakfast coffee.

the Large Synoptic Survey Telescope (LSST) survey over the coming 10 years (starting 2024). This will find tens of thousands of transients and will again transform time domain astronomy. We have offered to provide ~ 300 hours of NOT telescope time over three years to the LSST project for classifications of supernovae, and for this we, of course, hope to use the new Nordic Transient Explorer (NTE) with its improved sensitivity and extended wavelength range. There will be no lack of targets for future supernova astronomers, the challenge will be to cope with the flood of data and cleverly select the most interesting targets for follow-up.

Acknowledgements

Based on observations made with the Nordic Optical Telescope, owned in collaboration by the University of Turku and Aarhus University, and operated jointly by Aarhus University, the University of Turku and the University of Oslo, representing Denmark, Finland and Norway, the University of Iceland and Stockholm University at the Observatorio del Roque de los Muchachos, La Palma, Spain, of the Instituto de Astrofísica de Canarias. The data presented here were obtained [in part] with ALFOSC, which is provided by the Instituto de Astrofísica de Andalucía (IAA) under a joint agreement with the University of Copenhagen and NOT. In my talk I ended with a slide saying: **Thanks a lot NOT!** It has been a real pleasure. Send any comments on this to jesper@astro.su.se. Jesper Sollerman is professor at the Department of Astronomy at Stockholm University and affiliated to the Oskar Klein Centre. He was the Swedish representative of NOTSA and is the Stockholm representative in the new NOT board. He has regularly been using the NOT since 1994.

References

- R. Amanullah, J. Johansson, A. Goobar, R. Ferretti, S. Papadogiannakis, T. Petrushevska, P. J. Brown, Y. Cao, C. Contreras, H. Dahle, N. Elias-Rosa, J. P. U. Fynbo, J. Gorosabel, L. Guaita, L. Hangard, D. A. Howell, E. Y. Hsiao, E. Kankare, M. Kasliwal, G. Leloudas, P. Lundqvist, S. Mattila, P. Nugent, M. M. Phillips, A. Sandberg, V. Stanishev, M. Sullivan, F. Taddia, G. Östlin, S. Asadi, R. Herrero-Illana, J. J. Jensen, K. Karhunen, S. Lazarevic, E. Varenius, P. Santos, S. Seethapuram Sridhar, S. H. J. Wallström, and J. Wiegert. Diversity in extinction laws of Type Ia supernovae measured between 0.2 and 2 μm . *MNRAS*, 453(3):3300–3328, November 2015. doi: [10.1093/mnras/stv1505](https://doi.org/10.1093/mnras/stv1505).
- Iair Arcavi, D. Andrew Howell, Daniel Kasen, Lars Bildsten, Griffin Hosseinzadeh, Curtis McCully, Zheng Chuen Wong, Sarah Rebekah Katz, Avishay Gal-Yam, Jesper Sollerman, Francesco Taddia, Giorgos Leloudas, Christoffer Fremling, Peter E. Nugent, Assaf Horesh, Kunal Mooley, Clare Rumsey, S. Bradley Cenko, Melissa L. Graham, Daniel A. Perley, Ehud Nakar, Nir J. Shaviv, Omer Bromberg, Ken J. Shen, Eran O. Ofek, Yi Cao, Xiaofeng Wang, Fang Huang, Liming Rui, Tianmeng Zhang, Wenxiong Li, Zhitong Li, Jujia Zhang, Stefano Valenti, David Guevel, Benjamin Shappee, Christopher S. Kochanek, Thomas W. S. Holoien, Alexei V. Filippenko, Rob Fender, Anders Nyholm, Ofer Yaron, Mansi M. Kasliwal, Mark Sullivan, Nadja Blagorodnova, Richard S. Walters, Ragnhild Lunnan, Danny Khazov, Igor Andreoni, Russ R. Laher, Nick Konidaris, Przemek Wozniak, and Brian Bue. Energetic eruptions leading to a peculiar hydrogen-rich explosion of a massive star. *Nature*, 551(7679):210–213, November 2017. doi: [10.1038/nature24030](https://doi.org/10.1038/nature24030).
- C. Barbarino, J. Sollerman, F. Taddia, C. Fremling, E. Karamehmetoglu, I. Arcavi, A. Gal-Yam, R. Laher, S. Schulze, P. Wozniak, and Lin Yan. Type Ic supernovae from the (intermediate) Palomar Transient Factory. *A&A*, 651:A81, July 2021. doi: [10.1051/0004-6361/202038890](https://doi.org/10.1051/0004-6361/202038890).
- Eric C. Bellm, Shriniwas R. Kulkarni, Matthew J. Graham, Richard Dekany, Roger M. Smith, Reed Riddle, Frank J. Masci, George Helou, Thomas A. Prince, Scott M. Adams, C. Barbarino, Tom Bar-

low, James Bauer, Ron Beck, Justin Belicki, Rahul Biswas, Nadejda Blagorodnova, Dennis Bodewits, Bryce Bolin, Valery Brinnel, Tim Brooke, Brian Bue, Mattia Bulla, Rick Burruss, S. Bradley Cenko, Chan-Kao Chang, Andrew Connolly, Michael Coughlin, John Cromer, Virginia Cunningham, Kishalay De, Alex Delacroix, Vandana Desai, Dmitry A. Duev, Gwendolyn Eadie, Tony L. Farnham, Michael Feeney, Ulrich Feindt, David Flynn, Anna Franckowiak, S. Frederick, C. Fremling, Avishay Gal-Yam, Suvi Gezari, Matteo Giomi, Daniel A. Goldstein, V. Zach Golkhou, Ariel Goobar, Steven Groom, Eugean Hacopians, David Hale, John Henning, Anna Y. Q. Ho, David Hover, Justin Howell, Tiara Hung, Daniela Huppenkothen, David Imel, Wing-Huen Ip, Željko Ivezić, Edward Jackson, Lynne Jones, Mario Juric, Mansi M. Kasliwal, S. Kaspi, Stephen Kaye, Michael S. P. Kelley, Marek Kowalski, Emily Kramer, Thomas Kupfer, Walter Landry, Russ R. Laher, Chien-De Lee, Hsing Wen Lin, Zhong-Yi Lin, Ragnhild Lunnan, Matteo Giomi, Ashish Mahabal, Peter Mao, Adam A. Miller, Serge Monkewitz, Patrick Murphy, Chow-Choong Ngeow, Jakob Nordin, Peter Nugent, Eran Ofek, Maria T. Patterson, Bryan Penprase, Michael Porter, Ludwig Rauch, Umaa Rebbapragada, Dan Reiley, Mickael Rigault, Hector Rodriguez, Jan van Roestel, Ben Rusholme, Jakob van Santen, S. Schulze, David L. Shupe, Leo P. Singer, Maayane T. Soumagnac, Robert Stein, Jason Surace, Jesper Sollerman, Paula Szkody, F. Taddia, Scott Terek, Angela Van Sistine, Sjoert van Velzen, W. Thomas Vestrand, Richard Walters, Charlotte Ward, Quan-Zhi Ye, Po-Chieh Yu, Lin Yan, and Jeffry Zolkower. The Zwicky Transient Facility: System Overview, Performance, and First Results. *PASP*, 131(995):018002, January 2019. doi: 10.1088/1538-3873/aaecbe.

Rahul Biswas, Ariel Goobar, Suhail Dhawan, Steve Schulze, Joel Johansson, Eric C. Bellm, Richard Dekany, Andrew J. Drake, Dmitry A. Duev, Christoffer Fremling, Matthew Graham, Young-Lo Kim, Erik C. Kool, Shrinivas R. Kulkarni, Ashish A. Mahabal, Daniel Perley, Mickael Rigault, Ben Rusholme, Jesper Sollerman, David L. Shupe, Matthew Smith, and Richard S. Walters. Two c's in a pod: cosmology-independent measurement of the Type Ia supernova colour-luminosity relation with a sibling pair. *MNRAS*, 509(4):5340–5356, February 2022. doi: 10.1093/mnras/stab2943.

T. W. Chen, C. Inserra, M. Fraser, T. J. Moriya, P. Schady, T. Schweyer, A. V. Filippenko, D. A. Perley, A. J. Ruiter, I. Seitenzahl, J. Sollerman, F. Taddia, J. P. Anderson, R. J. Foley, A. Jerkstrand, C. C. Ngeow, Y. C. Pan, A. Pastorello, S. Points, S. J. Smartt, K. W. Smith, S. Taubenberger, P. Wiseman, D. R. Young, S. Benetti, M. Berton, F. Bufano, P. Clark, M. Della Valle, L. Galbany, A. Gal-Yam, M. Gromadzki, C. P. Gutiérrez, A. Heinze, E. Kankare, C. D. Kilpatrick, H. Kun-carayakti, G. Leloudas, Z. Y. Lin, K. Maguire, P. Mazzali, O. McBrien, S. J. Prentice, A. Rau, A. Rest, M. R. Siebert, B. Stalder, J. L. Tonry, and P. C. Yu. SN 2017ens: The Metamorphosis of a Luminous Broadlined Type Ic Supernova into an SN IIn. *ApJ*, 867(2):L31, November 2018. doi: 10.3847/2041-8213/aaeb2e.

M. Ergon, J. Sollerman, M. Fraser, A. Pastorello, S. Taubenberger, N. Elias-Rosa, M. Bersten, A. Jerkstrand, S. Benetti, M. T. Botticella, C. Fransson, A. Harutyunyan, R. Kotak, S. Smartt, S. Valenti, F. Bufano, E. Cappellaro, M. Fiaschi, A. Howell, E. Kankare, L. Magill, S. Mattila, J. Maund, R. Naves, P. Ochner, J. Ruiz, K. Smith, L. Tomasella, and M. Turatto. Optical and near-infrared observations of SN 2011dh - The first 100 days. *A&A*, 562:A17, February 2014. doi: 10.1051/0004-6361/201321850.

M. Ergon, A. Jerkstrand, J. Sollerman, N. Elias-Rosa, C. Fransson, M. Fraser, A. Pastorello, R. Kotak, S. Taubenberger, L. Tomasella, S. Valenti, S. Benetti, G. Helou, M. M. Kasliwal, J. Maund, S. J. Smartt, and J. Spyromilio. The Type IIb SN 2011dh: Two years of observations and modelling of the lightcurves. *A&A*, 580:A142, August 2015. doi: 10.1051/0004-6361/201424592.

Claes Fransson, Mattias Ergon, Peter J. Challis, Roger A. Chevalier, Kevin France, Robert P. Kirshner, G. H. Marion, Dan Milisavljevic, Nathan Smith, Filomena Bufano, Andrew S. Friedman, Tuomas Kangas, Josefina Larsson, Seppo Mattila, Stefano Benetti, Ryan Chornock, Ian Czekala, Alicia Soderberg, and Jesper Sollerman. High-density Circumstellar Interaction in the Luminous Type IIn SN 2010jl: The First 1100 Days. *ApJ*, 797(2):118, December 2014. doi: 10.1088/0004-637X/797/2/118.

- C. Fremling, J. Sollerman, F. Taddia, M. Ergon, M. Fraser, E. Karamehmetoglu, S. Valenti, A. Jerkstrand, I. Arcavi, F. Bufano, N. Elias Rosa, A. V. Filippenko, D. Fox, A. Gal-Yam, D. A. Howell, R. Kotak, P. Mazzali, D. Milisavljevic, P. E. Nugent, A. Nyholm, E. Pian, and S. Smartt. PTF12os and iPTF13bvn. Two stripped-envelope supernovae from low-mass progenitors in NGC 5806. *A&A*, 593:A68, September 2016. doi: 10.1051/0004-6361/201628275.
- C. Fremling, A. A. Miller, Y. Sharma, A. Dugas, D. A. Perley, K. Taggart, J. Sollerman, A. Goobar, M. L. Graham, J. D. Neill, J. Nordin, M. Rigault, R. Walters, I. Andreoni, A. Bagdasaryan, J. Belicki, C. Cannella, E. C. Bellm, S. B. Cenko, K. De, R. Dekany, S. Frederick, V. Z. Golkhou, M. J. Graham, G. Helou, A. Y. Q. Ho, M. M. Kasliwal, T. Kupfer, R. R. Laher, A. Mahabal, F. J. Masci, R. Riddle, B. Rusholme, S. Schulze, D. L. Shupe, R. M. Smith, S. van Velzen, Lin Yan, Y. Yao, Z. Zhuang, and S. R. Kulkarni. The Zwicky Transient Facility Bright Transient Survey. I. Spectroscopic Classification and the Redshift Completeness of Local Galaxy Catalogs. *ApJ*, 895(1):32, May 2020. doi: 10.3847/1538-4357/ab8943.
- Christoffer Fremling, Xander J. Hall, Michael W. Coughlin, Aishwarya S. Dahiwale, Dmitry A. Duev, Matthew J. Graham, Mansi M. Kasliwal, Erik C. Kool, Ashish A. Mahabal, Adam A. Miller, James D. Neill, Daniel A. Perley, Mickael Rigault, Philippe Rosnet, Ben Rusholme, Yashvi Sharma, Kyung Min Shin, David L. Shupe, Jesper Sollerman, Richard S. Walters, and S. R. Kulkarni. SNI-ascore: Deep-learning Classification of Low-resolution Supernova Spectra. *ApJ*, 917(1):L2, August 2021. doi: 10.3847/2041-8213/ac116f.
- Joshua A. Frieman, Bruce Bassett, Andrew Becker, Changsu Choi, David Cinabro, Fritz DeJongh, Darren L. Depoy, Ben Dilday, Mamoru Doi, Peter M. Garnavich, Craig J. Hogan, Jon Holtzman, Myungshin Im, Saurabh Jha, Richard Kessler, Kohki Konishi, Hubert Lampeitl, John Marriner, Jennifer L. Marshall, David McGinnis, Gajus Miknaitis, Robert C. Nichol, Jose Luis Prieto, Adam G. Riess, Michael W. Richmond, Roger Romani, Masao Sako, Donald P. Schneider, Mathew Smith, Naohiro Takanashi, Kouichi Tokita, Kurt van der Heyden, Naoki Yasuda, Chen Zheng, Jennifer Adelman-McCarthy, James Annis, Roberto J. Assef, John Barentine, Ralf Bender, Roger D. Blandford, William N. Boroski, Malcolm Bremer, Howard Brewington, Chris A. Collins, Arlin Crotts, Jack Dembicky, Jason Eastman, Alastair Edge, Edmond Edmondson, Edward Elson, Michael E. Eyler, Alexei V. Filippenko, Ryan J. Foley, Stephan Frank, Ariel Goobar, Tina Gueth, James E. Gunn, Michael Harvanek, Ulrich Hopp, Yutaka Ihara, Želko Ivezić, Steven Kahn, Jared Kaplan, Stephen Kent, William Ketzeback, Scott J. Kleinman, Wolfram Kollatschny, Richard G. Kron, Jurrek Krzesiński, Dennis Lamenti, Giorgos Leloudas, Huan Lin, Daniel C. Long, John Lucey, Robert H. Lupton, Elena Malanushenko, Viktor Malanushenko, Russet J. McMillan, Javier Mendez, Christopher W. Morgan, Tomoki Morokuma, Atsuko Nitta, Linda Ostman, Kaike Pan, Constance M. Rockosi, A. Kathy Romer, Pilar Ruiz-Lapuente, Gabrelle Saurage, Katie Schlesinger, Stephanie A. Snedden, Jesper Sollerman, Chris Stoughton, Maximilian Stritzinger, Mark Subba Rao, Douglas Tucker, Petri Vaisanen, Linda C. Watson, Shannon Watters, J. Craig Wheeler, Brian Yanny, and Donald York. The Sloan Digital Sky Survey-II Supernova Survey: Technical Summary. *AJ*, 135(1):338–347, January 2008. doi: 10.1088/0004-6256/135/1/338.
- A. Gal-Yam, R. Bruch, S. Schulze, Y. Yang, D. A. Perley, I. Irani, J. Sollerman, E. C. Kool, M. T. Soumagnac, O. Yaron, N. L. Strotjohann, E. Zimmerman, C. Barbarino, S. R. Kulkarni, M. M. Kasliwal, K. De, Y. Yao, C. Fremling, L. Yan, E. O. Ofek, C. Fransson, A. V. Filippenko, W. Zheng, T. G. Brink, C. M. Copperwheat, R. J. Foley, J. Brown, M. Siebert, G. Leloudas, A. L. Cabrera-Lavers, D. Garcia-Alvarez, A. Marante-Barreto, S. Frederick, T. Hung, J. C. Wheeler, J. Vinkó, B. P. Thomas, M. J. Graham, D. A. Duev, A. J. Drake, R. Dekany, E. C. Bellm, B. Rusholme, D. L. Shupe, I. Andreoni, Y. Sharma, R. Riddle, J. van Roestel, and N. Knezevic. A WC/WO star exploding within an expanding carbon-oxygen-neon nebula. *Nature*, 601(7892):201–204, January 2022. doi: 10.1038/s41586-021-04155-1.

Avishay Gal-Yam, I. Arcavi, E. O. Ofek, S. Ben-Ami, S. B. Cenko, M. M. Kasliwal, Y. Cao, O. Yaron,

- D. Tal, J. M. Silverman, A. Horesh, A. De Cia, F. Taddia, J. Sollerman, D. Perley, P. M. Vreeswijk, S. R. Kulkarni, P. E. Nugent, A. V. Filippenko, and J. C. Wheeler. A Wolf-Rayet-like progenitor of SN 2013cu from spectral observations of a stellar wind. *Nature*, 509(7501):471–474, May 2014. doi: 10.1038/nature13304.
- A. Goobar, R. Amanullah, S. R. Kulkarni, P. E. Nugent, J. Johansson, C. Steidel, D. Law, E. Mörtsell, R. Quimby, N. Blagorodnova, A. Brandeker, Y. Cao, A. Cooray, R. Feretti, C. Fremling, L. Hangard, M. Kasliwal, T. Kupfer, R. Lunnan, F. Masci, A. A. Miller, H. Nayyeri, J. D. Neill, E. O. Ofek, S. Papadogiannakis, T. Petrushevska, V. Ravi, J. Sollerman, M. Sullivan, F. Taddia, R. Walters, D. Wilson, L. Yan, and O. Yaron. iPTF16geu: A multiply imaged, gravitationally lensed type Ia supernova. *Science*, 356(6335):291–295, April 2017. doi: 10.1126/science.aal2729.
- Matthew J. Graham, S. R. Kulkarni, Eric C. Bellm, Scott M. Adams, Cristina Barbarino, Nadejda Blagorodnova, Dennis Bodewits, Bryce Bolin, Patrick R. Brady, S. Bradley Cenko, Chan-Kao Chang, Michael W. Coughlin, Kishalay De, Gwendolyn Eadie, Tony L. Farnham, Ulrich Feindt, Anna Franckowiak, Christoffer Fremling, Suvi Gezari, Shaon Ghosh, Daniel A. Goldstein, V. Zach Golkhou, Ariel Goobar, Anna Y. Q. Ho, Daniela Huppenkothen, Željko Ivezić, R. Lynne Jones, Mario Juric, David L. Kaplan, Mansi M. Kasliwal, Michael S. P. Kelley, Thomas Kupfer, Chien-De Lee, Hsing Wen Lin, Ragnhild Lunnan, Ashish A. Mahabal, Adam A. Miller, Chow-Choong Ngeow, Peter Nugent, Eran O. Ofek, Thomas A. Prince, Ludwig Rauch, Jan van Roestel, Steve Schulze, Leo P. Singer, Jesper Sollerman, Francesco Taddia, Lin Yan, Quan-Zhi Ye, Po-Chieh Yu, Tom Barlow, James Bauer, Ron Beck, Justin Belicki, Rahul Biswas, Valery Brinnel, Tim Brooke, Brian Bue, Mattia Bulla, Rick Burruss, Andrew Connolly, John Cromer, Virginia Cunningham, Richard Dekany, Alex Delacroix, Vandana Desai, Dmitry A. Duev, Michael Feeney, David Flynn, Sara Frederick, Avishay Gal-Yam, Matteo Giomi, Steven Groom, Eugean Hacopians, David Hale, George Helou, John Henning, David Hover, Lynne A. Hillenbrand, Justin Howell, Tiara Hung, David Imel, Wing-Huen Ip, Edward Jackson, Shai Kaspi, Stephen Kaye, Marek Kowalski, Emily Kramer, Michael Kuhn, Walter Landry, Russ R. Laher, Peter Mao, Frank J. Masci, Serge Monkeowitz, Patrick Murphy, Jakob Nordin, Maria T. Patterson, Bryan Penprase, Michael Porter, Umaa Rebbapragada, Dan Reiley, Reed Riddle, Mickael Rigault, Hector Rodriguez, Ben Rusholme, Jakob van Santen, David L. Shupe, Roger M. Smith, Maayane T. Soumagnac, Robert Stein, Jason Surace, Paula Szkody, Scott Terek, Angela Van Sistine, Sjoert van Velzen, W. Thomas Vestrand, Richard Walters, Charlotte Ward, Chaoran Zhang, and Jeffry Zolkower. The Zwicky Transient Facility: Science Objectives. *PASP*, 131(1001):078001, July 2019. doi: 10.1088/1538-3873/ab006c.
- A. Jerkstrand, S. J. Smartt, M. Fraser, C. Fransson, J. Sollerman, F. Taddia, and R. Kotak. The nebular spectra of SN 2012aw and constraints on stellar nucleosynthesis from oxygen emission lines. *MNRAS*, 439(4):3694–3703, April 2014. doi: 10.1093/mnras/stu221.
- J. Johansson, S. B. Cenko, O. D. Fox, S. Dhawan, A. Goobar, V. Stanishev, N. Butler, W. H. Lee, A. M. Watson, U. C. Fremling, M. M. Kasliwal, P. E. Nugent, T. Petrushevska, J. Sollerman, L. Yan, J. Burke, G. Hosseinzadeh, D. A. Howell, C. McCully, and S. Valenti. Near-infrared Supernova Ia Distances: Host Galaxy Extinction and Mass-step Corrections Revisited. *ApJ*, 923(2):237, December 2021. doi: 10.3847/1538-4357/ac2f9e.
- T. Kangas, Lin Yan, S. Schulze, C. Fransson, J. Sollerman, R. Lunnan, C. M. B. Omand, I. Andreoni, R. Burruss, T. W. Chen, A. J. Drake, C. Fremling, A. Gal-Yam, M. J. Graham, S. L. Groom, J. Lezmy, A. A. Mahabal, F. J. Masci, D. Perley, R. Riddle, L. Tartaglia, and Y. Yao. The Zwicky Transient Facility phase I sample of hydrogen-rich superluminous supernovae without strong narrow emission lines. *MNRAS*, August 2022. doi: 10.1093/mnras/stac2218.
- E. Karamehmetoglu, C. Fransson, J. Sollerman, L. Tartaglia, F. Taddia, K. De, C. Fremling, A. Bagdasaryan, C. Barbarino, E. C. Bellm, R. Dekany, A. M. Dugas, M. Giomi, A. Goobar, M. Graham, A. Ho, R. R. Laher, F. J. Masci, J. D. Neill, D. Perley, R. Riddle, B. Rusholme, and M. T. Sou

- magnac. The luminous and rapidly evolving SN 2018bcc. Clues toward the origin of Type Ibn SNe from the Zwicky Transient Facility. *A&A*, 649:A163, May 2021. doi: 10.1051/0004-6361/201936308.
- E. Kool, J. Johansson, J. Sollerman, and et al. A radio-detected thermonuclear supernova interacting with helium-rich circumstellar material. *submitted*, 2022.
- P. Lundqvist, A. Nyholm, F. Taddia, J. Sollerman, J. Johansson, C. Kozma, N. Lundqvist, C. Fransson, P. M. Garnavich, M. Kromer, B. J. Shappee, and A. Goobar. No trace of a single-degenerate companion in late spectra of supernovae 2011fe and 2014J. *A&A*, 577:A39, May 2015. doi: 10.1051/0004-6361/201525719.
- R. Lunnan, Lin Yan, D. A. Perley, S. Schulze, K. Taggart, A. Gal-Yam, C. Fremling, M. T. Soumagnac, E. Ofek, S. M. Adams, C. Barbarino, E. C. Bellm, K. De, C. Fransson, S. Frederick, V. Z. Golkhou, M. J. Graham, N. Hallakoun, A. Y. Q. Ho, M. M. Kasliwal, S. Kaspi, S. R. Kulkarni, R. R. Laher, F. J. Masci, F. Pozo Nuñez, B. Rusholme, R. M. Quimby, D. L. Shupe, J. Sollerman, F. Taddia, J. van Roestel, Y. Yang, and Yuhan Yao. Four (Super)luminous Supernovae from the First Months of the ZTF Survey. *ApJ*, 901(1):61, September 2020. doi: 10.3847/1538-4357/abaeec.
- G. Miknaitis, G. Pignata, A. Rest, W. M. Wood-Vasey, S. Blondin, P. Challis, R. C. Smith, C. W. Stubbs, N. B. Suntzeff, R. J. Foley, T. Matheson, J. L. Tonry, C. Aguilera, J. W. Blackman, A. C. Becker, A. Clocchiatti, R. Covarrubias, T. M. Davis, A. V. Filippenko, A. Garg, P. M. Garnavich, M. Hicken, S. Jha, K. Krisciunas, R. P. Kirshner, B. Leibundgut, W. Li, A. Miceli, G. Narayan, J. L. Prieto, A. G. Riess, M. E. Salvo, B. P. Schmidt, J. Sollerman, J. Spyromilio, and A. Zenteno. The ESSENCE Supernova Survey: Survey Optimization, Observations, and Supernova Photometry. *ApJ*, 666(2):674–693, September 2007. doi: 10.1086/519986.
- J. Nordin, L. Östman, A. Goobar, R. Amanullah, R. C. Nichol, M. Smith, J. Sollerman, B. A. Bassett, J. Frieman, P. M. Garnavich, G. Leloudas, M. Sako, and D. P. Schneider. Spectral properties of type Ia supernovae up to $z = 0.3$. *A&A*, 526:A119, February 2011. doi: 10.1051/0004-6361/201015705.
- A. Nyholm, J. Sollerman, F. Taddia, C. Fremling, T. J. Moriya, E. O. Ofek, A. Gal-Yam, A. De Cia, R. Roy, M. M. Kasliwal, Y. Cao, P. E. Nugent, and F. J. Masci. The bumpy light curve of Type IIn supernova iPTF13z over 3 years. *A&A*, 605:A6, August 2017. doi: 10.1051/0004-6361/201629906.
- L. Östman, J. Nordin, A. Goobar, R. Amanullah, M. Smith, J. Sollerman, V. Stanishev, M. D. Stritzinger, B. A. Bassett, T. M. Davis, E. Edmondson, J. A. Frieman, P. M. Garnavich, H. Lampeitl, G. Leloudas, J. Marriner, R. C. Nichol, K. Romer, M. Sako, D. P. Schneider, and C. Zheng. NTT and NOT spectroscopy of SDSS-II supernovae. *A&A*, 526:A28, February 2011. doi: 10.1051/0004-6361/201015704.
- Daniel A. Perley, Christoffer Fremling, Jesper Sollerman, Adam A. Miller, Aishwarya S. Dahiwale, Yashvi Sharma, Eric C. Bellm, Rahul Biswas, Thomas G. Brink, Rachel J. Bruch, Kishalay De, Richard Dekany, Andrew J. Drake, Dmitry A. Duev, Alexei V. Filippenko, Avishay Gal-Yam, Ariel Goobar, Matthew J. Graham, Melissa L. Graham, Anna Y. Q. Ho, Ido Irani, Mansi M. Kasliwal, Young-Lo Kim, S. R. Kulkarni, Ashish Mahabal, Frank J. Masci, Shaunak Modak, James D. Neill, Jakob Nordin, Reed L. Riddle, Maayane T. Soumagnac, Nora L. Strotjohann, Steve Schulze, Kirsty Taggart, Anastasios Tzanidakis, Richard S. Walters, and Lin Yan. The Zwicky Transient Facility Bright Transient Survey. II. A Public Statistical Sample for Exploring Supernova Demographics. *ApJ*, 904(1):35, November 2020. doi: 10.3847/1538-4357/abbd98.
- M. Rigault, J. D. Neill, N. Blagorodnova, A. Dugas, M. Feeney, R. Walters, V. Brinnel, Y. Copin, C. Fremling, J. Nordin, and J. Sollerman. Fully automated integral field spectrograph pipeline for the SEDMachine: pysedm. *A&A*, 627:A115, July 2019. doi: 10.1051/0004-6361/201935344.
- R. Roy, J. Sollerman, J. M. Silverman, A. Pastorello, C. Fransson, A. Drake, F. Taddia, C. Fremling, E. Kankare, B. Kumar, E. Cappellaro, S. Bose, S. Benetti, A. V. Filippenko, S. Valenti, A. Nyholm, M. Ergon, F. Sutaria, B. Kumar, S. B. Pandey, M. Nicholl, D. Garcia-Álvarez, L. Tomasella,

- E. Karamehmetoglu, and K. Migotto. SN 2012aa: A transient between Type Ibc core-collapse and superluminous supernovae. *A&A*, 596:A67, December 2016. doi: 10.1051/0004-6361/201527947.
- A. Sandberg and J. Sollerman. Optical and infrared observations of the Crab Pulsar and its nearby knot. *A&A*, 504(2):525–530, September 2009. doi: 10.1051/0004-6361/200912334.
- S. Schulze and et al. The candidate Pair-Instability Supernova SN 2018ibb. *To be submitted*, 2022.
- T. Schweyer, J. Sollerman, and et al. The Oxygen rich SN 2019odp. *To be submitted*, 2022.
- J. Sollerman, F. Taddia, I. Arcavi, C. Fremling, C. Fransson, J. Burke, S. B. Cenko, O. Andersen, I. Andreoni, C. Barbarino, N. Blagorodova, T. G. Brink, A. V. Filippenko, A. Gal-Yam, D. Hiramatsu, G. Hosseinzadeh, D. A. Howell, T. de Jaeger, R. Lunnan, C. McCully, D. A. Perley, L. Tartaglia, G. Terreran, S. Valenti, and X. Wang. Late-time observations of the extraordinary Type II supernova iPTF14hls. *A&A*, 621:A30, January 2019. doi: 10.1051/0004-6361/201833689.
- V. Stanishev, A. Goobar, S. Benetti, R. Kotak, G. Pignata, H. Navasardyan, P. Mazzali, R. Amanullah, G. Garavini, S. Nobili, Y. Qiu, N. Elias-Rosa, P. Ruiz-Lapuente, J. Mendez, P. Meikle, F. Patat, A. Pastorello, G. Altavilla, M. Gustafsson, A. Harutyunyan, T. Iijima, P. Jakobsson, M. V. Kichizhieva, P. Lundqvist, S. Mattila, J. Melinder, E. P. Pavlenko, N. N. Pavlyuk, J. Sollerman, D. Yu. Tsvetkov, M. Turatto, and W. Hillebrandt. SN 2003du: 480 days in the life of a normal type Ia supernova. *A&A*, 469(2):645–661, July 2007. doi: 10.1051/0004-6361:20066020.
- Maximilian Stritzinger, Francesco Taddia, Claes Fransson, Ori D. Fox, Nidia Morrell, M. M. Phillips, Jesper Sollerman, J. P. Anderson, Luis Boldt, Peter J. Brown, Abdo Campillay, Sergio Castellon, Carlos Contreras, Gastón Folatelli, S. M. Habergham, Mario Hamuy, Jens Hjorth, Phil A. James, Wojtek Krzeminski, Seppo Mattila, Sven E. Persson, and Miguel Roth. Multi-wavelength Observations of the Enduring Type IIn Supernovae 2005ip and 2006jd. *ApJ*, 756(2):173, September 2012. doi: 10.1088/0004-637X/756/2/173.
- F. Taddia, J. Sollerman, C. Fremling, E. Karamehmetoglu, C. Barbarino, R. Lunnan, S. West, and A. Gal-Yam. The luminous late-time emission of the type-Ic supernova iPTF15dtg - evidence for powering from a magnetar? *A&A*, 621:A64, January 2019. doi: 10.1051/0004-6361/201833688.
- L. Tartaglia, J. Sollerman, C. Barbarino, F. Taddia, E. Mason, M. Berton, K. Taggart, E. C. Bellm, K. De, S. Frederick, C. Fremling, A. Gal-Yam, V. Z. Golkhou, M. Graham, A. Y. Q. Ho, T. Hung, S. Kaye, Y. L. Kim, R. R. Laher, F. J. Masci, D. A. Perley, M. D. Porter, D. J. Reiley, R. Riddle, B. Rusholme, M. T. Soumagnac, and R. Walters. SN 2018ijp: the explosion of a stripped-envelope star within a dense H-rich shell? *A&A*, 650:A174, June 2021. doi: 10.1051/0004-6361/202039068.
- John L. Tonry, Brian P. Schmidt, Brian Barris, Pablo Candia, Peter Challis, Alejandro Clocchiatti, Alison L. Coil, Alexei V. Filippenko, Peter Garnavich, Craig Hogan, Stephen T. Holland, Saurabh Jha, Robert P. Kirshner, Kevin Krisciunas, Bruno Leibundgut, Weidong Li, Thomas Matheson, Mark M. Phillips, Adam G. Riess, Robert Schommer, R. Chris Smith, Jesper Sollerman, Jason Spyromilio, Christopher W. Stubbs, and Nicholas B. Suntzeff. Cosmological Results from High-z Supernovae. *ApJ*, 594(1):1–24, September 2003. doi: 10.1086/376865.
- S. L. West, R. Lunnan, C. M. B. Omand, T. Kangas, S. Schulze, N. Strotjohann, S. Yang, C. Fransson, J. Sollerman, D. Perley, L. Yan, T. W. Chen, Z. H. Chen, K. Taggart, C. Fremling, J. S. Bloom, A. Drake, M. J. Graham, M. M. Kasliwal, R. Laher, M. S. Medford, J. D. Neill, R. Riddle, and D. Shupe. SN 2020qlb: a hydrogen-poor superluminous supernova with well-characterized light curve undulations. *arXiv e-prints*, art. arXiv:2205.11143, May 2022.
- S. Yang, J. Sollerman, N. L. Strotjohann, S. Schulze, R. Lunnan, E. Kool, C. Fremling, D. Perley, E. Ofek, T. Schweyer, E. C. Bellm, M. M. Kasliwal, F. J. Masci, M. Rigault, and Y. Yang. A low-energy explosion yields the underluminous Type IIP SN 2020cxd. *A&A*, 655:A90, November 2021. doi: 10.1051/0004-6361/202141244.
- O. Yaron, D. A. Perley, A. Gal-Yam, J. H. Groh, A. Horesh, E. O. Ofek, S. R. Kulkarni, J. Sollerman, C. Fransson, A. Rubin, P. Szabo, N. Sapir, F. Taddia, S. B. Cenko, S. Valenti, I. Arcavi, D. A.

Howell, M. M. Kasliwal, P. M. Vreeswijk, D. Khazov, O. D. Fox, Y. Cao, O. Gnat, P. L. Kelly, P. E. Nugent, A. V. Filippenko, R. R. Laher, P. R. Wozniak, W. H. Lee, U. D. Rebbapragada, K. Maguire, M. Sullivan, and M. T. Soumagnac. Confined dense circumstellar material surrounding a regular type II supernova. *Nature Physics*, 13(5):510–517, February 2017. doi: 10.1038/nphys4025.