Bey and Das



September, 2022; 2(9), 1585-1587

Popular Article

Strategies to enhance genetic health in purebred dogs

¹Dr. Bimal Bey and ²Dr. Pallabi Das

¹Assistant Professor, Department of Animal Genetics and Breeding ²Assistant Professor, Department of Animal Nutrition, M.B. Veterinary College, Dungarpur, Rajasthan-314001

Introduction

Dogs were initially tamed more than 10,000 years ago. Recently, health issues with purebred dogs have received international attention in the media and have been confirmed by cynological organizations. Among recent years, there has been a lot of discussion about the problem of genetic diseases and poor health in purebred dogs. The entire scope and prevalence of inherited illnesses in pedigree dogs are now being realized thanks to the development of genome-wide sequencing technologies and the continued innovation of novel diagnostic DNA disease tests. Based on significant factors like severity, prevalence, and inheritance as well as the availability of efficient preventative measures, individual action plans must be developed. In order to establish breeding techniques with the aim of considerably reducing hereditary illnesses, testing and screening programme are essential for identifying both the prevalence and susceptibility to developing disease. To optimize the impact of considerably reducing the frequency of inherited illnesses and increasing general health in pedigree dogs, DNA tests for disease-causing mutation(s) must be integrated with current screening methods, pedigree information, and if possible, genomic selection. Without violating many breed criteria, breed health could be improved by acknowledging the advantages of crossbreeding, allowing dogs with a distant ancestor of another breed to be registered, and imposing offspring limitations on stud dogs in Kennel Clubs around the world. Making these improvements successful and standard practice requires a number of crucial aspects, including increased public awareness, education, and-most importantly-the assistance of breeders and/or breed clubs.

Levels of genetic diversity

Inherited disorders: Two significant population bottleneck events - the first during domestication and the second during breed formation, where repeated use of well-known sires, line breeding, breeding for particular phenotypic traits, and promotion of the breed barrier rule all contributed to the overall loss of genetic variation- can be attributed to the genetic diversity loss in purebred dogs. Lack of genetic diversity and inbreeding are not necessarily associated with an increased risk of inherited illness and poor health.

Breed characteristics have changed as a result of the shift from using dogs as working animals to companion animals, with breeding now focusing more on appearance than on working or cognitive ability. Inherited disorders in pedigree dogs have been classified as being either related to or unrelated to breed standards. Over 75% of all genetic illnesses in pedigree dogs are caused by conditions unrelated to breed standards and have been linked to breed creation, a small effective population size, the recurrent use of well-liked sires, and inbreeding. The evolution of the breeds has been connected to the rise in the frequency of certain hereditary illnesses. But more than 80 diseases are connected, directly or indirectly, to the requirements of the published breed standards which can have a detrimental impact on the dog's health and welfare.

Issues and challenges

Preserving genetic diversity, discouraging the accumulation of harmful genotypes, and combating exaggerated morphological and mental traits are all necessary to improve the health and wellbeing of purebred dogs. Vision is necessary to accomplish these goals, and both short- and long-term initiatives must be coordinated on a global scale. The problem-solving capacity of all parties involved must be demonstrated.

Information resources

For genetic analysis and the creation of breeding programme, pedigree data and phenotypic records for various qualities are crucial. For dogs, kennel or breed clubs most frequently maintain this type of information in national registers. Theoretically, considerable data are available at the population level, but interchange of information is sometimes hampered by differences in data type and quantity, format, rules, and willingness to share data or recognize pedigrees.

Basis for action

All actions to improve canine genetic health should be based on an integrated analysis of the seriousness, prevalence, inheritance, and detection (e.g., the capacity to recognize carriers of

diseased/affected/affected individuals) of disorders, as well as the availability of efficient control or prevention programme that can be tracked.

The future of the pedigree dog

For many owners, ensuring a particular breed of pedigree dog may mean paying very expensive premiums in comparison to a crossbreed since insurance firms that provide health insurance for purebred dogs track how frequently and for what reason dogs of each breed use their insurance. The most predisposed breeds (those with the worst health records and the greatest number of inherited disorders) should be eliminated in order to maximize the wellbeing of future generations, and the genetic barriers between the remaining breeds should be loosened in order to increase genetic diversity. The long-term survival of dog breeds in general would be ensured by this strategy, which would pre serve the majority of breeds but not all of them. However, it would mean allowing certain predisposed breeds to disappear and giving up the strict characteristics of particular breeds by interbreeding them.

Conclusions

Following increased knowledge of purebred dog health issues, coordinated steps must be taken to assess and strategically address them. The severity, prevalence, and heredity of each issue within breeds should guide actions. It is necessary to establish strategies for identifying new breeds, identifying health issues associated to anatomical traits, and choosing breeding stock. A more practical approach to managing the most susceptible breeds would be to cross several members of a related breed in order to reintroduce genetic diversity. This approach could be combined with breeding plans that aim to breed away from the most susceptible individuals in order to ensure more genetically diverse future generations.