

Table 5: Inter-rater reliability* among raters. Subtests & Overall.

Raters	Test	Locomotor	Ball	Overall	ICC & lower bound ≥ 0.5
Rater AxB	No-c	0.499 (0.137-0.743)	0.787 (0.574-0.900)	0.820 (0.634-0.917)	2/3
	Co	0.912 (0.811-0.960)	0.912 (0.811-0.960)	0.945 (0.880-0.976)	3/3
Rater AxC	No-c	0.590 (0.261-0.796)	0.671 (0.382-0.840)	0.812 (0.618-0.912)	1/3
	Co	0.791 (0.582-0.902)	0.706 (0.438-0.859)	0.797 (0.592-0.905)	2/3
Rater BxC	No-c	0.621 (0.307-0.813)	0.618 (0.303-0.812)	0.813 (0.621-0.913)	1/3
	Co	0.758 (0.525-0.886)	0.693 (0.416-0.852)	0.766 (0.538-0.890)	2/3
All raters	No-c	0.569 (0.341-0.760)	0.695 (0.502-0.838)	0.815 (0.678-0.907)	2/3
	Co	0.824 (0.692-0.911)	0.778 (0.621-0.886)	0.842 (0.721-0.921)	3/3

No-c: Before raters' consensus; Co: After raters' consensus.

*ICC: single-measurement, consistency, 2-way random-effects model, 95% confidence interval; In grey, skills with ICC ≥ 0.5 ; in grey and bold, skills with at least moderate inter-rater reliability (ICC & lower bound ≥ 0.5).