

Score Sheet – rabbits (completed the first 3 days after surgery and weekly afterwards) GE-155-15

Animal-Code: ZOO - 008024

Grise DC 3415

Date of surgery: 14.01.2016

Type of surgery: _____

RE VL I-RPE 90d.
inj. Iridectomy



1. Weight:

- Please note the absolute weight and the score
- **2 / 1 / 0** (weight gain / no difference in weight / weight loss)
- If the weight loss is more than 10% of body weight in one week make a notation and inform the responsible person

2. Food consumption:

- **5 / 4 / 3 / 2 / 1 / 0** (empty / ¼ / ½ / ¾ / full)

3. Water consumption:

- The first 3 days after surgery: → In our experience rabbits drink on the average approximately 150 ml (range 50-500 ml) water per day.
 - To measure the amount of water drunk/day the filling level of the bottle should be documented in 50 ml steps
 - **1 / 2 / 3 / 4 / -3 / -2 / -1 / 0** (0 ml / 50 ml / 100 ml / 150 ml / 200 ml / 250 ml / 300 ml / >300 ml)
 - Please note the minus sign, which differentiates between reduced or increased water consumption, but do not integrate it into the calculation
- After the first 3 days: → Observe only if drinking is regular or not: **1 / 0**

4. Agility:

- **2 / 1 / 0** (normal / reduced / low)

5. Fur:

- **2 / 1 / 0** (shiny / dull / fuzzy)

6. Status of the eye:

- Appearance: **2 / 1 / 0** (normal / slight red or swollen / red or swollen and/or discharge)
- Blinking: **2 / 1 / 0** (good and rare / okay and sometimes / bad and often)

Tonouet RE 8
20.01.16 LE 10

26.01.16 RE 14 LE 16

09.02 #12 11

Score	Interpretation	Calculation	Action
16 (19)	ideal	2 + 5 + 1 (4) + 2 + 2 + 2 + 2	none
18 - 9 (10)	ok	1 + 3 + 1 (2) + 1 + 1 + 1 + 1	none
9 - 4	critical	3*0 + 4*1	Close observation Inform responsible person
<4	termination	less than 3*0 + 4*1	Inform the responsible person
Weight loss of >10%	termination	na	Inform the responsible person
Severe ocular inflammation	termination	na	Inform the responsible person

The numbers in brackets show scores for the first 3 days with close observation and more detailed control of water consumption

9h
18h
14h
10h
20h
10h

Date	Day	Treatment (s/co/o)*	Weight		Food	Water	Agility	Fur	Eye		Sum	Action	Medication	Comment	Signature
			kg	score					appearance	blinking					
14.01	0	Inj. RE											Tobradex pomade	OK	AC
15.01	1	cont.											"	"	AC
15.01	1	"											"	"	AC
16.01	2	"											"	"	AC
17.01	3	"											"	"	AC
17.01	3	"											"	"	AC
19.01	5	"											"	"	AC
20.01	6	"	2930										"	"	AC
26.01	12	"	2900										"	"	AC MK
9.2			2830										"	"	AC

*s= surgery; co= control; o= other

49

Score Sheet – rabbits (completed the first 3 days after surgery and weekly afterwards) GE-155-15

Animal-Code: ZOO-006025

DC 3416

Date of surgery: 14.01.2016

Type of surgery: INJ RE Irideclonj
VL IRPE 90d.



1. Weight:

- Please note the absolute weight and the score
- **2 / 1 / 0** (weight gain / no difference in weight / weight loss)
- If the weight loss is more than 10% of body weight in one week make a notation and inform the responsible person

2. Food consumption:

- **5 / 4 / 3 / 2 / 1 / 0** (empty / ¼ / ½ / ¾ / full)

3. Water consumption:

- The first 3 days after surgery: → In our experience rabbits drink on the average approximately 150 ml (range 50-500 ml) water per day.
 - To measure the amount of water drunk/day the filling level of the bottle should be documented in 50 ml steps
 - **1 / 2 / 3 / 4 / -3 / -2 / -1 / 0** (0 ml / 50 ml / 100 ml / 150 ml / 200 ml / 250 ml / 300 ml / >300 ml)
 - Please note the minus sign, which differentiates between reduced or increased water consumption, but do not integrate it into the calculation
- After the first 3 days: → Observe only if drinking is regular or not: **1 / 0**

Tomvet 20.01 LE 8 RE 6
26.01 LE 10 RE 11
09.02 12 17

4. Agility:

- **2 / 1 / 0** (normal / reduced / low)

5. Fur:

- **2 / 1 / 0** (shiny / dull / fuzzy)

6. Status of the eye:

- Appearance: **2 / 1 / 0** (normal / slight red or swollen / red or swollen and/or discharge)
- Blinking: **2 / 1 / 0** (good and rare / okay and sometimes / bad and often)

Score	Interpretation	Calculation	Action
16 (19)	ideal	2 + 5 + 1 (4) + 2 + 2 + 2 + 2	none
18 - 9 (10)	ok	1 + 3 + 1 (2) + 1 + 1 + 1 + 1	none
9 - 4	critical	3*0 + 4*1	Close observation Inform responsible person
<4	termination	less than 3*0 + 4*1	Inform the responsible person
Weight loss of >10%	termination	na	Inform the responsible person
Severe ocular inflammation	termination	na	Inform the responsible person

The numbers in brackets show scores for the first 3 days with close observation and more detailed control of water consumption

	Date	Day	Treatment (s/co/o)*	Weight		Food	Water	Agility	Fur	Eye		Sum	Action	Medication	Comment	Signature
				kg	score					appearance	blinking					
	14.01	0	Inj RE											tobradex po made	OK	AC
9h	15.01	1	cont											"	"	AC
18h	15.01	2	"											"	"	AC
14h	16.01	2	"											"	"	AC
10h	17.01	3	"											"	"	AC
20h	17.01	3	"											"	"	AC
10h	19.01	5	"											"	"	AC
	20.01	6	"	3780										"	"	AC
	26.01	12	"	3900										"	"	AC MK

*s= surgery; co= control; o= other

A/0 102

Score Sheet – rabbits (completed the first 3 days after surgery and weekly afterwards) GE-155-15

Animal-Code: Grise DC 4228 ID THU-000019

Date of surgery: 8 June 2016 Type of surgery: Subcut. inj. VL-P-1PE, 7d



1. Weight:

- Please note the absolute weight and the score
- **2 / 1 / 0** (weight gain / no difference in weight / weight loss)
- If the weight loss is more than 10% of body weight in one week make a notation and inform the responsible person

2. Food consumption:

- **2 / 1 / 0** (regular / little / nothing)

3. Water consumption:

- **2 / 1 / 0** (regular / little / nothing)

4. Agility:

- **2 / 1 / 0** (normal / reduced / low)

5. Fur:

- **2 / 1 / 0** (shiny / dull / fuzzy)

6. Status of the eye:

- Appearance: **2 / 1 / 0** (normal / slight red or swollen / red or swollen and/or discharge)
- Blinking: **2 / 1 / 0** (good and rare / okay and sometimes / bad and often)

16.6.2016

4400g. TONO RE LE
12 5

Score	Interpretation	Calculation	Action
14	ideal	2*7	none
≥9	ok	0 + 3*2 + 3*1	none
4-9	critical	0 + 4*1 + 2*0	Close observation Inform responsible person
<4	termination	less than 4*1 + 3*0	Inform the responsible person
Weight loss of >10%	termination	na	Inform the responsible person
Severe ocular inflammation	termination	na	Inform the responsible person

The numbers in brackets show scores for the first 3 days with close observation and more detailed control of water consumption

18h
21h
8h
17

Date	Day	Treatment (s/co/o)*	Weight		Food	Water	Agility	Fur	Eye		Sum	Action	Medication	Comment	Signature
			kg	score					appearance	blinking					
8.6.16	0	iridectomy inj.	4.1										Tobradex pom		[Signature]
8.6.16													h		[Signature]
9.6.16													u		[Signature]
u													u		[Signature]

*s= surgery; co= control; o= other

N°103

Score Sheet – rabbits (completed the first 3 days after surgery and weekly afterwards) GE-155-15

Animal-Code: Grise DC 4224 ID THU-000020

Date of surgery: 8 June 2016 Type of surgery: Subret. inj. VL-P-IPE, 7d



1. Weight:

- Please note the absolute weight and the score
- **2 / 1 / 0** (weight gain / no difference in weight / weight loss)
- If the weight loss is more than 10% of body weight in one week make a notation and inform the responsible person

2. Food consumption:

- **2 / 1 / 0** (regular / little / nothing)

3. Water consumption:

- **2 / 1 / 0** (regular / little / nothing)

4. Agility:

- **2 / 1 / 0** (normal / reduced / low)

5. Fur:

- **2 / 1 / 0** (shiny / dull / fuzzy)

6. Status of the eye:

- Appearance: **2 / 1 / 0** (normal / slight red or swollen / red or swollen and/or discharge)
- Blinking: **2 / 1 / 0** (good and rare / okay and sometimes / bad and often)

16.6.2016

4020

Tono RE CE
9 5

Score	Interpretation	Calculation	Action
14	ideal	2*7	none
≥9	ok	0 + 3*2 + 3*1	none
4-9	critical	0 + 4*1 + 2*0	Close observation Inform responsible person
<4	termination	less than 4*1 + 3*0	Inform the responsible person
Weight loss of >10%	termination	na	Inform the responsible person
Severe ocular inflammation	termination	na	Inform the responsible person

The numbers in brackets show scores for the first 3 days with close observation and more detailed control of water consumption

	Date	Day	Treatment (s/co/o)*	Weight		Food	Water	Agility	Fur	Eye		Sum	Action	Medication	Comment	Signature
				kg	score					appearance	blinking					
18h	8.6.16	0	iridectomy											Tobradex pouade		Alex
21h	"	0												"		Alex
8h	9.6.16	1												"		Alex
17h	"	1												"		Alex
11h	14.6	6				2	2	2	2	left scier.	○	*	Dr. Leo examined	wash left eye floral Bbactx	Tono L:7 R:10	Alex
17h	14.6	6				"	"	"	"	—				Tobradex pouade		Alex
10h	15.6	7				"	"	"	"	left scier.				"		Alex
17h	15.6	7												"		Alex
8h	16.6	8												"		Alex

*s= surgery; co= control; o= other

* Cataract. = total
Inflamahan limbe sup.