

Exploring the file system

AIM

Login and look at some files.

Issues covered

Commands: pwd, ls, nano, cd, cp, mv, mkdir, rm, rmdir, man.
What's in /tmp, / and /etc

Instructions

1. Let's get started by logging in.

- Login to the laptop (you should have a username and password).
- Start a terminal window.

2. Have a look around your home directory. Try the following commands.

```
pwd  
ls  
ls -l  
ls -a  
ls ..  
ls acsoe
```

3. Let's have a look somewhere else. Change directory to acsoe.

```
cd acsoe
```

Now repeat (2)

4. Manipulating some files and directories.

- Make a file called myfile in /tmp with nano.
- Make a subdirectory in /tmp called mydir
- Rename the file myfile.txt and the subdirectory X
- copy myfile.txt into the X subdirectory
- tidy up. delete the file and subdirectory

5. Use the “man ls” command to find other listing options. Experiment... have a look in /, and /etc.

Solution: Explore the file system

2.

```
sjp23$ pwd
/Users/sjp23/play/york_workshop_shell
sjp23$ ls
acsoe
sjp23$ ls -l
total 0
drwxr-x--- 16 sjp23  staff  544 26 Feb 16:21 acsoe
sjp23$ ls -a
.  ..  acsoe
sjp23$ ls ..
badc          dataman      york_workshop_shell
sjp23$ ls acsoe
00README  eae-96          ease-96        freetex-96    hillcloud-96
      lterm
c-130       eae-97          ease-97        freetex-98    hillcloud-97
      ozprof
```

3.

```
sjp23$ cd acsoe
sjp23$ pwd
/Users/sjp23/play/york_workshop_shell/acsoe
sjp23$ ls
00README  eae-96          ease-96        freetex-96    hillcloud-96
      lterm
c-130       eae-97          ease-97        freetex-98    hillcloud-97
      ozprof
sjp23$ ls -l
total 8
-rwxr-x--- 1 sjp23  staff  190 26 Feb 16:21 00README
drwxr-x--- 8 sjp23  staff  272 26 Feb 16:20 c-130
drwxr-x--- 8 sjp23  staff  272 26 Feb 16:20 eae-96
drwxr-x--- 8 sjp23  staff  272 26 Feb 16:21 eae-97
drwxr-x--- 7 sjp23  staff  238 26 Feb 16:21 ease-96
drwxr-x--- 6 sjp23  staff  204 26 Feb 16:21 ease-97
drwxr-x--- 6 sjp23  staff  204 26 Feb 16:21 freetex-96
drwxr-x--- 6 sjp23  staff  204 26 Feb 16:21 freetex-98
drwxr-x--- 8 sjp23  staff  272 26 Feb 16:21 hillcloud-96
drwxr-x--- 9 sjp23  staff  306 26 Feb 16:21 hillcloud-97
drwxr-x--- 6 sjp23  staff  204 26 Feb 16:21 lterm
drwxr-x--- 6 sjp23  staff  204 26 Feb 16:21 ozprof
```

```
sjp23$ ls -a
.           .summary  eae-96          ease-97        hillcloud-96   ozprof
..          00README  eae-97          freetex-96    hillcloud-97
.checksums    c-130           ease-96        freetex-98    lterm
sjp23$ ls ..
acsoe
sjp23$
```

4.

```
sjp23$ cd /tmp
sjp23$ nano myfile
sjp23$ ls
myfile
test.txt
sjp23$ mkdir mydir
sjp23$ ls -l
total 56
drwxr-xr-x  2 sjp23          wheel      68 26 Feb 17:14 mydir
-rw-r--r--  1 sjp23          wheel      7 26 Feb 17:13 myfile
sjp23$ mv myfile X
sjp23$ mv X myfile.txt
sjp23$ mv mydir X
sjp23$ cp myfile.txt  X
sjp23$ ls -l
total 56
drwxr-xr-x  3 sjp23          wheel     102 26 Feb 17:15 X
-rw-r--r--  1 sjp23          wheel      7 26 Feb 17:13 myfile.txt
sjp23$ ls -l X
total 8
-rw-r--r--  1 sjp23  wheel    7 26 Feb 17:21 myfile.txt
sjp23$ rm X/myfile.txt
sjp23$ rmdir X
sjp23$
```

Pipes and filters exercise

AIM

Construct a command using pipes and filters to print just the name of the longest file.

Issues covered

Commands: cat, wc, head, tail, cut, sort, uniq, |, *, ?

Using shell command completion and history.

Instructions

- 1. In the directory acsoe/eae-97/macehead on construct a pipe and filter command to print the file with the most lines. (Hint: use head, tail, wc, sort and cut)**
- 2. Use the up arrow to edit the last command. Change the command to look for the longest file in characters.**
- 3. Use * to look for the longest file in all the subdirectories of acsoe/eae-97.**
- 4. Have a play with the arrow keys and the tab key - what do they do? Try the history command.**

Solution: Pipes and filters exercise

1.

```
wc -l eae-97/macehead/* | sort | tail -2 | head -1| cut -c10-
```

2.

```
wc -c eae-97/macehead/* | sort | tail -2 | head -1| cut -c10-
```

3.

```
wc -c eae-97/*/* | sort | tail -2 | head -1| cut -c10-
```

- 4) Up and down arrows scroll through the command history of the shell (very useful for repeating the same commands). The tab key makes suggestions for completing what you are typing. Often tab completion writes the rest of the filename after typing in the start of it. Tab key twice lists all possible completion alternatives. The history command list the command history; use !33 to run the 33 entry in the history list.

Permission exercise

AIM

To get comfortable with unix permission system.

Issues covered

Commands: chmod, ls -l, more, less, chgrp

Instructions

1. Explain permissions to other people.

- a. Change directory to acsoe/freetex-98/Jungfrau.
- b. Use ls -l to look at the files.
- c. Run the script ./set_chmod.sh. This script will change the permissions on some of the files in this directory.

```
$ ./ set_chmod.sh
```

- d. Use ls -l again to look at the file permissions.
- e. Pair up and describe to your partner what the permission on mean.
- f. Use the more (or less) command to see if you can access the files. Try to run the files.

2. Which do you think are most sensible set of permissions.

- a. Change the files to have sensible permissions.
- b. Make a new directory
- c. Experiment with the permissions on the directory.

Solutions: Permissions

1. a-d

```
york_workshop_shell$ cd acsoe/freetex-98/Jungfrau
Jungfrau$ ls -l
total 33064
-rwxr-x--- 1 sjp23 staff 183188 26 Feb 16:21 jf980314.em3
-rwxr-x--- 1 sjp23 staff 291474 26 Feb 16:21 jf980315.em1
-rwxr-x--- 1 sjp23 staff 200955 26 Feb 16:21 jf980315.em2
-rwxr-x--- 1 sjp23 staff 31641 26 Feb 16:21 jf980317.nox
...
Jungfrau$ ./set_chmod.sh
Jungfrau$ ls -l
total 33064
-rwx----- 1 sjp23 staff 183188 26 Feb 16:21 jf980314.em3
----rwx--- 1 sjp23 staff 291474 26 Feb 16:21 jf980315.em1
-----rwx 1 sjp23 staff 200955 26 Feb 16:21 jf980315.em2
-rwxrwx--- 1 sjp23 staff 31641 26 Feb 16:21 jf980317.nox
...
```

1. f

No user permission...

```
Jungfrau$ more jf980315.em2
jf980315.em2: Permission denied
Jungfrau$ more jf980315.em1
jf980315.em1: Permission denied
```

Read permission ok...

```
Jungfrau$ more jf980318.prl
24 1001
Monks, Paul and Zanis, Prodromos
School of Chemistry, University Leicester, Leicester, UK
Peroxy Radical Chemical Amplifier II, Free Tropospheric Experiment II,
Jungfraujoch, Switzerland
FREETEX '98
```

Execute permission ok... but not really something you can execute!

```
Jungfrau$ ./jf980318.fm1
./jf980318.fm1: line 1: 24: command not found
./jf980318.fm1: line 2: Graham: command not found
./jf980318.fm1: line 3: syntax error near unexpected token `('
./jf980318.fm1: line 3: `School of Environmental Sciences, University of
East Anglia (UEA), Norwich, UK'
```

Needle in haystack

AIM

Use find and grep to find the “Needle”.

Issues covered

Commands: find, grep.

Instructions

- 1. Find the file needle.txt in the acsoe directory.**
 - a. Change directory to acsoe.
 - b. Use the find command to look for the file called needle.txt.
- 2. Expand your search to look for files with needle anywhere in the filename.**
 - a. Same again but use a * or two
- 3. Use grep to find the word needle in the files under acsoe/ease-96/jetstream.**
- 4. Use the man page for grep to work out how to do a case insensitive search for needle.**
- 5. Use grep on the js960724.ps2 file to print all lines without 1 in. (use the man page to find the right option)**
- 6. Use grep on the js960724.ps2 file to print all lines without 4 or 6 in, but does contain 33. (use a pipes to chain grep commands together)**

Solution: Needle in a haystack

1.

```
york_workshop_shell$ cd acsoe  
acsoe$ find . -name needle.txt  
.hillcloud-96/h2/needle.txt
```

2.

```
acsoe$ find . -name *needle*  
.ease-96/jetstream/ddddd.needle.xxx  
.hillcloud-96/h2/needle.txt
```

3.

```
acsoe$ cd ease-96/jetstream  
jetstream$ grep needle *  
js960719.nx7:201.453308    105246 needle    2.2      .1      2.1      0  
2.15      1
```

4.

```
jetstream$ grep -i needle *  
js960716.jn3:198.520544    122935    26.6     .0126 NEEDLE  
js960719.nx7:201.453308    105246 needle    2.2      .1      2.1      0  
2.15      1
```

5.

```
jetstream$ grep -v 1 js960724.ps2  
Lightman Paul  
ACRU Imperial College, TTC, Silwood Park, Ascot, Berks SL5 7PW  
GPS Lat & Long, Barometric Altitude  
ACSOE OXICOA EASE96  
Time in fractional Julian day (GMT Timebase)  
4  
999999 999 999 999  
Time GMT hhmmss  
Latitude Decimal Degrees  
Longitude Decimal Degrees  
Altitude m  
5  
THIS-FILE-NAME=js960724.ps2  
E-MAIL-CONTACT=p.lightman@ic.ac.uk  
Jday          Time GMT    Latitude    Longitude    Altitude
```

6.

```
jetstream$ grep -v 4 js960724.ps2 |grep -v 6 |grep 33  
215.5025    120333    53.3098    -10.2228    592.9  
215.5025    120335    53.3102    -10.2205    590.5  
215.5037    120519    53.3332    -10.1023    598.3  
215.5037    120521    53.3337    -10.1001    599.2
```

Controlling jobs and variable

AIM

Start and stop a sleep job. Confidence in starting and stopping jobs and familiarity with variables.

Issues covered

Commands: set, export, echo, ps, top, fg, bg, jobs, kill, sleep, time, &, ^C, ^Z
Writing commands in a file to make a shell script.

Instructions

1. Run sleep 10. What does it do?

2. Make a snooze.sh file with nano with the following content.

```
echo feeling sleepy...
sleep 10
echo wake up!
```

Run the script

```
$ ./snooze.sh
```

3) Edit the snooze.sh script to use a variable X to control the length of sleep.

4) Set X to 40 then run it again in the background using &. Use ps to see the process at work. Remember to export X.

5) Run 3 instances of the process at once.

- Start 3 snooze jobs in the background.
- Use the jobs command to see the processes.
- Kill 2 of them while they sleep.
- Bring the last one to the foreground and let it complete.

6) Run 3 instances of the process.

- Start 2 snooze jobs in the background.
- Start another in the foreground.
- Use ^Z to stop the foreground job.
- Use bg to put the job in the background.
- Bring %1 to the foreground with the fg command.
- Kill that job with ^C.
- Let the other jobs finish.

Solution Job control

1.

```
york_workshop_shell$ sleep 10
```

2.

```
york_workshop_shell$ nano snooze.sh
york_workshop_shell$ ./snooze.sh
-bash: ./snooze.sh: Permission denied
york_workshop_shell$ chmod 755 snooze.sh
york_workshop_shell$ ./snooze.sh
Feeling sleepy...
Wake up!
```

3.

```
york_workshop_shell$ nano snooze.sh
york_workshop_shell$ cat snooze.sh
echo Feeling sleepy...
sleep $x
echo Wake up!

york_workshop_shell$ export X=5
york_workshop_shell$ ./snooze.sh
Feeling sleepy...
Wake up!
```

4.

```
york_workshop_shell$ export X=40
york_workshop_shell$ ./snooze.sh &
[1] 3509
york_workshop_shell$ Feeling sleepy...

york_workshop_shell$ ps
 PID TTY          TIME CMD
 612 ttys000      0:00.58 -bash
 3509 ttys000      0:00.00 -bash
 3510 ttys000      0:00.00 sleep 40
york_workshop_shell$
york_workshop_shell$ Wake up!

[1]+  Done                  ./snooze.sh
york_workshop_shell$
```

5.

```
york_workshop_shell$ ./snooze.sh &
[1] 3550
york_workshop_shell$ Feeling sleepy...

york_workshop_shell$ ./snooze.sh &
[2] 3552
york_workshop_shell$ Feeling sleepy...
./snooze.sh &
[3] 3554
york_workshop_shell$ Feeling sleepy...

york_workshop_shell$ jobs
[1]   Running                 ./snooze.sh &
[2]-  Running                 ./snooze.sh &
[3]+  Running                 ./snooze.sh &
york_workshop_shell$ kill %1
york_workshop_shell$
[1]  Terminated: 15           ./snooze.sh
york_workshop_shell$ kill %2
[2]-  Terminated: 15           ./snooze.sh
york_workshop_shell$
york_workshop_shell$ fg %3
./snooze.sh
Wake up!
york_workshop_shell$
```

6.

```
york_workshop_shell$ ./snooze.sh &
[1] 11411
york_workshop_shell$ Feeling sleepy...

york_workshop_shell$ ./snooze.sh &
[2] 11413
york_workshop_shell$ Feeling sleepy...
./snooze.sh
Feeling sleepy...
^Z
[3]+  Stopped                 ./snooze.sh
york_workshop_shell$ bg
[3]+ ./snooze.sh &
york_workshop_shell$ fg %1
./snooze.sh
^C
```

```
york_workshop_shell$ Wake up!
```

```
Wake up!
```

```
[2]- Done . /snooze.sh
```

```
[3]+ Done . /snooze.sh
```

Remote computing and shell tricks

AIM

Try to talk to remote computers. Know how to transfer files. Try some of the

Issues covered

Commands: ftp, wget, curl, ssh, xargs

Instructions

1. Put the key in the right place and ssh to jasmine-sci1

- a. Copy your private keys from your memory stick to the .ssh directory.
- b. Ssh to jasmine-login.ceda.ac.uk
- c. Ssh from there to jasmine-sci1..ceda.ac.uk
- d. Log out

2. Use scp to copy a local file to jasmine-login.ceda.ac.uk

Copy any file to jasmine-login.ceda.ac.uk using scp.

3. Use find and xargs to do find needles in all acsoe files.

4. Redirect standard out to /dev/null