

Name: SOP for vessel:maria_s_merian:rsws_msm:sbe_38_0576 (7418)

Version:

Valid from:

Status: This is a **public version**. Certain sensitive information, such as server names, addresses, and exact paths and storage locations that is not meant for others than AWI associates was removed in that document.

Changelog:

1. 2022-10-06

- initial publication

1. Contacts/Responsible Persons

Name: Michael Schlundt

Affiliation: GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel

Email: mschlundt@geomar.de

ORCID: <https://orcid.org/0000-0003-4462-8230>

Name: Barbara Glemser

Affiliation: GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel

Email: bglemser@geomar.de

ORCID: <https://orcid.org/0000-0002-5747-0244>

2. Purpose & Scope

Description: This SOP describes device configuration, parameter characteristics, transmission and processing of its output, ingest procedure, storage, data access possibilities, and publishing. Intended user groups are device owners, technicians, and data managers.

Comment: This item is managed and processed by the Deutsche Allianz Meeresforschung (German Marine Research Alliance), please see www.allianz-meeresforschung.de for further information.

3. Item Description

Short Name: SBE_38_0576

Long Name: SBE 38 Digital oceanographic thermometer

URN: vessel:maria_s_merian:rsws_msm:sbe_38_0576

ID: 7418

UUID: f675fee3-f44e-40e8-a75c-484a53c51808

Description: Thermometer with housing for depths up to 10500 m. Used as remote temperature sensor for the SBE 45 Thermosalinograph.

Serial No.: 0576

Manufacturer: Sea-Bird Scientific

PID/Handle: <https://hdl.handle.net/10013/sensor.72d01f4e-97ff-40ea-8554-215eeba51cf4>

4. Parameter Description

Short Name: temperature

Long Name: water temperature

45 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_38_0576:temperature

ID: 87681

UUID: 6e318f67-e574-4b87-8f8a-dfd4b4ba4ab2

Type: water temperature

Unit: °C

50 **Comment:**

Measurement Properties: none

Short Name: status

Long Name: status

55 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_38_0576:status

ID: 87682

UUID: 5f3baf3a-73e9-4f38-9328-9ccbccc4e149

Type: text

Unit: none

60 **Comment:**

Measurement Properties: none

5. Processing

65 The thermosalinograph measures temperature and electrical conductivity of sea water. Using those two properties salinity (and additionally sound velocity) are estimated (Sea-Bird Electronics [2020b](#)). Usually, an additional temperature sensor SBE38 (Sea-Bird Electronics [2020a](#)) is related to the SBE45. All data are stored through the data management system DAVIS-SHIP (DSHIP). After the cruise all data are transferred to the DSHIP land system. From there data are obtained for further evaluation.

70 5.1. Acquisition

The SBE45 is installed within the Reinseewasseranlage (RSWS) in the Lotgeräteraum (Bergmann et al. [2021](#)). The RSWS is directly flushed with sea water through the two deep inlets in about 6.5m depth. At the two inlets the two additional SBE38 temperature sensors are installed.

Auxiliary Files:

75 **Name:** *"Maria S. Merian" research vessel manual*

Type: Manual

Description: General overview on the research vessel Maria S. Merian with detailed information on onboard scientific devices

80 **URL:** <https://www.ldf.uni-hamburg.de/en/merian/technisches/dokumente-tech-merian/handbuch-merian-eng.pdf>

Last Modification: Jan. 2021

Name: *SBE45 MicroTSG Thermosalinograph*

Type: Manual

85 **Description:** User manual of SBE45 MicroTSG Thermosalinograph
URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862504>
Last Modification: 2020

Name: *SBE38 Digital Oceanographic Thermometer*

90 **Type:** Manual
Description: User manual of SBE38 Digital Oceanographic Thermometer
URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862501>
Last Modification: 2020

95

5.2. Extraction

Data are extracted from the DSHIP land system at BSH (dship.bsh.de). The data are stored per cruise and extracted likewise. Together with accompanying system parameters like latitude, longitude, ships speed, and flow rate through the system, all relevant SBE45 parameters are extracted in one-second resolution. Output of the extraction is the usual DSHIP export, consisting of a folder with three files, (1) a *.dat ASCII-data file, (2) a *.xml order-file and (3) a *.sys log-file.

Auxiliary Files: none

5.3. Conversion

105 The aforementioned DSHIP-Export is processed with Python with the following steps: (1) parsing of the data file with the output of a Geodataframe using the time as index, (2) checking for dummy-values, (3) comparison of position data against Mastertrack, (4) checking whether position data are in an EEZ, (5) averaging into one-minute means, (6) several quality tests (global range test, spike test, gradient test, test of adjacent values, flow speed test), and (if applicable) (7) calibration of temperature and salinity data with independent data (direct samples or CTD data from inlet depth).

Software: -

Network Share Name: - ← *public version, input cropped*

Filename Convention: -

-

115 **Auxiliary Files:**

Name: -

Type: -

Description: -

URL: -

120 **Last Modification:** -

6. Ingest

Ingest is part of the O2A process chain (Koppe et al. 2015, Gerchow et al. 2017) and is the starting point to collect, store, and redistribute data and metadata.

There is no automated data transfer available for this workflow. All data must be retrieved manually from BSH.

Protocol: MDM

Project path: *public version, input removed*

Campaign Data: yes

130 **Filename Convention:** per campaign

Expected Data Interval: per campaign

Ingest Data Interval: per campaign

Mapping: -

Save Directory: -

135 **json/xml:**

Script: -

Script call:

Repository: -

140 7. Storage

7.1. Raw Data

Location *public version, input cropped*

Backup Policy: -

145 7.2. Near Real-Time Data

Info: -

Service: none

7.3. Publications and further Reading

150 **Publication:** Hölz et al. 2022, Wöfl and Schlundt 2020, Schneider von Deimling and Schlundt 2022, Römer and Schlundt 2021, Krastel and Schlundt 2022, Schoening and Schlundt 2021, Ehrhardt and Schlundt 2022a, Schmidt and Schlundt 2021, Ehrhardt and Schlundt 2022b, Becker and Schlundt 2021, Hainbucher and Schlundt 2021, Zonneveld and Schlundt 2022, Devey and Schlundt 2021

155 **Further Reading:** This device and workflow is part of DAM, please check <https://www.allianz-meeresforschung.de/> for further information.

References

Becker, Marius and Michael Schlundt (June 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM97/2". en. In: DOI: 10.1594/PANGAEA.932376. URL: <https://doi.pangaea.de/10.1594/PANGAEA.932376> (visited on 09/21/2022).

160 Bergmann, K., M. Magguilli, R. Schmidt, and E. Reize (Jan. 2021). "*Maria S. Merian*" research vessel manual. en. URL: <https://www.lfd.uni-hamburg.de/en/merian/technisches/dokumente-tech-merian/handbuch-merian-eng.pdf> (visited on 07/01/2022).

Devey, Colin W. and Michael Schlundt (May 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM88/1". en. In: DOI: 10.1594/PANGAEA.931412. URL: <https://doi.pangaea.de/10.1594/PANGAEA.931412> (visited on 09/21/2022).

- Ehrhardt, Axel and Michael Schlundt (July 2022a). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM100". en. In: DOI: 10.1594/PANGAEA.946378. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946378> (visited on 09/21/2022).
- Ehrhardt, Axel and Michael Schlundt (July 2022b). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM97". en. In: DOI: 10.1594/PANGAEA.946390. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946390> (visited on 09/21/2022).
- Gerchow, Peter, Roland Koppe, Ana Macario, Antonie Haas, Christian Schäfer-Neth, Hans Pfeiffenberger, and Angela Schäfer (Nov. 2017). "O2A - Data Flow Framework from Sensor Observations to Archives". In: *EPIC3 Digital Infrastructures for Research 2017, Brussels, 2017-11-30-2017-12-01Brusseles, DI4R 2017 conference*. Brussels: DI4R 2017 conference. URL: <https://indico.egi.eu/indico/event/3455/session/1/contribution/114/material/slides/1.pdf> (visited on 01/21/2020).
- Hainbucher, Dagmar and Michael Schlundt (May 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM72". en. In: DOI: 10.1594/PANGAEA.931471. URL: <https://doi.pangaea.de/10.1594/PANGAEA.931471> (visited on 09/21/2022).
- Hölz, Sebastian, Michael Schlundt, Monica Giona Bucci, and Irena Schulten (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM103". en. In: DOI: 10.1594/PANGAEA.946385. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946385> (visited on 09/21/2022).
- Koppe, Roland, Peter Gerchow, Ana Macario, Antonie Haas, Christian Schäfer-Neth, and Hans Pfeiffenberger (June 2015). "O2A: A Generic Framework for Enabling the Flow of Sensor Observations to Archives and Publications". In: *OCEANS 2015 Genova*. DOI: 10.1109/OCEANS-Genova.2015.7271657. URL: <https://epic.awi.de/id/eprint/38295/>.
- Krastel, Sebastian and Michael Schlundt (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM102". en. In: URL: <https://doi.pangaea.de/10.1594/PANGAEA.946415> (visited on 09/21/2022).
- Römer, Miriam and Michael Schlundt (Nov. 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM98". en. In: DOI: 10.1594/PANGAEA.937864. URL: <https://doi.pangaea.de/10.1594/PANGAEA.937864> (visited on 09/21/2022).
- Schmidt, Christopher and Michael Schlundt (Nov. 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM99/2". en. In: DOI: 10.1594/PANGAEA.938269. URL: <https://doi.pangaea.de/10.1594/PANGAEA.938269> (visited on 09/21/2022).
- Schneider von Deimling, Jens and Michael Schlundt (May 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM98/2". en. In: DOI: 10.1594/PANGAEA.943866. URL: <https://doi.pangaea.de/10.1594/PANGAEA.943866> (visited on 09/21/2022).
- Schoening, Timm and Michael Schlundt (Feb. 2021). "Continuous thermosalinograph oceanography along Maria S. Merian cruise MSM96". en. In: DOI: 10.1594/PANGAEA.927951. URL: <https://doi.pangaea.de/10.1594/PANGAEA.927951> (visited on 09/21/2022).
- Sea-Bird Electronics (2020a). *SBE38 Digital Oceanographic Thermometer*. URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862501> (visited on 11/22/2022).
- Sea-Bird Electronics (2020b). *SBE45 MicroTSG Thermosalinograph*. URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862504> (visited on 11/22/2022).
- Wölfl, Anne-Cathrin and Michael Schlundt (May 2020). "Continuous thermosalinograph oceanography along Maria S. Merian cruise MSM 88/2". en. In: *GEOMAR - Helmholtz Centre for Ocean Research Kiel*. DOI: 10.1594/PANGAEA.918071. URL: <https://doi.pangaea.de/10.1594/PANGAEA.918071> (visited on 09/21/2022).
- Zonneveld, Karin A. F. and Michael Schlundt (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM104". en. In: URL: <https://doi.pangaea.de/10.1594/PANGAEA.946413> (visited on 09/21/2022).