

Name: SOP for vessel:maria_s_merian:rsws_msm:sbe_45_0335 (7416)

Version:

Valid from:

Status: This is a **public version**. Certain sensitive information, such as server names, addresses, and exact paths and storage locations that is not meant for others than AWI associates was removed in that document.

Changelog:

1. 2022-10-06

- initial publication

1. Contacts/Responsible Persons

Name: Michael Schlundt

Affiliation: GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel

Email: mschlundt@geomar.de

ORCID: <https://orcid.org/0000-0003-4462-8230>

Name: Barbara Glemser

Affiliation: GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel

Email: bglemser@geomar.de

ORCID: <https://orcid.org/0000-0002-5747-0244>

2. Purpose & Scope

Description: This SOP describes device configuration, parameter characteristics, transmission and processing of its output, ingest procedure, storage, data access possibilities, and publishing. Intended user groups are device owners, technicians, and data managers.

Comment: This item is managed and processed by the Deutsche Allianz Meeresforschung (German Marine Research Alliance), please see www.allianz-meeresforschung.de for further information.

3. Item Description

Short Name: SBE_45_0335

Long Name: SBE 45 Micro thermosalinograph

URN: vessel:maria_s_merian:rsws_msm:sbe_45_0335

ID: 7416

UUID: c4a23761-dbf4-41e7-8db4-8ac477a6d352

Description: Thermosalinograph for measurement of temperature and conductivity from underway vessels. Integrates with the optional remote temperature sensor SBE 38.

Serial No.: 0335

Manufacturer: Sea-Bird Scientific

PID/Handle: <https://hdl.handle.net/10013/sensor.d61ee7e0-d35f-477e-8142-7135a713f8ca>

4. Parameter Description

Short Name: conductivity

Long Name: conductivity

45 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_45_0335:conductivity

ID: 87677

UUID: 2b72e758-94ff-407d-9c19-43f068295a89

Type: conductivity

Unit: S/m

50 **Comment:**

Measurement Properties: none

Short Name: salinity

Long Name: salinity

55 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_45_0335:salinity

ID: 87678

UUID: a00195a9-595e-4376-b624-278c2ce424da

Type: salinity

Unit: PSU

60 **Comment:**

Measurement Properties: none

Short Name: water_temperature

Long Name: internal water temperature

65 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_45_0335:water_temperature

ID: 87679

UUID: 4e2019d3-0da7-497d-9175-8191fbb7d449

Type: water temperature

Unit: °C

70 **Comment:**

Measurement Properties: none

Short Name: sound_velocity

Long Name: internal sound velocity

75 **full URN:** vessel:maria_s_merian:rsws_msm:sbe_45_0335:sound_velocity

ID: 87680

UUID: c4937165-803b-46a3-9f9a-cf6ef6f99c60

Type: sound velocity

Unit: m/s

80 **Comment:**

Measurement Properties: none

5. Processing

85 The thermosalinograph measures temperature and electrical conductivity of sea water. Using those two properties salinity (and additionally sound velocity) are estimated (Sea-Bird Electronics 2020b). Usually, an additional temperature sensor SBE38 (Sea-Bird Electronics 2020a) is related to the SBE45. All data are stored through the data management system DAVIS-SHIP (DSHIP). After the cruise all data are transferred to the DSHIP land system. From there data are obtained for further evaluation.

90 5.1. Acquisition

The SBE45 is installed within the Reinseewasseranlage (RSWS) in the Lotgeräteraum (Bergmann et al. 2021). The RSWS is directly flushed with sea water through the two deep inlets in about 6.5m depth. At the two inlets the two additional SBE38 temperature sensors are installed.

Auxiliary Files:

95 **Name:** *"Maria S. Merian" research vessel manual*

Type: Manual

Description: General overview on the research vessel Maria S. Merian with detailed information on onboard scientific devices

100 **URL:** <https://www.ldf.uni-hamburg.de/en/merian/technisches/dokumente-tech-merian/handbuch-merian-eng.pdf>

Last Modification: Jan. 2021

Name: *SBE45 MicroTSG Thermosalinograph*

Type: Manual

105 **Description:** User manual of SBE45 MicroTSG Thermosalinograph

URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862504>

Last Modification: 2020

Name: *SBE38 Digital Oceanographic Thermometer*

110 **Type:** Manual

Description: User manual of SBE38 Digital Oceanographic Thermometer

URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862501>

Last Modification: 2020

115

5.2. Extraction

Data are extracted from the DSHIP land system at BSH (dship.bsh.de). The data are stored per cruise and extracted likewise. Together with accompanying system parameters like latitude, longitude, ships speed, and flow rate through the system, all relevant SBE45 parameters are extracted in one-second resolution. Output of the extraction is the usual DSHIP export, consisting of a folder with three files, (1) a *.dat ASCII-data file, (2) a *.xml order-file and (3) a *.sys log-file.

Auxiliary Files: none

5.3. Conversion

125 The aforementioned DSHIP-Export is processed with Python with the following steps: (1) parsing of the data file with the output of a Geodataframe using the time as index, (2) checking for dummy-values, (3) comparison of position data against Mastertrack, (4) checking whether position data are in an EEZ, (5) averaging into one-minute means, (6) several quality tests (global range test, spike test, gradient test, test of adjacent values, flow speed test), and (if applicable) (7) calibration of temperature and salinity data with independent data (direct samples or CTD data from inlet depth).

130 **Software:** -

Network Share Name: - ← *public version, input cropped*

Filename Convention: -

-

135 **Auxiliary Files:**

Name: -

Type: -

Description: -

URL: -

140 **Last Modification:** -

6. Ingest

Ingest is part of the O2A process chain (Koppe et al. 2015, Gerchow et al. 2017) and is the starting point to collect, store, and redistribute data and metadata.

145 There is no automated data transfer available for this workflow. All data must be retrieved manually from BSH.

Protocol: MDM

Project path: *public version, input removed*

Campaign Data: yes

150 **Filename Convention:** per campaign

Expected Data Interval: per campaign

Ingest Data Interval: per campaign

Mapping: -

Save Directory: -

155 **json/xml:**

Script: -

Script call:

Repository: -

160 7. Storage

7.1. Raw Data

Location *public version, input cropped*

Backup Policy: -

165 **7.2. Near Real-Time Data**

Info: -

Service: none

7.3. Publications and further Reading

170 **Publication:** Hölz et al. 2022, Wölfl and Schlundt 2020, Schneider von Deimling and Schlundt 2022, Römer and Schlundt 2021, Krastel and Schlundt 2022, Schoening and Schlundt 2021, Ehrhardt and Schlundt 2022a, Schmidt and Schlundt 2021, Ehrhardt and Schlundt 2022b, Becker and Schlundt 2021, Hainbucher and Schlundt 2021, Zonneveld and Schlundt 2022, Devey and Schlundt 2021

Further Reading: This device and workflow is part of DAM, please check <https://www.allianz-meeresforschung.de/>
175 for further information.

References

- Becker, Marius and Michael Schlundt (June 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM97/2". en. In: DOI: 10.1594/PANGAEA.932376. URL: <https://doi.pangaea.de/10.1594/PANGAEA.932376> (visited on 09/21/2022).
- 180 Bergmann, K., M. Maggulli, R. Schmidt, and E. Reize (Jan. 2021). "*Maria S. Merian*" research vessel manual. en. URL: <https://www.ldf.uni-hamburg.de/en/merian/technisches/dokumente-tech-merian/handbuch-merian-eng.pdf> (visited on 07/01/2022).
- Devey, Colin W. and Michael Schlundt (May 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM88/1". en. In: DOI: 10.1594/PANGAEA.931412. URL: <https://doi.pangaea.de/10.1594/PANGAEA.931412> (visited on 09/21/2022).
- 185 Ehrhardt, Axel and Michael Schlundt (July 2022a). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM100". en. In: DOI: 10.1594/PANGAEA.946378. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946378> (visited on 09/21/2022).
- Ehrhardt, Axel and Michael Schlundt (July 2022b). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM97". en. In: DOI: 10.1594/PANGAEA.946390. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946390> (visited on 09/21/2022).
- 190 Gerchow, Peter, Roland Koppe, Ana Macario, Antonie Haas, Christian Schäfer-Neth, Hans Pfeiffenberger, and Angela Schäfer (Nov. 2017). "O2A - Data Flow Framework from Sensor Observations to Archives". In: *EPIC3 Digital Infrastructures for Research 2017, Brussels, 2017-11-30-2017-12-01Brussels, DI4R 2017 conference*. Bruxelles: DI4R 2017 conference. URL: <https://indico.egi.eu/indico/event/3455/session/1/contribution/114/material/slides/1.pdf> (visited on 01/21/2020).
- Hainbucher, Dagmar and Michael Schlundt (May 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM72". en. In: DOI: 10.1594/PANGAEA.931471. URL: <https://doi.pangaea.de/10.1594/PANGAEA.931471> (visited on 09/21/2022).
- 200 Hölz, Sebastian, Michael Schlundt, Monica Giona Bucci, and Irena Schulten (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM103". en. In: DOI: 10.1594/PANGAEA.946385. URL: <https://doi.pangaea.de/10.1594/PANGAEA.946385> (visited on 09/21/2022).
- Koppe, Roland, Peter Gerchow, Ana Macario, Antonie Haas, Christian Schäfer-Neth, and Hans Pfeiffenberger (June 2015). "O2A: A Generic Framework for Enabling the Flow of Sensor Observations to Archives and Publications". In: *OCEANS 2015 Genova*. DOI: 10.1109/OCEANS-Genova.2015.7271657. URL: <https://epic.awi.de/id/eprint/38295/>.
- 205

- Krastel, Sebastian and Michael Schlundt (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM102". en. In: URL: <https://doi.pangaea.de/10.1594/PANGAEA.946415> (visited on 09/21/2022).
- 210 Römer, Miriam and Michael Schlundt (Nov. 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM98". en. In: DOI: 10.1594/PANGAEA.937864. URL: <https://doi.pangaea.de/10.1594/PANGAEA.937864> (visited on 09/21/2022).
- Schmidt, Christopher and Michael Schlundt (Nov. 2021). "Continuous thermosalinograph oceanography along RV Maria S. Merian cruise MSM99/2". en. In: DOI: 10.1594/PANGAEA.938269. URL: <https://doi.pangaea.de/10.1594/PANGAEA.938269> (visited on 09/21/2022).
- 215 Schneider von Deimling, Jens and Michael Schlundt (May 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM98/2". en. In: DOI: 10.1594/PANGAEA.943866. URL: <https://doi.pangaea.de/10.1594/PANGAEA.943866> (visited on 09/21/2022).
- Schoening, Timm and Michael Schlundt (Feb. 2021). "Continuous thermosalinograph oceanography along Maria S. Merian cruise MSM96". en. In: DOI: 10.1594/PANGAEA.927951. URL: <https://doi.pangaea.de/10.1594/PANGAEA.927951> (visited on 09/21/2022).
- 220 Sea-Bird Electronics (2020a). *SBE38 Digital Oceanographic Thermometer*. URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862501> (visited on 11/22/2022).
- Sea-Bird Electronics (2020b). *SBE45 MicroTSG Thermosalinograph*. URL: <https://www.seabird.com/asset-get.download.jsa?id=54627862504> (visited on 11/22/2022).
- 225 Wölfl, Anne-Cathrin and Michael Schlundt (May 2020). "Continuous thermosalinograph oceanography along Maria S. Merian cruise MSM 88/2". en. In: *GEOMAR - Helmholtz Centre for Ocean Research Kiel*. DOI: 10.1594/PANGAEA.918071. URL: <https://doi.pangaea.de/10.1594/PANGAEA.918071> (visited on 09/21/2022).
- Zonneveld, Karin A. F. and Michael Schlundt (July 2022). "Continuous thermosalinograph oceanography along RV MARIA S. MERIAN cruise MSM104". en. In: URL: <https://doi.pangaea.de/10.1594/PANGAEA.946413> (visited on 09/21/2022).
- 230