

# Modelling Knowledge Organization Systems and Structures


-A discussion in the context of conceptual and data models



Maja Žumer  
University of Ljubljana  
Slovenia

Marcia Lei Zeng  
Kent State University  
USA


ISKO-UK Biennial Conference, July 4-5, 2011, London



# I. Background



# FRSAD– generalisation of FRBR



# The core of the FRSAD conceptual model



FRSAD Part 1:

**WORK has as subject THEMA /  
THEMA is subject of WORK**

FRSAD Part 2:

**THEMA has appellation NOMEN /  
NOMEN is appellation of THEMA.**

*NOMEN* = any sign or sequence of signs (alphanumeric characters, symbols, sound, etc.) that a *thema* is known by, referred to or addressed as.

Note: in a given controlled vocabulary and within a domain, a *nomen* should be an appellation of only one *thema*.

The ‘has appellation’ relationship between *thema* and *nomen* in a controlled vocabulary:




**NOMEN** = any sign or sequence of signs (alphanumeric characters, symbols, sound, etc.) that a *thema* is known by, referred to or addressed as.

## Example:

Accession Number	(AN): 2005:3738 USAN
Publication Year	(PY): 2002
Generic Name	(CN): Flindokalner
OTHER NAMES:	
Chemical Name	(CN): 2H-Indol-2-one, 3-(5-chloro-2-methoxyphenyl)-3-fluoro-1,3-dihydro-6-(trifluoromethyl)-, (3S)-
Chemical Name	(CN): (3S)-3-(5-Chloro-2-methoxyphenyl)-3-fluoro-6-(trifluoromethyl)-1,3-dihydro-2H-indol-2-one
Trade Name	(CN): MaxiPost (Bristol-Myers Squibb)
Code Designation	(CN): BMS-204352
CAS Registry No.	(RN): 187523-35-9
Molecular Formula	(MF): C16 H10 Cl F4 N O2
Lin. Str. Formula (LSF):	C16 H10 Cl F4 N O2
Molecular Weight	(MW): 359.71

Nomen  
1-8



Nomen 9

Source: STN Database Summary Sheet: USAN (The USP Dictionary of U.S. Adopted Names and International Drug Names)

# Basic elements in any KOS structure --analyzed from the FRSAD perspective

- ↗ Entities
  - ↗ Thema
  - ↗ Nomen
- ↗ Relationships:
  - ↗ Thema – to – nomen
  - ↗ Thema – to – thema
  - ↗ Nomen – to – nomen
- ↗ Attributes
  - ↗ Attributes of thema
  - ↗ Attributes of nomen

## II. FRSAD conceptual model → implementation in data models for subject authority data



# SKOS and the thema-nomen relationship model

## 1. SKOS and the thema-nomen relationship model

Simple Knowledge Organization System Reference, 2005, 2009

-- concept-centric

- Primitive objects are not labels; rather, they are concepts represented by labels.
- Rooted from thesaurus standards, where such an emphasis was not clearly stated or modeled due to the mix of relationships of concepts
  - E.g., thesauri seemed to mix of relationships of concepts (Broader Term (BT), Narrower Term (NT), and Related Term (RT)) and between the concept and its labels (Use and Used For (UF)).
- SKOS: for semantic relationships:
  - skos:broader and skos:narrower for hierarchical relationships
  - skos:related for associative (non-hierarchical) relationships



**These convey the same relationships between themes defined in the FRSAD model.**

# SKOS Core (or no extension for labels)



Simple Knowledge Organization System Reference, 2005, 2009

- *Concept centered*
- *Labels are attributes of concepts*
- *Labels are literals;  
they do not have their  
own attributes.*




# SKOS Core (or no extension for labels)

- KOS vocabularies that have implemented this SKOS core (or no extension for labels) model
  - Library of Congress Subject Headings (LCSH)  
at <http://id.loc.gov/authorities/>

## A. Example from LCSH. <http://id.loc.gov/authorities/sh85145673#concept>

1. The first part of the record shows all related concepts. Each concept has a URI, and has a skos:prefLabel. The cml:lang is a property of it.

```
- <rdf:RDF>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85056013#concept">
  <skos:prefLabel xml:lang="en">Gouache painting</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85120108#concept">
  <skos:prefLabel xml:lang="en">Sepia painting</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh2008006343#concept">
  <skos:prefLabel xml:lang="en">Penwork (Decoration)</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85096661#concept">
  <skos:prefLabel xml:lang="en">Painting</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85050481#concept">
  <skos:prefLabel xml:lang="en">Fore-edge painting</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh89001408#concept">
  <skos:prefLabel xml:lang="en">Transparent watercolor painting</skos:prefLabel>
</rdf:Description>
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh99013408#concept">
  <skos:prefLabel xml:lang="en">Watercolor quilting</skos:prefLabel>
</rdf:Description>
```



## 2. The second part of the XML/RDF record shows the labels and relationships around the concept (1/3)

RDF/XML record:

```
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85145673#concept">
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85056013#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85120108#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh2008006343#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85050481#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh89001408#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh99013408#concept"/>
  <skos:altLabel xml:lang="en">Watercolor paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Watercolors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-colors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color painting</skos:altLabel>
  <skos:broader rdf:resource="http://id.loc.gov/authorities/sh85096661#concept"/>
  <skos:prefLabel xml:lang="en">Watercolor painting</skos:prefLabel>
  <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1998-05-06</dcterms:modified>
  <owl:sameAs rdf:resource="info:lc/authorities/sh85145673"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#topicalTerms"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#conceptScheme"/>
  <rdf:type rdf:resource="http://www.w3.org/2004/02/skos/core#Concept"/>
  <skos:closeMatch rdf:resource="http://stitch.cs.vu.nl/vocabularies/rameau/ark:/12148/cb1193092"/>
  <dcterms:created rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1986-02-11</dcterms:created>
</rdf:Description>
</rdf:RDF>
```

HTML display for human readers:

**Watercolor painting**

**URI**  
[<http://id.loc.gov/authorities/sh85145673#concept>](http://id.loc.gov/authorities/sh85145673#concept)

**Type**  
Topical Term

**Alternate Labels**

- Water-color painting
- Water-color paintings
- Water-colors
- Watercolor paintings
- Watercolors

**Broader Terms**

- [Painting](#)

**Narrower Terms**

- [Fore-edge painting](#)
- [Gouache painting](#)
- [Penwork \(Decoration\)](#)
- [Sepia painting](#)
- [Transparent watercolor painting](#)
- [Watercolor quilting](#)

**LC Classification**  
ND1700

**Created**  
1986-02-11

**Modified**  
1998-05-06 14:03:47

(cont.) 2. The second part of the XML/RDF record shows the labels and relationships around the concept (2/3)

RDF/XML record:

```
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85145673#concept">
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85056013#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85120108#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh2008006343#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85050481#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh89001408#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh99013408#concept"/>
  <skos:altLabel xml:lang="en">Watercolor paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Watercolors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-colors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color painting</skos:altLabel>
  <skos:broader rdf:resource="http://id.loc.gov/authorities/sh85096661#concept"/>
  <skos:prefLabel xml:lang="en">Watercolor painting</skos:prefLabel>
  <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1998-05-06</dcterms:modified>
  <owl:sameAs rdf:resource="info:lc/authorities/sh85145673"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#topicalTerms"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#conceptScheme"/>
  <rdf:type rdf:resource="http://www.w3.org/2004/02/skos/core#Concept"/>
  <skos:closeMatch rdf:resource="http://stitch.cs.vu.nl/vocabularies/rameau/ark:/12148/cb1193092"/>
  <dcterms:created rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1986-02-11</dcterms:created>
</rdf:Description>
</rdf:RDF>
```

HTML display for human readers:

**Watercolor painting**

**URI**  
<http://id.loc.gov/authorities/sh85145673#concept>

**Type**  
Topical Term

**Alternate Labels**

- Water-color painting
- Water-color paintings
- Water-colors
- Watercolor paintings
- Watercolors

**Broader Terms**

- [Painting](#)

**Narrower Terms**

- [Fore-edge painting](#)
- [Gouache painting](#)
- [Penwork \(Decoration\)](#)
- [Sepia painting](#)
- [Transparent watercolor painting](#)
- [Watercolor quilting](#)

**LC Classification**  
ND1700

**Created**  
1986-02-11

**Modified**  
1998-05-06 14:03:47

(cont.) 2. The second part of the XML/RDF record shows the labels and relationships around the concept (3/3)

RDF/XML record:

```
- <rdf:Description rdf:about="http://id.loc.gov/authorities/sh85145673#concept">
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85056013#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85120108#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh2008006343#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh85050481#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh89001408#concept"/>
  <skos:narrower rdf:resource="http://id.loc.gov/authorities/sh99013408#concept"/>
  <skos:altLabel xml:lang="en">Watercolor paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color paintings</skos:altLabel>
  <skos:altLabel xml:lang="en">Watercolors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-colors</skos:altLabel>
  <skos:altLabel xml:lang="en">Water-color painting</skos:altLabel>
  <skos:broader rdf:resource="http://id.loc.gov/authorities/sh85096661#concept"/>
  <skos:prefLabel xml:lang="en">Watercolor painting</skos:prefLabel>
  <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1998-05-06</dcterms:modified>
  <owl:sameAs rdf:resource="info:lc/authorities/sh85145673"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#topicalTerms"/>
  <skos:inScheme rdf:resource="http://id.loc.gov/authorities#conceptScheme"/>
  <rdf:type rdf:resource="http://www.w3.org/2004/02/skos/core#Concept"/>
  <skos:closeMatch rdf:resource="http://stitch.cs.vu.nl/vocabularies/rameau/ark:/12148/cb1193092"/>
  <dcterms:created rdf:datatype="http://www.w3.org/2001/XMLSchema#dateTime">1986-02-11</dcterms:created>
</rdf:Description>
</rdf:RDF>
```

HTML display for human readers:

**Watercolor painting**

**URI**  
<http://id.loc.gov/authorities/sh85145673#concept>

**Type**  
Topical Term

**Alternate Labels**

- Water-color painting
- Water-color paintings
- Water-colors
- Watercolor paintings
- Watercolors

**Broader Terms**

- [Painting](#)

**Narrower Terms**

- [Fore-edge painting](#)
- [Gouache painting](#)
- [Penwork \(Decoration\)](#)
- [Sepia painting](#)
- [Transparent watercolor painting](#)
- [Watercolor quilting](#)

**LC Classification**  
ND1700


**Created**  
1986-02-11

**Modified**  
1998-05-06 14:03:47

## (cont.) SKOS and the thema-nomen relationship model

### 2. SKOS eXtension for Labels (SKOS-XL) and relationships of nomens

- *thema* corresponds to skos:Concept class
- *nomen* corresponds to skosxl:Label



Ref: eXtension for Labels (SKOS-XL) , in: *SKOS Simple Knowledge Organization System Reference*, 2009, Appendix B

# *nomen* as an entity

- ↗ The FRSAD model defines *nomen* as an entity.
- ↗ *Nomens* have attributes as well as relations between or among themselves while representing the same *thema*.
  - ↗ e.g., a preferred label of a concept may have various literal forms, synonyms, status of release, and administrative data
- ↗ FRSAD has provided a few common possible relationships and is flexible: implementation- or domain-specific relationships can be added.
- ↗ With the availability of SKOS-XL, such situations can be handled appropriately.

# A Simplified Example


thema

nomen

```
<xyz/sch/c_4788><skos-xl#prefLabel><xyz/sch/xl_en_123>; . . .
<xyz/sch/xl_en_123><skos-xl#literalForm> "methods"@en ;
<xyz/sch/xl_en_123><rdf-syntax-ns#type> <skos-xl#Label> ;
<xyz/sch/xl_en_123><xyz/voc/hasSynonym> <xyz/xl_en_1285319878064> ;
<xyz/sch/xl_en_123><xyz/voc/hasStatus>
  "Published"^^<http://www.w3.org/2001/XMLSchema#string> ;
<xyz/sch/xl_en_123><xyz/voc/hasDateCreated>
  "1981-01-09 00:00:00"^^<http://www.w3.org/2001/XMLSchema#dateTime> ;
<xyz/sch/xl_en_123><xyz/voc/hasCodeScheme>
  "4788"^^<http://www.w3.org/2001/XMLSchema#int> .
```


Figure 7. Simplified statements, based on AGROVOC example,  
for a concept that has a label in English, “methods”


# Comparing with model 1



SKOS  
(Core)

SKOS +  
SKOSXL





- The most common relationships and attributes are specified in FRSAD;
- Additional implementation- or domain-specific relationships and attributes can be added when needed.

# Summary

- The two data models presented above demonstrate how the FRSAD model can be implemented.
- The power of the FRSAD conceptual model yields to meet the needs of both the conventional LIS environment and the emerging Linked Data environment.

# References

- ↗ *AGROVOC Thesaurus* (Linked Data version 2011-). Food and Agriculture Organization of the United Nations. Retrieved from: <http://aims.fao.org/website/Linked-Open-Data/sub>
- ↗ Dextre Clarke, S. G. (2008). ISO 2788 + ISO 5964 + Much Energy = ISO 25964. *Bulletin of the American Society for Information Science and Technology*. 35(1): 31–33.
- ↗ *Functional Requirements for Subject Authority Data, A Conceptual Model* (2010). IFLA Working Group on Functional Requirements for Subject Authority Records (FRSAR). Retrieved from: <http://www.ifla.org/en/node/1297>.
- ↗ *Library of Congress Subject Headings* (Linked Data version 2009-). The Library of Congresss. Retrieved from: <http://id.loc.gov/authorities/>
- ↗ SKOS Core Vocabulary Specification. (2005). Eds. Miles, A. and Bechhofer, S. W3C Working Draft 10 May 2005. Retrieved from: <http://www.w3.org/TR/2005/WD-swbp-skos-core-spec-20050510/>
- ↗ SKOS eXtension for Labels (SKOS-XL). In: SKOS Simple Knowledge Organization System Reference (2009). Eds. Miles, A. and Bechhofer, S . W3C Recommendation. Appendix B. Retrieved from: <http://www.w3.org/TR/skos-reference/> <http://www.w3.org/TR/2009/REC-skos-reference-20090818/#xl>
- ↗ SKOS Simple Knowledge Organization System Primer (2009). Eds. Isaac, A. and Summers, E. Retrieved from: <http://www.w3.org/TR/skos-primer/>
- ↗ SKOS Simple Knowledge Organization System Reference (2009). Eds. Miles, A. and Bechhofer, S . W3C Recommendation. Retrieved from: <http://www.w3.org/TR/skos-reference/>