


Drakensberg

The *Mountains Uncovered* series has been developed by GEO Mountains to provide a set of easily understandable and inter-comparable maps, tables, and figures spanning a range of thematic areas for 100 selected global mountain ranges. This is the report for the **Drakensberg** mountain range. The index page shows an overview of all mountain ranges in the series.



Location of the Drakensberg mountain range [1][2].





Table of Contents

- 1. General Information
- 2. Land Cover and Land Use
- 3. Topography
- 4. Climate
- 5. Hydrology
- 6. Cryosphere
- 7. Measurement Locations

References

Index

About the Series

About GEO Mountains






1. General Information

1.1. Administrative

The mountain range has spatial overlap with **four** different countries, as shown in Figure 1.1. The overview is based on the GADM dataset [3] of administrative divisions at Level 0.



South Africa: 50,975 km²	61%
Lesotho: 25,969 km²	31%
Swaziland: 6,931 km²	8%
 Mozambique: 49 km² 	0%






1.2. Demographics


Data on the mountain range's human population are sourced from the European Commission's GHS-POP dataset [5]. According to this source, it is estimated that 3 million people lived in the area in 2020. This is expected to increase to 4 million by 2030. The largest settlements within the mountain range are Mbabane, Mohale's Hoek, Qacha's Nek, Quthing, and Mokhotlong.


In 2020, the human population in this mountain range was estimated to be 3 million.

Figure 1.2. Population estimates in the mountain range from 1975-2030. The data after 2020 are projections.



The maps show the population density in the mountain range (Figure 1.3), and estimated travel time to the nearest population centre with more than 50,000 inhabitants (Figure 1.4). Estimated travel time can be useful for evaluating accessibility to services and markets.







Page 5 of 23



1.3. Development and Economic Indicators

The Human Development Index (HDI) is determined by a combination of indicators such as life expectancy, literacy rate, access to electricity, Gross Domestic Product (GDP), and others. In 2015, the average HDI in this mountain range was estimated to be **0.58**. This is considered to be a **medium level of development**.

Table 1.2. GDP and HDI Indicators over Time			
	1990	2000	2015
Gross Domestic Product	\$21 bn	\$20 bn	\$29 bn
Human Development Index Source: Kummu et al. [7]	0.55	0.54	0.58


The total GDP within this mountain range in 2015 was estimated to be **\$29 billion**, an **increase of \$8 billion since 2000**. Table 1.2. shows an overview of the HDI and GDP indicators over time.





1.4. Protected Areas

Figure 1.3 shows the spatial coverage of protected areas in the mountain range according to the World Database of Protected Areas (WDPA) [8]. A total of **18%** of the mountain range is covered by a protected area. The establishment of protected areas represents a key measure to protect and conserve valuable mountain biodiverisity and ecosystems. These areas vary broadly in their aims, regulations, and effectiveness, however.



A total of 18% of the mountain range is classified as protected in the World Database of Protected Areas.

The largest protected areas are:

	Kruger National Park National Park	19,171 km²
	2. Maloti Drakensberg Conservation and Development Area Conservation and Development Area	6,324 km²
	3. Maloti-Drakensberg Park World Heritage Site (natural or mixed)	2,445 km²
	4. uKhahlamba-Drakensberg Park Ramsar Site, Wetland of International In	2,248 km² nportance
	5. Barberton Makhonjwa Mountains World Heritage Site (natural or mixed)	1,133 km²







2. Land cover

2.1. Land Cover

According to the ESA WorldCover dataset [9], the most dominant land cover types in 2021 were grassland (63.7%), tree cover (18.4%), and shrubland (12.5%).

Land cover percentages from 2021 for the largest land cover classes in the mountain range.





The European Commission's Global Human Settlement Layer (GHSL) [10] classifies **0.1%** of the mountain range's area as urban centre, **1.6%** as urban cluster, and **98.3% as rural**.





3. Topography

The land surface elevation ranges from a minimum of 46 m to a maximum of 3,482 m at Thabana Ntlenyana. The mean elevation is 1,664 m. 50% of the area lies is between 1,183 m and 2,093 m, and 90% of the area lies between 639 m and 2,566 m. Figure 3.1 shows a shaded relief elevation map based on the MERIT DEM [11] and a selection of peaks from the Geonames dataset [4]. The distribution of land surface elevation strongly affects local climatic and living conditions in mountains.




Figure 3.2. Distribution of elevation within in the mountain range [11].




Figure 3.3. Distribution of slope steepness within in the mountain range [21].




Figure 3.4. Highest peaks in the mountain range according to the Geonames [4] dataset.

1. Thabana Ntlenyana	▲ 3,482 m
2. Mafadi	▲ 3,450 m
3. Njesuthi	▲ 3,408 m
4. Popple Peak	▲ 3,331 m
5. Giant's Castle	▲ 3,315 m
6. Mont-Aux-Sources	▲ 3,282 m
7. Cathedral Peak	▲ 3,004 m
8. Ben Macdhui	▲ 3,001 m
9. Ntelle	▲ 2,584 m
10. Wolkberg	▲ 2,126 m








4. Climate


4.1. Temperature and Precipitation

Precipitation and temperature combine to control local weather and climate, with implications for water availability, vegetation growing conditions, snow and ice accumulation, and extreme events such as floods and droughts.

The mean annual temperature across the mountain range is shown in Figure 4.1. The **mean annual temperature for the entire mountain range is 14.0°C**, but it varies geographically from a **minimum of 3.8°C** to a **maximum of 22.8°C**. The temperature data are extracted from the CHELSA climatology dataset [13].

The mean annual precipitation shown in Figure 4.2. The **mean annual precipitation for the entire mountain range is 884 mm**, but it varies geographically from a **minimum of 339 mm** to a **maximum of 2,024**. Precipitation data are bias-corrected for use in mountain environments, and are extracted from CHELSA data in the Precipitation Bias CORrection (PBCOR) dataset [12].









Page 10 of 23 Mountains Uncovered v1.0, GEO Mountains 2023



The mean monthly temperature across the entire mountain range shown in Figure 4.3, and varies from a maximum of 18.7°C in January to a minimum of 7.7°C in July. Equivalent statistics for precipitation are shown in Figure 4.4, which vary from a maximum of 148 mm in January to a minimum of 12 mm in July.











4.2. Climate Classifications

Figures 4.5 and Figure 4.6 show Köppen-Geiger climate classifications for the present day (1980-2016) and for projected future conditions (2071-2100), respectively. Future conditions are derived from an ensemble of 32 climate model projections under the RCP 8.5 "business-as-usual" scenario [14].





Köppen-Geiger climate classification for ensemble mean projected future conditions (2071-2100) under the RCP 8.5 scenario.

Data: GloH2O [14]. Background: GMBA [2], GADM [3], Natural Earth [3], Geonames [4], World Bank [22].







1.6%

1.4%

0.7%

0.1%

0.0%

0.0%

0.0%

0.7%

1.8%

9.2%

1.6%

1.4%

▲ 1.7%

▲ 9.2%

Table 4.1. Changes in climate classifications between current (1980-2016) and future (2071-2100) conditions Classification Current **Future** Change **2**0.1% 56.0% Cwb Temperate, dry winter, warm summer 35.9% Cfb Temperate, no dry season, warm summer 19.1% 5.5% **13.6%** Cwa Temperate, dry winter, hot summer 17.7% **19.6%** 37.3% 1.7% 9.6% **▲** 7.8% BSh Arid, steppe, hot Cwc Temperate, dry winter, cold summer 1.7% 0.0% **▼** 1.7%

Source: GloH2O [14].

Dwc Cold, dry winter, cold summer

Cfa Temperate, no dry season, hot summer

ET Polar, tundra

BSk Arid, steppe, cold

Aw Tropical, savannah






5. Hydrology

According to the GRDC Major River Basins dataset, **seven major basins** intersect the mountain range [15]. The **Orange has the most overlap with 41%** and drains into the **South Atlantic**.

Within the mountain range, there are a total of **22 dams** listed in the Global Reservoirs and Dams (GRanD) database [16]. The main usages of these dams are **none (9)**, **irrigation (9)**, **water supply (2)**, and **hydroelectricity (2)**. The total capacity of these dams is estimated to be **3,559 million m**³. Figure 5.1 shows major rivers, basins, and dams (red points) that intersect with this mountain range.



Orange → South Atlantic	41.0%
Limpopo → MozambiqueChannel	22.0%
Incomati (Also Komati) →Mozambique Channel	13.0%
 Maputo (Also Lusutfu, Also Usutu) → Mozambique Channe 	
Uthukela → Indian Ocean	6.0%
Umbeluzi (Also Umbuluzi) →Mozambique Channel	1.0%
 Great Kei (Also Groot-Kei) Indian Ocean 	→ 1.0%



Katse	1,950 Mm³ 1
Mohale	♦ 947 Mm³
Maguga	





6. Cryosphere

6.1. Glaciers and Permafrost

According to the Randolph Glacier Inventory dataset there are **no glaciers** in this mountain range [17].





6.2. Snow Cover


The average snow covered area in this mountain range does not exceed 1%, even in the coldest months. Maps and charts of snow covered area are therefore not shown.





7. Measurement Locations

The GEO Mountains Inventory of In Situ Observational Infrastructure (v2.0) lists a total of **117 measurement sites** in this mountain range [20]. Their locations are shown as red dots in Figure 7.1. In situ measurements are crucial for a range of scientific and practical application in mountains, yet the locations of measurement sites are often difficult to gain an appreciation of. Measurement sites include weather and climate stations, river gauging stations, networks of stations, experimental basins, and others.



According to the GEO
Mountains Inventory of In Situ
Observational Infrastructure,
there are 117 measurement
sites in this mountain range





References

- 1. Natural Earth Data. Via https://www.naturalearthdata.com.
- 2. GMBA Mountain Inventory v2. Snethlage, M.A., Geschke, J., Spehn, E.M., Ranipeta, A., Yoccoz, N.G., Körner, Ch., Jetz, W., Fischer, M. & Urbach, D. A hierarchical inventory of the world's mountains for global comparative mountain science. Nature Scientific Data.
- https://doi.org/10.1038/s41597-022-01256-y (2022). Dataset: Snethlage, M.A., Geschke, J., Spehn, E.M., Ranipeta, A., Yoccoz, N.G., Körner, Ch., Jetz, W., Fischer, M. & Urbach, D. GMBA Mountain Inventory v2. GMBA-EarthEnv. https://doi.org/10.48601/earthenv-t9k2-1407 (2022).
- 3. GADM Global Administrative Divisions. Via https://www.gadm.org/.
- 4. Geonames geographical database. Via https://www.geonames.org/.
- 5. GHS-POP layer of the Global Human Settlement Dataset. Dataset: Schiavina M., Freire S., MacManus K. (2022): GHS-POP R2022A GHS population grid multitemporal (1975-2030). European Commission, Joint Research Centre (JRC) PID: http://data.europa.eu/89h/d6d86a90-4351-4508-99c1-cb074b022c4a, doi:10.2905/D6D86A90-4351-4508-99C1-CB074B022C4A
- 6. Global Accessibility Map. Via https://forobs.jrc.ec.europa.eu/products/gam/.
- 7. Kummu, M., Taka, M. & Guillaume, J. Gridded global datasets for Gross Domestic Product and Human Development Index over 1990–2015. Sci Data 5, 180004 (2018). https://doi.org/10.1038/sdata.2018.4
- 8. UNEP-WCMC and IUCN (2022), Protected Planet: The World Database on Protected Areas (WDPA) Cambridge, UK: UNEP-WCMC and IUCN. Available at: www.protectedplanet.net.
- 9. ESA WorldCover project 2023. Contains modified Copernicus Sentinel data, processed by ESA WorldCover consortium 2021. Via: https://esaworldcover.org/.
- 10. Global Human Settlement Dataset (SMOD Layers). Schiavina M., Melchiorri M., Pesaresi M. (2022): GHS-SMOD R2022A GHS settlement layers, application of the Degree of Urbanisation methodology (stage I) to GHS-POP R2022A and GHS-BUILT-S R2022A, multitemporal (1975-2030)European Commission, Joint Research Centre (JRC) PID: http://data.europa.eu/89h/4606d58a-dc08-463c-86a9-d49ef461c47f, doi:10.2905/4606D58A-DC08-463C-86A9-D49EF461C47F
- 11. MERIT DEM. Yamazaki D., D. Ikeshima, R. Tawatari, T. Yamaguchi, F. O'Loughlin, J.C. Neal, C.C. Sampson, S. Kanae & P.D. Bates A high accuracy map of global terrain elevations Geophysical Research Letters, vol.44, pp.5844-5853, 2017 doi: 10.1002/2017GL072874. Available via http://hydro.iis.u-tokyo.ac.jp/~yamadai/MERIT_DEM/.

- 12. GloH2O PBCOR dataset: Beck, H. E., T. R. McVicar, M. Zambrano-Bigiarini, C. Alvarez-Garret, O. M. Baez-Villanueva, J. Sheffield, D. Karger, and E. F. Wood, 2020Bias correction of global high-resolution precipitation climatologies using streamflow observations from 9372 catchmentsJournal of Climate 33, 1299–1315, doi:10.1175/JCLI-D-19–0332.1
- 13. CHELSA V2.1 climatologies. Karger, D.N., Conrad, O., Böhner, J., Kawohl, T., Kreft, H., Soria-Auza, R.W., Zimmermann, N.E., Linder, P., Kessler, M. (2017): Climatologies at high resolution for the Earth land surface areas. Scientific Data. 4 170122.
- https://doi.org/10.1038/sdata.2017.122 Available via: https://chelsa-climate.org/
- 14. Beck, H.E., N.E. Zimmermann, T.R. McVicar, N. Vergopolan, A. Berg, E.F. Wood. Present and future Köppen-Geiger climate classification maps at 1-km resolutionScientific Data 5:180214, doi:10.1038/sdata.2018.214 (2018)
- 15. GRDC (2020): Major River Basins of the World / Global Runoff Data Centre, GRDC. 2nd, rev. ext. ed. Koblenz, Germany: Federal Institute of Hydrology (BfG). Available via https://www.bafg.de/GRDC/
- 16. Lehner, B., C. Reidy Liermann, C. Revenga, C. Vörösmarty, B. Fekete, P. Crouzet, P. Döll, M. Endejan, K. Frenken, J. Magome, C. Nilsson, J.C. Robertson, R. Rodel, N. Sindorf, and D. Wisser. 2011. High-resolution mapping of the world's reservoirs and dams for sustainable river-flow management. Frontiers in Ecology and the Environment 9 (9): 494-502.
- 17. Randolph Glacier Inventory 6.0. Via: https://www.glims.org/RGI/
- 18. Permafrost Zonation Index. Gruber, S. 2012: Derivation and analysis of a high-resolution estimate of global permafrost zonation, The Cryosphere, 6, 221-233 Via https://climatedataguide.ucar.edu/climatedata/global-permafrost-zonation-index-map
- 19. ESA-CCI Snow Cover Fraction data. Via: https://snow-cci.enveo.at/
- 20. GEO Mountains (2022). Inventory of in situ mountain observational infrastructure, v2.0. DOI: 10.6084/m9.figshare.14899845.v2 Via: https://www.geomountains.org/resources/resources-surveys/inventory-of-in-situ-observational-infrastructure
- 21. Amatulli, G., McInerney, D., Sethi, T. et al. Geomorpho90m, empirical evaluation and accuracy assessment of global high-resolution geomorphometric layers. Sci Data 7, 162 (2020). https://doi.org/10.1038/s41597-020-0479-6
- 22. World Bank administrative boundaries and disputed borders (2023) via https://datacatalog.worldbank.org/search/dataset/0038272





Index

The index shows an overview of the 100 mountain ranges in version v1.0 of the *Mountains Uncovered* series.



- 1. Albertine Rift Mountains
- 2. Central Range (Madagascar)
- 3. Drakensberg
- 4. Eastern Arc Mountains
- 5. Eastern Rift mountains
- 6. Ethiopian Highlands
- 7. High Atlas Range
- 8. High Plateaux of Katanga
- 9. Horn of Africa Highlands
- 10. Middle Atlas
- 11. Northeastern Great Escarpment
- 12. Plateau of Mozambique
- 13. Rif
- 14. Southern Rift Mountains
- 15. Tell Atlas

Eurasia

- 16. Alborz Mountains
- 17. Altyn-Tagh
- 18. Armenian Highlands
- 19. Baetic System
- 20. Balkan Mountains
- 21. Balochistan Ranges
- 22. Bayan Har Mountains
- 23. Cantabrian Mountains
- 24. Carpathian Mountains
- 25. Caucasus Mountains

Eurasia (continued)

- 26. Central Iranian Range
- 27. Central Range (Papua New Guinea) 52. Sarawat Mountains
- 28. Dinaric Alps
- 29. Eastern Sayan
- 30. European Alps
- 31. Gobi-Altai Mountains
- 32. Hellenides
- 33. Hengduan Shan
- 34. Himalaya
- 35. Hindu Kush
- 36. Honshu
- 37. Karakoram
- 38. Kunlun Mountains
- 39. Kuznetsk Alatau
- 40. Min Mountains
- 41. Mongolian Altai
- 42. Mongolian Highlands
- 43. Northern Altai
- 44. Northern Scandes
- 45. Pamir Mountains
- 46. Pontic Mountains
- 47. Pyrenees
- 48. Qiangtang
- 49. Qilian Mountains
- 50. Qionglai Shan

Eurasia (continued)

- 51. Rila-Rhodope Massif
- 53. Sistema Iberico
- 54. South European Highlands
- 55. Southern Scandes
- 56. Taiwan
- 57. Tanggula Mountains
- 58. Taurus Mountains
- 59. Tian Shan
- 60. Transhimalaya
- 61. Ural Mountains
- 62. Western Sayan
- 63. Yunnan-Guizhou Plateau
- 64. Zagros Mountains

North America

- 65. Alaska Range
- 66. Appalachian Mountains
- 67. British Columbia Interior
- 68. Canadian Rockies
- 69. Cascade Range (North America)
- 70. Central Montana Rocky Mountains
- 71. Coast Mountains
- 72. Colorado Plateau
- 73. Columbia Mountains
- 74. Cordillera Centroamericana
- 75. Great Basin Ranges

North America (continued)

- 76. Greater Yellowstone Rockies
- 77. Idaho-Bitterroot Rocky Mountains
- 78. Saint Elias Mountains
- 79. Sierra Madre del Sur
- 80. Sierra Madre Occidental
- 81. Sierra Madre Oriental 82. Sierra Nevada (USA)
- 83. South-Central Alaska
- 84. Southern Rocky Mountains
- 85. Trans-Mexican Volcanic Belt
- 86. Western Rocky Mountains

Oceania

87. Southern Alps (New Zealand)

South America

- 88. Altiplano
- 89. Cordillera Central (Northern Andes)
- 90. Cordillera Central (Central Andes)
- 91. Cordillera de la Costa (Chile)
- 92. Cordillera de Mérida
- 93. Cordillera Occidental (Central Andes)
- 94. Cordillera Occidental (Northern Andes)
- 95. Cordillera Oriental (Northern Andes)
- 96. Cordillera Oriental (Central Andes)
- 97. Dry Andes
- 98. Meseta Patagónica
- 99. Patagonian Andes
- 100. Sierras Pampeanas





About the Series

Aims

The *Mountains Uncovered* series (v1.0) aims to provide an easily understandable overview of the key characteristics of 100 selected mountain ranges around the world. Comparisons between mountain ranges can also readily be made. The series was developed by collating and visualising a variety of current global scale data products. We hope that the series will be a useful resource for researchers, policy-makers, environmental managers, educators, and others seeking to better understand the Earth's major mountain regions, and that over time it will inspire the generation of additional datasets, analyses, and products.

Citation and Sharing

The *Mountains Uncovered* series (v1.0) has been developed on the basis of exclusively open global spatial datasets. In turn, all visualisations, statistics, and code generated are shared under the Creative Commons BY 4.0 license. You may use, distribute, and reproduce the product in any medium, provided appropriate acknowledgement is given. Please cite the series as:

GEO Mountains (2023). The Mountains Uncovered Series: Intercomparable Maps and Statistics for 100 Selected Global Mountain Ranges (v1.0). doi: 10.5281/zenodo.8010166

Before the reuse of the products, the licence terms associated with the underlying third-party datasets should be carefully checked, and those datasets should also be appropriately cited; please see the reference list provided for further details and links.

GEO Mountains assumes no responsibility and accepts no liability for the product's use, and remains neutral with respect to the locations of any borders and the place names shown in the third-party datasets employed.

Limitations

Users should note that data and information are limited in many mountain regions around the world. As a result, the figures, maps, and graphs presented in this series are associated with uncertainties, and these uncertainties must be taken into account when interpreting the information given.





To ensure that any comparisons made between individual mountain ranges are as fair as possible, global-scale datasets were used (without any additional modification). Consequently, the series does not necessarily represent a compendium of the "best" data available in any given mountain range or local area, but rather a common, generally intercomparable set. For applications at local and regional scales, alternative datasets to those shown may be more suitable.

Indeed, in parallel to the ongoing development of the global series, more local and regional "bottom-up" engagements and activities to improve the quality and availability of data should also be undertaken, since data on these scales also play a crucial role in supporting decision-making for the benefit of mountain people and ecosystems.

Get Involved

While many global mountain regions remain notoriously data-scarce, new datasets are being released regularly. If you are aware of any datasets you would like us to consider including in a potential future release, please provide the necessary details via this form. Likewise, if you become aware of any errors, omissions, or other potential modifications that could be made in a future version, please let us know via the same form. By taking these actions, you will help us expand the scope and improve the impact of the *Mountains Uncovered* series. Feedback concerning the underlying datasets will be collated and shared with the relevant organisations or data providers.

Contact

For any general queries or comments, please contact: geomountains@mountainresearchinitiative.org

Many thanks for your interest, support, and contributions to global mountain data, policy, and education!





Developed with:




A contribution from:





Supported by:




Swiss Agency for Development and Cooperation SDC





About GEO Mountains

GEO Mountains is an Initiative of the Group on Earth Observations (GEO). It aims to bring together research institutions and mountain observation networks to enhance the discoverability, accessibility, and use of a wide range of relevant data and information pertaining to environmental and socio-economic systems – both in situ and remotely sensed – across global mountain regions. In doing so, we hope to help facilitate scientific advancements and support decision makers at local, national, and regional levels. The figure below illustrates the scope of the Initiative.



GEO Mountains is an open and inclusive network. We aspire to follow the principles of open data and open science wherever possible.





