Southern Ocean observation for a changing climate

Andrew Meijers, British Antarctic Survey, Cambridge, UK 27 June 2023, Genoa (IT) Ocean Data Week NAUTILOS Policy Round Table - Supporting Ocean Observations



https://www.bas.ac.uk/

The Ocean Driving the Climate

British Antarctic Survey

NATURAL ENVIRONMENT RESEARCH COUNCI

The ocean at the center of the world







Where does the heat from global warming go? How will this change?





- >90% into the ocean, and mostly via the Southern Ocean.
- ~ 40% of all ocean uptake of human produced CO2 is via the Southern Ocean.
- Providing climate service worth approximately €50 BILLION per annum.





The Southern Ocean is the major driver of ice sheet melt

IceSat(-2) ice sheet thickness loss (2003-19)

Leading to dangerous uncertainty in future sea level rise predictions



IPCC AR6 (2021), Summary for policy makers high impact storyline from an expert survey and structured expert judgement (i.e. not modelled)

Huge uncertainty in future projections!



The Southern Ocean is (still) a huge hole in our observing network



Observations of top 2km of ocean by Argo floats since 2004 (>2 million)

And even worse for measurements of CO2 and other properties



Number of months with at least one ocean CO2 measurement since 1957



Citizen science contributions







Ocean CO2 measurements for Nov 2020 – Jan 2021: Colour is from *Seaexplorer* and *Newrest* in the Vendée Globe race (>350 000 measurements)



Find out more!

- Horizon Europe OCEAN:ICE The Southern Ocean and Antarctic impacts on global climate<u>https://ocean-ice.eu/</u>
- H2020 SO-CHIC Heat and carbon uptake by the Southern Ocean <u>https://sochic-h2020.eu/</u>
- Marine Data, Information and Knowledge for EU Green Deal and Climate Change 16:00-16:20, Today!







Saildrone being deployed off Cape Town as part of SO-CHIC, 2022

Thank you



SO-CHIC project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement Nr. 821001.





OCEAN:ICE is co-funded by the European Union, Horizon Europe Funding Programme for research and innovation under grant agreement Nr. 101060452 and by UK Research and Innovation

