New Approach to Geometric Series for Computational Applications

Chinnaraji Annamalai School of Management, Indian Institute of Technology, Kharagpur, India Email: anna@iitkgp.ac.in https://orcid.org/0000-0002-0992-2584

Abstract: Computational science is a rapidly growing multi-and inter-disciplinary area where science, mathematics, computation, management and its collaboration use advance computing capabilities to understand and solve the most complex real-life problems. In this article, a new kind of geometric series and theorems are introduced for mathematical and computational applications.

MSC Classification codes: 40A05 (65B10)

Keywords: computation, theorem, geometric progression

1. Introduction

Geometric series played a vital role in differential and integral calculus at the earlier stage of development and still continues as an important part of the study in science, engineering, management and its applications. In this article, a new kind of geometric series [1-6] is formulated for application [7] of computational science.

2. Theorem on Geometric Series

Theorem 2.1: Let *R* be a set of real numbers and
$$p \in R$$
. Then $\sum_{i=0}^{n-1} x^{pi} = \frac{x^{np} - 1}{x^p - 1}$, $p \neq 0$.

Proof. Let us prove this theorem using the following equality:

$$y^{n+1} = y^{n+1} \Rightarrow y^{n+1} = (y-1)y^n + y^n \Rightarrow y^{n+1} = (y-1)y^n + (y-1)y^{n-1} + y^{n-1}.$$

If we continue this expansion again and again, we can obtain the following series. $y^{n+1} = (y-1)y^n + (y-1)y^{n-1} + (y-1)y^{n-2} + (y-1)y^{n-3} + \dots + (y-1)y^k + y^k.$ *i.e.*, $y^{n+1} - y^k = (y-1)(y^n + y^{n-1} + y^{n-2} + y^{n-3} + \dots + y^k).$ (1)

From the expansion (1), we obtain the series
$$\sum_{i=k}^{n} y^{i} = \frac{y^{n+1} - y^{k}}{y-1}, y \neq 1.$$
 (2)

Let y be x^p and substitute it in the series (2).

Then,
$$\sum_{i=k}^{n} (x^p)^i = \frac{(x^p)^{n+1} - (x^p)^k}{x^p - 1} \implies \sum_{i=k}^{n} x^{p_i} = \frac{x^{p(n+1)} - x^{pk}}{x^p - 1}, p \neq 0.$$
 (3)

From the Equation (3), we conclude that

$$\sum_{i=0}^{n} x^{pi} = \frac{x^{p(n+1)} - 1}{x^p - 1}, p \neq 0 \quad (OR) \quad \sum_{i=0}^{n-1} x^{pi} = \frac{x^{np} - 1}{x^p - 1}, p \neq 0.$$
Hence, theorem is proved

Hence, theorem is proved.

Lemma 2.1: if p is a nonnegative integer, $\left(\sum_{i=0}^{p-1} x^i\right) \left(\sum_{j=0}^{n-1} x^{pj}\right) = \sum_{k=0}^{np-1} x^k = \frac{x^{np}-1}{x-1}, x \neq 1.$

Proof.

$$\left(\sum_{i=0}^{p-1} x^i\right) \left(\sum_{j=0}^{n-1} x^{pj}\right) = \left(\frac{x^p - 1}{x - 1}\right) \left(\frac{x^{np} - 1}{x^p - 1}\right) = \frac{x^{np} - 1}{x - 1}, x \neq 1 = \sum_{k=0}^{np-1} x^k.$$
 (4)

Hence, the lemma is proved.

Corollarry 2.1:
$$\left(\sum_{i=0}^{p-1} x^i\right) \left(\sum_{j=0}^n x^{pj}\right) - \sum_{i=0}^{np} x^i = \frac{x^{np}(x^p - x)}{x - 1}, x \neq 1 = x^{np} \sum_{k=1}^{p-1} x^k.$$

3. Conclusion

In this article, a new kind of geometric series and theorems are introduced for mathematical and computational applications. Also, this idea can enable the scientific researchers for further involvement in research and development.

References

- [1] Annamalai, C. (2018) Annamalai's Computing Model for Algorithmic Geometric Series and Its Mathematical Structures. *Journal of Mathematics and Computer Science*, 3(1),1-6 <u>https://doi.org/10.11648/j.mcs.20180301.11</u>.
- [2] Annamalai, C. (2018) Algorithmic Computation of Annamalai's Geometric Series and Summability. *Journal of Mathematics and Computer Science*, 3(5),100-101. https://doi.org/10.11648/j.mcs.20180305.11.
- [3] Annamalai, C. (2017) Analysis and Modelling of Annamalai Computing Geometric Series and Summability. *Mathematical Journal of Interdisciplinary Sciences*, 6(1), 11-15. https://doi.org/10.15415/mjis.2017.61002.
- [4] Annamalai, C. (2018) Novel Computation of Algorithmic Geometric Series and Summability. *Journal of Algorithms and Computation*, 50(1), 151-153. https://www.doi.org/10.22059/JAC.2018.68866.
- [5] Annamalai, C. (2017) Computational modelling for the formation of geometric series using Annamalai computing method. *Jñānābha*, 47(2), 327-330. <u>https://zbmath.org/?q=an%3A1391.65005</u>.
- [6] Annamalai, C. (2018) Computing for Development of A New Summability on Multiple Geometric Series. *International Journal of Mathematics, Game Theory and Algebra*, 27(4), 511-513.
- [7] Annamalai C (2010) "Application of Exponential Decay and Geometric Series in Effective Medicine", Advances in Bioscience and Biotechnology, Vol. 1(1), pp 51-54. https://doi.org/10.4236/abb.2010.11008.