


**SHORT COMMUNICATION: RECAP OF ROLE OF NUTRIENTS IN FERMENTATION****Soma Ghorai^{1*}, Arijit Das²** ¹Dhyaneswar Subodh College, Raghunathbari, Panskura, Purba Medinipur, 721634, W.B.²Department of Pharmacology, Bharat Technology, Uluberia, Howrah – 711316, W.B.**ARTICLE INFO****Article history**

Received 15/09/2023

Available online

08/10/2023

Keywords

Fermentation;

Tetracycline;

Clavulanic Acid;

Riboflavin;

Alcohol Fermentation.

ABSTRACT

Aim of the present work is to provide a short communication on role of nutrients in fermentation. Aged food varieties or fermented products are acquiring prominence among customers for their conceivable helpful and high showcasing esteem and their gainful impacts are getting more obvious with aggregating results from clinical studies. After a comprehensive study the information provided in this article presents that in fermentation, nutrients play a beneficial role.


Corresponding author**Arijit Das**

Dhyaneswar Subodh College,

Raghunathbari, Panskura,

Purba Medinipur, 721634, W.B.

arijitdasar1995@gmail.com

 ORCID NO - 0000-0002-8119-3451

Please cite this article in press as **Arijit Das et al.** Short Communication: Recap of Role of Nutrients in Fermentation. *Indo American Journal of Pharmaceutical Research*.2023;13(09).

INTRODUCTION^[1-4]

Fermentation (Fig No. 1)¹ is a metabolic process that converts sugar to acid, gases, or alcohol. The conventional definition of fermentation is the breakdown of large molecules, for example, carbohydrates, into simple ones under the influence of microorganisms for their enzymes^{2,3}. In a microbiological way, fermentation is defined as any process for the production of useful products through mass culture of microorganisms^{1,4}.




Fig No. 1: Fermentation.

Range Of Fermentation^[5-7]

Fermentation has variety of ranges like to produce microbial cells or biomass. Then, to produce microbial enzymes followed by to produce microbial metabolites and also to produce recombinant products. For good countermeasures and readiness, a more substantial and more far-reaching outlook and progress are critically required.

Role Of Nutrients

In Case Of Antibiotics Production^[8-11]

Tetracycline:

Commercially produced strains utilize sucrose, starch as cheap carbon sources. Starch being a polysaccharide is particularly suitable for prolonged fermentation of about 200 hours. Organic nitrogen sources include corn-steep, soyabean meal, peanut meal.

Clavulanic Acid:

Soyabean protein has been found to be most important nutrient for Clavulanic Acid biosynthesis. A suitable production of fermentation medium described consists of 1.5% soyabean flour, 1% glycerol, 0.1% potassium di-hydrogen phosphate.

In Case Of Amino Acid^[8,9,12]

L-Glutamic Acid:

The production medium contains a carbon source, a nitrogen source, and occasionally some vitamins and minerals. The most widely used source of carbon is glucose, the other sources of carbon like fructose, sucrose or some organic acid. Nitrogen source contents urea, ammonia, ammonium salts, peptones, meat extract or fish meal or some others compounds.

In Case Of Vitamins^[8-15]

Riboflavin: Riboflavin may be produced by a number of microorganisms including *Ashbya gossypii*.

Production by *A. Gossypii*:

The most widely used source of carbon is glucose and sometimes sucrose and maltose. Peptone and animal stick liquor are used as nitrogen source and corn steep liquor as plant protein source.

In Case Of Alcohol Fermentation^[2,5,16,17]

Generally molasses contains most of the nutrient substances required for fermentation, however ammonium salts such as ammonium sulphate or phosphate are added to mesh to provide nitrogen and phosphorous supply.

CONCLUSION

The mechanisms underlying the beneficial effects of fermented foods are becoming more visible with accumulating results from clinical and animal studies. Fermented foods are gaining popularity among consumers for their possible therapeutic and high marketing value. It is concluded that in fermentation, nutrients play one of the most important roles.

Conflict of Interest

Authors do not claim any conflict of interest.

Source of Funding


Authors declare that there is no such funding related to this article.

REFERENCES

1. Fermentation Subject: Chemistry Topic: Article. Assignment Point. Published 2021. Accessed May 22, 2021. <https://www.assignmentpoint.com/science/chemistry/fermentation.html>
2. Barnett JA. A history of research on yeasts 2: Louis Pasteur and his contemporaries, 1850-1880. *Yeast Chichester Engl.* 2000;16(8):755-771. doi:10.1002/1097-0061(20000615)16:8<755::AID-YEA587>3.0.CO;2-4
3. Ray RC, Didier M, eds. Lactic Acid Fermentation of Vegetables and Fruits. In: *Microorganisms and Fermentation of Traditional Foods*. 0 ed. CRC Press; 2014:118-150. doi:10.1201/b17307-7
4. Dubey RC. *A Textbook of Biotechnology*. 5th ed. S. Chand & Company P. Ltd.; 1993. https://www.researchgate.net/publication/264121583_A_Textbook_of_Biotechnology
5. Lee J-H, Lee J-H, Jin J-S. Fermentation of traditional medicine: present and future. *Orient Pharm Exp Med.* 2012;12(3):163-165. doi:10.1007/s13596-012-0080-4
6. Fan X, Annous BA, Huang L. Improving Microbial Safety of Fresh Produce Using Thermal Treatment. In: Fan X, Niemira BA, Doona CJ, Feeherry FE, Gravani RB, eds. *Microbial Safety of Fresh Produce*. Wiley-Blackwell; 2009:241-262. doi:10.1002/9781444319347.ch13
7. Saha A, Debnath B. The obscure impact of Nipah virus. *Bionatura.* 2019;4(1). doi:10.21931/RB/2019.04.01.13
8. Vyas SP, Dixit VK. *Pharmaceutical Biotechnology*. First edition. CBS Publishers & Distributors; 2012.
9. Hutkins RW, ed. *Microbiology and Technology of Fermented Foods*. Blackwell Publishing; 2006. doi:10.1002/9780470277515
10. Guo D, Zhao Y, Yang K. Coordination of glycerol utilization and clavulanic acid biosynthesis to improve clavulanic acid production in *Streptomyces clavuligerus*. *Sci China Life Sci.* 2013;56(7):591-600. doi:10.1007/s11427-013-4507-z
11. Grau CR. Protein Concentrates as Amino Acid Sources for the Chick: Corn Gluten Meal, Cottonseed Meal and Peanut Meal. *J Nutr.* 1946;32(3):303-311. doi:10.1093/jn/32.3.303
12. Hirasawa T, Shimizu H. Glutamic Acid Fermentation: Discovery of Glutamic Acid-Producing Microorganisms, Analysis of the Production Mechanism, Metabolic Engineering, and Industrial Production Process. In: Wittmann C, Liao JC, eds. *Industrial Biotechnology*. Wiley-VCH Verlag GmbH & Co. KGaA; 2016:339-360. doi:10.1002/9783527807833.ch11
13. Stephens RL. *Studies on the Metabolism of Riboflavin in Ashbya Gossypii ...* OCLC: 13239708. University of Florida, George A. Smathers Libraries; 1956. doi:10.5962/bhl.title.104994
14. Kato T, Park EY. Riboflavin production by *Ashbya gossypii*. *Biotechnol Lett.* 2012;34(4):611-618. doi:10.1007/s10529-011-0833-z
15. Özbaz T, Kutsal T. Comparative study of riboflavin production from two microorganisms: *Eremothecium ashbyii* and *Ashbya gossypii*. *Enzyme Microb Technol.* 1986;8(10):593-596. doi:10.1016/0141-0229(86)90116-X
16. Varner LW, Woods W. Influence of Ammonium Salts of Volatile Fatty Acids upon Ration Digestibility, Rumen Fermentation and Nitrogen Retention by Steers I. *J Anim Sci.* 1971;33(5):1110-1117. doi:10.2527/jas1971.3351110x
17. De González IM, Murphy NF. The Use of Ammonium Bifluoride on Yeast Propagation and Fermentation of Blackstrap Molasses. *J Agric Univ P R.* 1969;57(2):107-116. doi:10.46429/jaupr.v57i2.10789



54878478451230907



Submit your next manuscript to **IAJPR** and take advantage of:

- Convenient online manuscript submission
- Access Online first
- Double blind peer review policy
- International recognition
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in **Scopus** and other full-text repositories
- Redistributing your research freely

Submit your manuscript at: editorinchief@iajpr.com

