

# Spectra-trait PLSR example using leaf-level spectra and leaf nitrogen content (Narea, g/m<sup>2</sup>) data from 36 species growing in Rosa rugosa invaded coastal grassland communities in Belgium

Shawn P. Serbin, Julien Lamour, & Jeremiah Anderson

2024-06-17

## Overview

This is an R Markdown Notebook to illustrate how to retrieve a dataset from the EcoSIS spectral database, choose the “optimal” number of pls components, and fit a pls model for leaf nitrogen content (Narea, g/m<sup>2</sup>)

## Getting Started

### Load libraries

```
list.of.packages <- c("pls", "dplyr", "here", "plotrix", "ggplot2", "gridExtra", "spectratrait")
invisible(lapply(list.of.packages, library, character.only = TRUE))

## Warning: package 'pls' was built under R version 4.3.1
##
## Attaching package: 'pls'
## The following object is masked from 'package:stats':
##
##   loadings
## Warning: package 'dplyr' was built under R version 4.3.1
##
## Attaching package: 'dplyr'
## The following objects are masked from 'package:stats':
##
##   filter, lag
## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
## here() starts at /Users/sserbin/Library/CloudStorage/OneDrive-NASA/Data/Github/spectratrait
## Warning: package 'plotrix' was built under R version 4.3.1
## Warning: package 'ggplot2' was built under R version 4.3.1
##
## Attaching package: 'gridExtra'
## The following object is masked from 'package:dplyr':
##
```

```
##      combine
```

## Setup other functions and options

### ### Setup options

#### *# Script options*

```
pls::pls.options(plsralg = "oscorespls")
pls::pls.options("plsralg")
```

```
## $plsralg
## [1] "oscorespls"
```

#### *# Default par options*

```
opar <- par(no.readonly = T)
```

#### *# What is the target variable?*

```
inVar <- "Narea_g_m2"
```

#### *# What is the source dataset from EcoSIS?*

```
ecosis_id <- "9db4c5a2-7eac-4e1e-8859-009233648e89"
```

#### *# Specify output directory, output\_dir*

##### *# Options:*

*# tempdir - use a OS-specified temporary directory*

*# user defined PATH - e.g. "~/scratch/PLSR"*

```
output_dir <- "tempdir"
```

## Set working directory (scratch space)

```
## [1] "/private/var/folders/th/fpt_z3417gn8xgply92pvy6r0000gq/T/Rtmp3SDIam"
```

## Grab data from EcoSIS

```
print(paste0("Output directory: ",getwd())) # check wd
```

```
## [1] "Output directory: /Users/sserbin/Library/CloudStorage/OneDrive-NASA/Data/Github/spectratrait/vi"
```

```
dat_raw <- spectratrait::get_ecosis_data(ecosis_id = ecosis_id)
```

```
## [1] "**** Downloading Ecosis data ****"
```

```
## Downloading data...
```

```
## Rows: 256 Columns: 2164
```

```
## -- Column specification -----
```

```
## Delimiter: ","
```

```
## chr      (4): Latin Species, ids, plot code, species code
```

```
## dbl (2160): Cw/EWT (cm3/cm2), Leaf area (mm2), Leaf calcium content per leaf...
```

```
##
```

```
## i Use `spec()` to retrieve the full column specification for this data.
```

```
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

```
## Download complete!
```

```
head(dat_raw)
```

```
## # A tibble: 6 x 2,164
```

```
## `Cw/EWT (cm3/cm2)` `Latin Species` `Leaf area (mm2)` Leaf calcium content~1
## <dbl> <chr> <dbl> <dbl>
## 1 0.00887 Arrhenatherum ela~ 696. 0.0291
## 2 0.00824 Bromus sterilis 447. 0.0230
## 3 0.0280 Jacobaea vulgaris 2418. 0.0950
## 4 0.0106 Rubus caesius 5719. 0.0700
## 5 0.00851 Arrhenatherum ela~ 671. 0.0286
## 6 0.0153 Crepis capillaris 1401. 0.0470
## # i abbreviated name: 1: `Leaf calcium content per leaf area (mg/mm2)`
## # i 2,160 more variables:
## # `Leaf magnesium content per leaf area (mg/mm2)` <dbl>,
## # `Leaf mass per area (g/cm2)` <dbl>,
## # `Leaf nitrogen content per leaf area (mg/mm2)` <dbl>,
## # `Leaf phosphorus content per leaf area (mg/mm2)` <dbl>,
## # `Leaf potassium content per leaf area (mg/mm2)` <dbl>, ...
```

```
names(dat_raw)[1:40]
```

```
## [1] "Cw/EWT (cm3/cm2)"
## [2] "Latin Species"
## [3] "Leaf area (mm2)"
## [4] "Leaf calcium content per leaf area (mg/mm2)"
## [5] "Leaf magnesium content per leaf area (mg/mm2)"
## [6] "Leaf mass per area (g/cm2)"
## [7] "Leaf nitrogen content per leaf area (mg/mm2)"
## [8] "Leaf phosphorus content per leaf area (mg/mm2)"
## [9] "Leaf potassium content per leaf area (mg/mm2)"
## [10] "Plant height vegetative (cm)"
## [11] "ids"
## [12] "plot code"
## [13] "species code"
## [14] "350"
## [15] "351"
## [16] "352"
## [17] "353"
## [18] "354"
## [19] "355"
## [20] "356"
## [21] "357"
## [22] "358"
## [23] "359"
## [24] "360"
## [25] "361"
## [26] "362"
## [27] "363"
## [28] "364"
## [29] "365"
## [30] "366"
## [31] "367"
## [32] "368"
## [33] "369"
## [34] "370"
## [35] "371"
## [36] "372"
## [37] "373"
```

```
## [38] "374"
## [39] "375"
## [40] "376"
```

Create full pls dataset

```
### Create pls dataset
```

```
Start.wave <- 500
End.wave <- 2400
wv <- seq(Start.wave,End.wave,1)
Spectra <- as.matrix(dat_raw[,names(dat_raw) %in% wv])
colnames(Spectra) <- c(paste0("Wave_",wv))
sample_info <- dat_raw[,names(dat_raw) %notin% seq(350,2500,1)]
head(sample_info)
```

```
## # A tibble: 6 x 13
##   `Cw/EWT (cm3/cm2)` `Latin Species`   `Leaf area (mm2)` `Leaf calcium content-1`
##   <dbl> <chr>                                <dbl>                <dbl>
## 1      0.00887 Arrhenatherum ela~          696.                0.0291
## 2      0.00824 Bromus sterilis           447.                0.0230
## 3      0.0280  Jacobaea vulgaris          2418.               0.0950
## 4      0.0106  Rubus caesius           5719.               0.0700
## 5      0.00851 Arrhenatherum ela~          671.                0.0286
## 6      0.0153  Crepis capillaris        1401.               0.0470
## # i abbreviated name: 1: `Leaf calcium content per leaf area (mg/mm2)`
## # i 9 more variables: `Leaf magnesium content per leaf area (mg/mm2)` <dbl>,
## #   `Leaf mass per area (g/cm2)` <dbl>,
## #   `Leaf nitrogen content per leaf area (mg/mm2)` <dbl>,
## #   `Leaf phosphorus content per leaf area (mg/mm2)` <dbl>,
## #   `Leaf potassium content per leaf area (mg/mm2)` <dbl>,
## #   `Plant height vegetative (cm)` <dbl>, ids <chr>, `plot code` <chr>, ...
```

```
sample_info2 <- sample_info %>%
  select(Plant_Species=`Latin Species`,Species_Code=`species code`,Plot=`plot code`,
         Narea_mg_mm2=`Leaf nitrogen content per leaf area (mg/mm2)`)
sample_info2 <- sample_info2 %>%
  # mutate(Narea_g_m2=Narea_mg_mm2*(0.001/1e-6)) # based on orig units should be this but conversion wrong
  mutate(Narea_g_m2=Narea_mg_mm2*100) # this assumes orig units were g/mm2 or mg/cm2
head(sample_info2)
```

```
## # A tibble: 6 x 5
##   Plant_Species      Species_Code Plot  Narea_mg_mm2 Narea_g_m2
##   <chr>              <chr>      <chr>      <dbl>      <dbl>
## 1 Arrhenatherum elatius Arrela      DC1         0.0126      1.26
## 2 Bromus sterilis      Broste      DC1         0.00682     0.682
## 3 Jacobaea vulgaris    Jacvul      DC1         0.0102     1.02
## 4 Rubus caesius        Rubcae      DC1         0.0121     1.21
## 5 Arrhenatherum elatius Arrela      DC2         0.0117     1.17
## 6 Crepis capillaris    Creves      DC2         0.00877     0.877

pls_data <- data.frame(sample_info2,Spectra)
rm(sample_info,sample_info2,Spectra)
```

```
#### End user needs to do what's appropriate for their data. This may be an iterative process.
```

```
# Keep only complete rows of inVar and spec data before fitting
plsr_data <- plsr_data[complete.cases(plsr_data[,names(plsr_data) %in%
                                         c(inVar,paste0("Wave_",wv))]),]
```

Example data cleaning.

Create cal/val datasets

```
### Create cal/val datasets
## Make a stratified random sampling in the strata USDA_Species_Code and Domain

method <- "dplyr" #base/dplyr
# base R - a bit slow
# dplyr - much faster
split_data <- spectratrait::create_data_split(dataset=plsr_data, approach=method, split_seed=1245565,
                                              prop=0.8, group_variables="Species_Code")
names(split_data)
```

```
## [1] "cal_data" "val_data"
```

```
cal.plsr.data <- split_data$cal_data
head(cal.plsr.data)[1:8]
```

```
##      Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2 Wave_500
## 1 Ammophila arenaria      Ammare ZC3  0.03240495  3.240495 0.130885
## 2 Ammophila arenaria      Ammare MC2  0.02806279  2.806279 0.135785
## 3 Ammophila arenaria      Ammare ZC1  0.02041612  2.041612 0.147665
## 4 Ammophila arenaria      Ammare MC1  0.02426549  2.426549 0.142765
## 5 Ammophila arenaria      Ammare WC3  0.02807281  2.807281 0.151750
## 6 Ammophila arenaria      Ammare WR3  0.02286678  2.286678 0.150850
##      Wave_501 Wave_502
## 1  0.13175 0.132750
## 2  0.13685 0.138150
## 3  0.14910 0.150330
## 4  0.14390 0.145200
## 5  0.15275 0.154150
## 6  0.15185 0.152815
```

```
val.plsr.data <- split_data$val_data
head(val.plsr.data)[1:8]
```

```
##      Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2 Wave_500
## 1 Arrhenatherum elatius      Arrela DC1  0.01261440  1.261440 0.07066700
## 4      Rubus caesius      Rubcae DC1  0.01208978  1.208978 0.04144907
## 8      Jacobaea vulgaris      Jacvul DC2  0.01185197  1.185197 0.05563100
## 11     Carex arenaria      Carare DC3  0.02103830  2.103830 0.11588500
## 14     Jacobaea vulgaris      Jacvul DC3  0.01121247  1.121247 0.06029327
## 19 Oenothera glazioviana      Oengla DC4  0.01444293  1.444293 0.07391700
##      Wave_501 Wave_502
## 1  0.07160000 0.0725330
## 4  0.04197333 0.0426356
## 8  0.05622143 0.0569690
## 11 0.11705000 0.1184500
## 14 0.06112000 0.0620312
## 19 0.07515000 0.0765500
```

```
rm(split_data)

# Datasets:
print(paste("Cal observations: ",dim(cal.plsr.data)[1],sep=""))

## [1] "Cal observations: 183"

print(paste("Val observations: ",dim(val.plsr.data)[1],sep=""))

## [1] "Val observations: 73"

cal_hist_plot <- qplot(cal.plsr.data[,paste0(inVar)],geom="histogram",
                      main = paste0("Cal. Histogram for ",inVar),
                      xlab = paste0(inVar),ylab = "Count",fill=I("grey50"),col=I("black"),
                      alpha=I(.7))


## Warning: `qplot()` was deprecated in ggplot2 3.4.0.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
## generated.

val_hist_plot <- qplot(val.plsr.data[,paste0(inVar)],geom="histogram",
                      main = paste0("Val. Histogram for ",inVar),
                      xlab = paste0(inVar),ylab = "Count",fill=I("grey50"),col=I("black"),
                      alpha=I(.7))

histograms <- grid.arrange(cal_hist_plot, val_hist_plot, ncol=2)
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



```
ggsave(filename = file.path(outdir,paste0(inVar,"_Cal_Val_Histograms.png")), plot = histograms,
        device="png", width = 30,
        height = 12, units = "cm",
        dpi = 300)

# output cal/val data
write.csv(cal.plsr.data,file=file.path(outdir,paste0(inVar,'_Cal_PLSR_Dataset.csv')),
          row.names=FALSE)
write.csv(val.plsr.data,file=file.path(outdir,paste0(inVar,'_Val_PLSR_Dataset.csv')),
          row.names=FALSE)
```

## Create calibration and validation PLSR datasets

```
### Format PLSR data for model fitting
cal_spec <- as.matrix(cal.plsr.data[, which(names(cal.plsr.data) %in% paste0("Wave_",wv))])
cal.plsr.data <- data.frame(cal.plsr.data[, which(names(cal.plsr.data) %notin% paste0("Wave_",wv))],
                           Spectra=I(cal_spec))
head(cal.plsr.data)[1:5]
```


```
##           Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2
## 1 Ammophila arenaria      Ammare  ZC3  0.03240495  3.240495
## 2 Ammophila arenaria      Ammare  MC2  0.02806279  2.806279
## 3 Ammophila arenaria      Ammare  ZC1  0.02041612  2.041612
## 4 Ammophila arenaria      Ammare  MC1  0.02426549  2.426549
## 5 Ammophila arenaria      Ammare  WC3  0.02807281  2.807281
## 6 Ammophila arenaria      Ammare  WR3  0.02286678  2.286678
```

```
val_spec <- as.matrix(val.plsr.data[, which(names(val.plsr.data) %in% paste0("Wave_",wv))])
val.plsr.data <- data.frame(val.plsr.data[, which(names(val.plsr.data) %notin% paste0("Wave_",wv))],
                           Spectra=I(val_spec))
head(val.plsr.data)[1:5]
```

```
##           Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2
## 1 Arrhenatherum elatius      Arrela  DC1  0.01261440  1.261440
## 4 Rubus caesius              Rubcae  DC1  0.01208978  1.208978
## 8 Jacobaea vulgaris          Jacvul  DC2  0.01185197  1.185197
## 11 Carex arenaria            Carare  DC3  0.02103830  2.103830
## 14 Jacobaea vulgaris          Jacvul  DC3  0.01121247  1.121247
## 19 Oenothera glazioviana      Oengla  DC4  0.01444293  1.444293
```

## plot cal and val spectra

```
par(mfrow=c(1,2)) # B, L, T, R
spectratrait::f.plot.spec(Z=cal.plsr.data$Spectra,wv=wv,plot_label="Calibration")
spectratrait::f.plot.spec(Z=val.plsr.data$Spectra,wv=wv,plot_label="Validation")
```



```
dev.copy(png,file.path(outdir,paste0(inVar,'_Cal_Val_Spectra.png')),
         height=2500,width=4900, res=340)
```

```
## quartz_off_screen
## 3
```

```
dev.off();

## pdf
## 2
par(mfrow=c(1,1))
```

Use Jackknife permutation to determine optimal number of components


```
### Use permutation to determine the optimal number of components
if(grepl("Windows", sessionInfo()$running)){
  pls.options(parallel = NULL)
} else {
  pls.options(parallel = parallel::detectCores()-1)
}

method <- "pls" #pls, firstPlateau, firstMin
random_seed <- 1245565
seg <- 50
maxComps <- 16
iterations <- 80
prop <- 0.70
if (method=="pls") {
  # pls package approach - faster but estimates more components....
  nComps <- spectratrait::find_optimal_components(dataset=cal.plsr.data, targetVariable=inVar,
                                                  method=method,
                                                  maxComps=maxComps, seg=seg,
                                                  random_seed=random_seed)

  print(paste0("*** Optimal number of components: ", nComps))
} else {
  nComps <- spectratrait::find_optimal_components(dataset=cal.plsr.data, targetVariable=inVar,
                                                  method=method,
                                                  maxComps=maxComps, iterations=iterations,
                                                  seg=seg, prop=prop,
                                                  random_seed=random_seed)
}

## [1] "*** Identifying optimal number of PLSR components ***"
## [1] "*** Running PLS permutation test ***"
```





```
## [1] "*** Optimal number of components: 10"
```

```
dev.copy(png,file.path(outdir,paste0(paste0(inVar,"_PLSR_Component_Selection.png"))),
         height=2800, width=3400, res=340)
```

```
## quartz_off_screen
```

```
##           3
```

```
dev.off();
```

```
## pdf
```

```
## 2
```

Fit final model

```
plsr.out <- plsr(as.formula(paste(inVar,"~","Spectra")),scale=FALSE,ncomp=nComps,validation="LOO",
               trace=FALSE,data=cal.plsr.data)
```

```
fit <- plsr.out$fitted.values[,1,nComps]
```

```
pls.options(parallel = NULL)
```

```
# External validation fit stats
```

```
par(mfrow=c(1,2)) # B, L, T, R
```

```
pls::RMSEP(plsr.out, newdata = val.plsr.data)
```

```
## (Intercept)      1 comps      2 comps      3 comps      4 comps      5 comps
```

```
##      0.5594      0.6034      0.5448      0.3842      0.3481      0.3027
```

```
##      6 comps      7 comps      8 comps      9 comps     10 comps
```


```
##      0.2429      0.2268      0.2852      0.2818      0.2780
```

```
plot(pls::RMSEP(plsr.out,estimate=c("test"),newdata = val.plsr.data), main="MODEL RMSEP",
     xlab="Number of Components",ylab="Model Validation RMSEP",lty=1,col="black",cex=1.5,lwd=2)
box(lwd=2.2)
```

```
pls::R2(plsr.out, newdata = val.plsr.data)
```

```
## (Intercept)      1 comps      2 comps      3 comps      4 comps      5 comps
##   -0.007544    -0.172296    0.044153    0.524579    0.609920    0.704963
##      6 comps      7 comps      8 comps      9 comps     10 comps
##   0.809962     0.834383    0.738093    0.744325    0.751224
```

```
plot(pls::R2(plsr.out,estimate=c("test"),newdata = val.plsr.data), main="MODEL R2",
     xlab="Number of Components",ylab="Model Validation R2",lty=1,col="black",cex=1.5,lwd=2)
box(lwd=2.2)
```



```
dev.copy(png,file.path(outdir,paste0(paste0(inVar,"_Validation_RMSEP_R2_by_Component.png"))),
         height=2800, width=4800, res=340)
```

```
## quartz_off_screen
##                      3
```

```
dev.off();
```

```
## pdf
##    2
```

```
par(opar)
```

## PLSR fit observed vs. predicted plot data

```
#calibration
cal.plsr.output <- data.frame(cal.plsr.data[, which(names(cal.plsr.data) %notin% "Spectra")],
                             PLSR_Predicted=fit,
                             PLSR_CV_Predicted=as.vector(plsr.out$validation$pred[, ,nComps]))
cal.plsr.output <- cal.plsr.output %>%
  mutate(PLSR_CV_Residuals = PLSR_CV_Predicted-get(inVar))
head(cal.plsr.output)
```

```
##      Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2 PLSR_Predicted
## 1 Ammophila arenaria    Ammare  ZC3  0.03240495  3.240495      2.672029
## 2 Ammophila arenaria    Ammare  MC2  0.02806279  2.806279      2.651863
## 3 Ammophila arenaria    Ammare  ZC1  0.02041612  2.041612      2.178056
## 4 Ammophila arenaria    Ammare  MC1  0.02426549  2.426549      2.412013
## 5 Ammophila arenaria    Ammare  WC3  0.02807281  2.807281      2.452711
## 6 Ammophila arenaria    Ammare  WR3  0.02286678  2.286678      2.792340
##      PLSR_CV_Predicted PLSR_CV_Residuals
## 1          2.598245      -0.642250440
```

```
## 2          2.652066      -0.154212969
## 3          2.200588       0.158975634
## 4          2.435784       0.009234491
## 5          2.384049      -0.423231444
## 6          2.943186       0.656508493

cal.R2 <- round(pls::R2(plsr.out,intercept=F)[[1]][nComps],2)
cal.RMSEP <- round(sqrt(mean(cal.plsr.output$PLSR_CV_Residuals^2)),2)

val.plsr.output <- data.frame(val.plsr.data[, which(names(val.plsr.data) %notin% "Spectra")],
                             PLSR_Predicted=as.vector(predict(plsr.out,
                                                             newdata = val.plsr.data,
                                                             ncomp=nComps, type="response")[,1]))

val.plsr.output <- val.plsr.output %>%
  mutate(PLSR_Residuals = PLSR_Predicted-get(inVar))
head(val.plsr.output)
```

```
##          Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2
## 1 Arrhenatherum elatius      Arrela DC1  0.01261440  1.261440
## 4      Rubus caesius      Rubcae DC1  0.01208978  1.208978
## 8      Jacobaea vulgaris    Jacvul DC2  0.01185197  1.185197
## 11     Carex arenaria    Carare DC3  0.02103830  2.103830
## 14     Jacobaea vulgaris    Jacvul DC3  0.01121247  1.121247
## 19 Oenothera glazioviana  Oengla DC4  0.01444293  1.444293
##      PLSR_Predicted PLSR_Residuals
## 1          1.340135      0.07869548
## 4          1.288026      0.07904830
## 8          1.155840     -0.02935675
## 11         2.014712     -0.08911757
## 14         1.328742      0.20749565
## 19         1.534162      0.08986811
```

```
val.R2 <- round(pls::R2(plsr.out,newdata=val.plsr.data,intercept=F)[[1]][nComps],2)
val.RMSEP <- round(sqrt(mean(val.plsr.output$PLSR_Residuals^2)),2)

rng_quant <- quantile(cal.plsr.output[,inVar], probs = c(0.001, 0.999))
cal_scatter_plot <- ggplot(cal.plsr.output, aes(x=PLSR_CV_Predicted, y=get(inVar))) +
  theme_bw() + geom_point() + geom_abline(intercept = 0, slope = 1, color="dark grey",
                                          linetype="dashed", size=1.5) + xlim(rng_quant[1],
                                                                              rng_quant[2]) +
  ylim(rng_quant[1], rng_quant[2]) +
  labs(x=paste0("Predicted ", paste(inVar), " (units)"),
       y=paste0("Observed ", paste(inVar), " (units)"),
       title=paste0("Calibration: ", paste0("Rsq = ", cal.R2), "; ", paste0("RMSEP = ",
                                                                              cal.RMSEP))) +
  theme(axis.text=element_text(size=18), legend.position="none",
        axis.title=element_text(size=20, face="bold"),
        axis.text.x = element_text(angle = 0,vjust = 0.5),
        panel.border = element_rect(linetype = "solid", fill = NA, size=1.5))
```

```
## Warning: Using `size` aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use `linewidth` instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
## generated.
```

```
## Warning: The `size` argument of `element_rect()` is deprecated as of ggplot2 3.4.0.
## i Please use the `linewidth` argument instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
## generated.
```

```
cal_resid_histogram <- ggplot(cal.plsr.output, aes(x=PLSR_CV_Residuals)) +
  geom_histogram(alpha=.5, position="identity") +
  geom_vline(xintercept = 0, color="black",
             linetype="dashed", size=1) + theme_bw() +
  theme(axis.text=element_text(size=18), legend.position="none",
        axis.title=element_text(size=20, face="bold"),
        axis.text.x = element_text(angle = 0,vjust = 0.5),
        panel.border = element_rect(linetype = "solid", fill = NA, size=1.5))

rng_quant <- quantile(val.plsr.output[,inVar], probs = c(0.001, 0.999))
val_scatter_plot <- ggplot(val.plsr.output, aes(x=PLSR_Predicted, y=get(inVar))) +
  theme_bw() + geom_point() + geom_abline(intercept = 0, slope = 1, color="dark grey",
                                          linetype="dashed", size=1.5) + xlim(rng_quant[1],
                                                                              rng_quant[2]) +
  ylim(rng_quant[1], rng_quant[2]) +
  labs(x=paste0("Predicted ", paste(inVar), " (units)"),
       y=paste0("Observed ", paste(inVar), " (units)"),
       title=paste0("Validation: ", paste0("Rsqr = ", val.R2), "; ", paste0("RMSEP = ",
                                                                              val.RMSEP))) +
  theme(axis.text=element_text(size=18), legend.position="none",
        axis.title=element_text(size=20, face="bold"),
        axis.text.x = element_text(angle = 0,vjust = 0.5),
        panel.border = element_rect(linetype = "solid", fill = NA, size=1.5))


val_resid_histogram <- ggplot(val.plsr.output, aes(x=PLSR_Residuals)) +
  geom_histogram(alpha=.5, position="identity") +
  geom_vline(xintercept = 0, color="black",
             linetype="dashed", size=1) + theme_bw() +
  theme(axis.text=element_text(size=18), legend.position="none",
        axis.title=element_text(size=20, face="bold"),
        axis.text.x = element_text(angle = 0,vjust = 0.5),
        panel.border = element_rect(linetype = "solid", fill = NA, size=1.5))

# plot cal/val side-by-side
scatterplots <- grid.arrange(cal_scatter_plot, val_scatter_plot, cal_resid_histogram,
                             val_resid_histogram, nrow=2,ncol=2)
```

```
## Warning: Removed 2 rows containing missing values or values outside the scale range
## (`geom_point()`).
```

```
## Warning: Removed 2 rows containing missing values or values outside the scale range
## (`geom_point()`).
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```





```
ggsave(filename = file.path(outdir,paste0(inVar,"_Cal_Val_Scatterplots.png")),
  plot = scatterplots, device="png",
  width = 32,
  height = 30, units = "cm",
  dpi = 300)
```

### Generate Coefficient and VIP plots

```
vips <- spectratrait::VIP(plsr.out)[nComps,]
par(mfrow=c(2,1))
plot(plsr.out, plottype = "coef",xlab="Wavelength (nm)",
  ylab="Regression coefficients",legendpos = "bottomright",
  ncomp=nComps,lwd=2)
box(lwd=2.2)
```

```
plot(seq(Start.wave,End.wave,1),vips,xlab="Wavelength (nm)",ylab="VIP",cex=0.01)
lines(seq(Start.wave,End.wave,1),vips,lwd=3)
abline(h=0.8,lty=2,col="dark grey")
box(lwd=2.2)
```



```
dev.copy(png,file.path(outdir,paste0(inVar,'_Coefficient_VIP_plot.png')),
         height=3100, width=4100, res=340)
```

```
## quartz_off_screen
## 3
```

```
dev.off();
```

```
## pdf
## 2
```

Jackknife validation

```

if(grepl("Windows", sessionInfo()$running)){
  pls.options(parallel=NULL)
} else {
  pls.options(parallel = parallel::detectCores()-1)
}

jk.plsr.out <- pls::plsr(as.formula(paste(inVar,"~","Spectra")), scale=FALSE,
  center=TRUE, ncomp=nComps, validation="LOO", trace=FALSE,
  jackknife=TRUE,
  data=cal.plsr.data)
pls.options(parallel = NULL)

Jackknife_coef <- spectratrait::f.coef.valid(plsr.out = jk.plsr.out, data_plsr = cal.plsr.data,
  ncomp = nComps, inVar=inVar)
Jackknife_intercept <- Jackknife_coef[1,,]
Jackknife_coef <- Jackknife_coef[2:dim(Jackknife_coef)[1],,,]

interval <- c(0.025,0.975)
Jackknife_Pred <- val.plsr.data$Spectra %*% Jackknife_coef +
  matrix(rep(Jackknife_intercept, length(val.plsr.data[,inVar])), byrow=TRUE,
    ncol=length(Jackknife_intercept))
Interval_Conf <- apply(X = Jackknife_Pred, MARGIN = 1, FUN = quantile,
  probs=c(interval[1], interval[2]))
sd_mean <- apply(X = Jackknife_Pred, MARGIN = 1, FUN =sd)
sd_res <- sd(val.plsr.output$PLSR_Residuals)
sd_tot <- sqrt(sd_mean^2+sd_res^2)
val.plsr.output$LCI <- Interval_Conf[1,]
val.plsr.output$UCI <- Interval_Conf[2,]
val.plsr.output$LPI <- val.plsr.output$PLSR_Predicted-1.96*sd_tot
val.plsr.output$UPI <- val.plsr.output$PLSR_Predicted+1.96*sd_tot
head(val.plsr.output)

```

```

##           Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2
## 1  Arrhenatherum elatius      Arrela DC1   0.01261440   1.261440
## 4      Rubus caesius      Rubcae DC1   0.01208978   1.208978
## 8   Jacobaea vulgaris   Jacvul DC2   0.01185197   1.185197
## 11  Carex arenaria     Carare DC3   0.02103830   2.103830
## 14  Jacobaea vulgaris   Jacvul DC3   0.01121247   1.121247
## 19  Oenothera glazioviana Oengla DC4   0.01444293   1.444293
##      PLSR_Predicted PLSR_Residuals      LCI      UCI      LPI      UPI
## 1      1.340135      0.07869548 1.298260 1.346986 0.7916762 1.888595
## 4      1.288026      0.07904830 1.262110 1.297939 0.7397937 1.836258
## 8      1.155840     -0.02935675 1.113678 1.172006 0.6072413 1.704439
## 11     2.014712     -0.08911757 1.936508 2.020049 1.4654399 2.563985
## 14     1.328742     0.20749565 1.298485 1.333454 0.7804978 1.876987
## 19     1.534162     0.08986811 1.522672 1.550848 0.9859820 2.082341

```

```

val.plsr.output$LPI <- val.plsr.output$PLSR_Predicted-1.96*sd_tot
val.plsr.output$UPI <- val.plsr.output$PLSR_Predicted+1.96*sd_tot
head(val.plsr.output)

```

```


##           Plant_Species Species_Code Plot Narea_mg_mm2 Narea_g_m2
## 1  Arrhenatherum elatius      Arrela DC1   0.01261440   1.261440
## 4      Rubus caesius      Rubcae DC1   0.01208978   1.208978

```

```
## 8      Jacobaea vulgaris      Jacvul DC2  0.01185197  1.185197
## 11     Carex arenaria        Carare DC3  0.02103830  2.103830
## 14     Jacobaea vulgaris      Jacvul DC3  0.01121247  1.121247
## 19 Oenothera glazioviana     Oengla DC4  0.01444293  1.444293
##      PLSR_Predicted PLSR_Residuals      LCI      UCI      LPI      UPI
## 1      1.340135      0.07869548  1.298260  1.346986  0.7916762  1.888595
## 4      1.288026      0.07904830  1.262110  1.297939  0.7397937  1.836258
## 8      1.155840     -0.02935675  1.113678  1.172006  0.6072413  1.704439
## 11     2.014712     -0.08911757  1.936508  2.020049  1.4654399  2.563985
## 14     1.328742      0.20749565  1.298485  1.333454  0.7804978  1.876987
## 19     1.534162      0.08986811  1.522672  1.550848  0.9859820  2.082341
```

### Jackknife coefficient plot

```
spectratrait::f.plot.coef(Z = t(Jackknife_coef), wv = wv,
  plot_label="Jackknife regression coefficients",position = 'bottomleft')
abline(h=0,lty=2,col="grey50")
box(lwd=2.2)
```



```
dev.copy(png,file.path(outdir,paste0(inVar,'_Jackknife_Regression_Coefficients.png')),
  height=2100, width=3800, res=340)
```

```
## quartz_off_screen
##      3
```

```
dev.off();
```


```
## pdf
## 2
```



## Jackknife validation plot

```
rmsep_percrmsep <- spectratrait::percent_rmse(plsr_dataset = val.plsr.output,
                                              inVar = inVar,
                                              residuals = val.plsr.output$PLSR_Residuals,
                                              range="full")

RMSEP <- rmsep_percrmsep$rmse
perc_RMSEP <- rmsep_percrmsep$perc_rmse
r2 <- round(pls::R2(plsr.out, newdata = val.plsr.data, intercept=F)$val[nComps], 2)
expr <- vector("expression", 3)
expr[[1]] <- bquote(R^2==.(r2))
expr[[2]] <- bquote(RMSEP==.(round(RMSEP, 2)))
expr[[3]] <- bquote("%RMSEP"==.(round(perc_RMSEP, 2)))
rng_vals <- c(min(val.plsr.output$LPI), max(val.plsr.output$UPI))
par(mfrow=c(1,1), mar=c(4.2, 5.3, 1, 0.4), oma=c(0, 0.1, 0, 0.2))
plotrix::plotCI(val.plsr.output$PLSR_Predicted, val.plsr.output[, inVar],
  li=val.plsr.output$LPI, ui=val.plsr.output$UPI, gap=0.009, sfrac=0.004,
  lwd=1.6, xlim=c(rng_vals[1], rng_vals[2]), ylim=c(rng_vals[1], rng_vals[2]),
  err="x", pch=21, col="black", pt.bg=scales::alpha("grey70", 0.7), scol="grey50",
  cex=2, xlab=paste0("Predicted ", paste(inVar), " (units)"),
  ylab=paste0("Observed ", paste(inVar), " (units)"),
  cex.axis=1.5, cex.lab=1.8)
abline(0, 1, lty=2, lw=2)
legend("topleft", legend=expr, bty="n", cex=1.5)
box(lwd=2.2)
```



```
dev.copy(png,file.path(outdir,paste0(inVar,"_PLSR_Validation_Scatterplot.png")),
         height=2800, width=3200, res=340)
```

```
## quartz_off_screen
##           3
```

```
dev.off();
```

```
## pdf
##    2
```

Output jackknife results

```
out.jk.coefs <- data.frame(Iteration=seq(1,length(Jackknife_intercept),1),
                           Intercept=Jackknife_intercept,t(Jackknife_coef))
head(out.jk.coefs)[1:6]
```

```
##      Iteration  Intercept  Wave_500  Wave_501  Wave_502  Wave_503
## Seg 1         1 -0.001089661 0.3156927 0.3524556 0.3947195 0.4329382
## Seg 2         2  0.082969588 0.2989509 0.3382983 0.3835509 0.4239103
```

```
## Seg 3      3  0.114879574 0.2716867 0.3122469 0.3574386 0.3982935
## Seg 4      4  0.178884696 0.2099486 0.2520760 0.3018899 0.3452178
## Seg 5      5  0.126339690 0.2898707 0.3311239 0.3762377 0.4163999
## Seg 6      6 -0.085381533 0.2805890 0.3195387 0.3625074 0.4023830

write.csv(out.jk.coefs,file=file.path(outdir,
                                     paste0(inVar,
                                             '_Jackknife_PLSR_Coefficients.csv')),
          row.names=FALSE)
```

### Create core PLSR outputs

```
print(paste("Output directory: ", outdir))

## [1] "Output directory: /var/folders/th/fpt_z3417gn8xgply92pvy6r0000gq/T//Rtmp3SDIAm"
# Observed versus predicted
write.csv(cal.plsr.output,file=file.path(outdir,
                                         paste0(inVar,'_Observed_PLSR_CV_Pred_',
                                                  nComps,'comp.csv')),
          row.names=FALSE)

# Validation data
write.csv(val.plsr.output,file=file.path(outdir,
                                         paste0(inVar,'_Validation_PLSR_Pred_',
                                                  nComps,'comp.csv')),
          row.names=FALSE)

# Model coefficients
coefs <- coef(plsr.out,ncomp=nComps,intercept=TRUE)
write.csv(coefs,file=file.path(outdir,
                               paste0(inVar,'_PLSR_Coefficients_',
                                       nComps,'comp.csv')),
          row.names=TRUE)

# PLSR VIP
write.csv(vips,file=file.path(outdir,
                              paste0(inVar,'_PLSR_VIPs_',
                                      nComps,'comp.csv')))
```

### Confirm files were written to temp space

```
print("**** PLSR output files: ")

## [1] "**** PLSR output files: "

print(list.files(outdir)[grep(pattern = inVar, list.files(outdir))])

## [1] "Narea_g_m2_Cal_PLSR_Dataset.csv"
## [2] "Narea_g_m2_Cal_Val_Histograms.png"
## [3] "Narea_g_m2_Cal_Val_Scatterplots.png"
## [4] "Narea_g_m2_Cal_Val_Spectra.png"
## [5] "Narea_g_m2_Coefficient_VIP_plot.png"
## [6] "Narea_g_m2_Jackknife_PLSR_Coefficients.csv"
## [7] "Narea_g_m2_Jackknife_Regression_Coefficients.png"
```

```
## [8] "Narea_g_m2_Observed_PLSR_CV_Pred_10comp.csv"
## [9] "Narea_g_m2_PLSR_Coefficients_10comp.csv"
## [10] "Narea_g_m2_PLSR_Component_Selection.png"
## [11] "Narea_g_m2_PLSR_Validation_Scatterplot.png"
## [12] "Narea_g_m2_PLSR_VIPs_10comp.csv"
## [13] "Narea_g_m2_Val_PLSR_Dataset.csv"
## [14] "Narea_g_m2_Validation_PLSR_Pred_10comp.csv"
## [15] "Narea_g_m2_Validation_RMSEP_R2_by_Component.png"
```