

European Scientific e-Journal

ISSN: 2695-0243



ISSUE 6 (6)

ACTUAL ISSUES OF MODERN SCIENCE

Volume 2

EU, Czech Republic, Ostrava-Hlučín

ISBN: 978-80-908088-3-6

DOI: 10.47451/col-06-2020-006-2

GLOBAL SCIENCES IN THE NAME OF HUMAN DEVELOPMENT

EUROPEAN SCIENTIFIC E-JOURNAL

ISSN 2695-0243

DOI 10.47451

ISSUE 6 (6)

ACTUAL ISSUES OF MODERN SCIENCE

Volume 2

DOI 10.47451/col-06-2020-006-2



“Anisiia Tomanek” OSVČ

EU, Czech Republic

2020

Actual issues of modern science. Collection of Scientific Articles, 6 (6), 2. European Scientific e-Journal. Hlučín-Bobrovníky: “Anisiia Tomanek” OSVČ, 2020.

ISSN 2695-0243

ISBN 978-80-908088-3-6

Chief Editor

Alexander Buychik

Doctor of Economics, PhD of Social and Political Sciences

Chief Reviewer

Yuri Velikanov

Professor, Doctor of Technical Sciences

Director of the Issue

Anisiia Tomanek

Master of Social Sciences and Cultural Studies

Table of Contents

Section 1. Pedagogics

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <i>Nosan, T.M.</i> Regional features of the design of traditional women's headdresses of the Russian North (Karelia) in the technique of gold and pearl sewing | 5 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---|

Section 2. Innovations

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <i>Bakhtiarov, D.I., Lavrynenko, O.Y., Lishchynovska, N.O., Komarnytskyi, O.O.</i> Methods of evaluation and forecasting of levels of electromagnetic radiation in urban environments (in Ukrainian) | 40 |
| <i>Komissarov, P.V.</i> Relevance of the application of the theory of fuzzy sets in the calculation of the strategic security of a complex technical system | 55 |

Tatiana M. Nosan

Associate Professor

Candidate of Pedagogical Sciences

Department of Artistic Embroidery

Higher School of Folk Art (Academy)

Saint Petersburg, Russia

E-mail: TMNosan@mail.ru

Regional features of the design of traditional women's headdresses of the Russian North (Karelia) in the technique of gold and pearl sewing

Abstract:

The article is devoted to the original types of traditional applied art-gold embroidery and pearl embroidery, in its deep traditions and the widespread of this art in the Russian North. The article deals with the history of the development of the pearl industry in Karelia, provides data on the use of gold and pearl embroidery in products, unique women's hats and jewellery. The author analyzes the materials, various techniques, ornaments and colour solutions of Karelian embroidery. According to its artistic merits, embroidery in the North of Russia is the brightest page in the world history of art. A creative approach to the study of folk values and culture makes it possible to rethink and combine folk art with modern trends in modelling and artistic decoration of clothing contributes to the formation of the designer's personality. The article materials are intended for researchers and scientists in the field of cultural heritage preservation.

Keywords:

headdresses, pearls, traditional applied art, technological techniques, color scheme, national features, folk traditions, ornament, clothing modeling, design.

Татьяна Михайловна Носань

кандидат педагогических наук, доцент

Кафедра художественной вышивки

Высшая школа народного искусства (Академия)

Санкт-Петербург, Россия

E-mail: TMNosan@mail.ru

Региональные особенности оформления традиционных женских головных уборов Русского Севера (Карелии) в технике золотопшвейного и жемчужного шитья

Аннотация:

Статья посвящена оригинальным видам традиционного прикладного искусства – золотопшвейному и жемчужному шитью, в его глубоких традициях и широкому

распространению этого искусства на Русском Севере. Рассматривается история развития жемчужного промысла в Карелии, приводятся данные по применению золотошвейного и жемчужного шитья в изделиях, уникальных женских головных уборах и украшениях. Автор анализирует материалы, различные приёмы, орнамент и цветовые решения вышивки Карелии. По своим художественным достоинствам вышивка Севера России является ярчайшей страницей в мировой истории искусств. Творческий подход к изучению народных ценностей, культуры дает возможность переосмыслить и соединить народное творчество с современными направлениями в моделировании и художественной отделке одежды, способствует становлению личности дизайнера. Материалы статьи предназначены для исследователей и учёных в области сохранения культурного наследия.

Ключевые слова:

Головные уборы, жемчуг, традиционное прикладное искусство, технологические приемы, цветовая гамма, национальные особенности, народные традиции, орнамент, моделирование одежды, дизайн.

Introduction

Karelia is a true treasure trove of artistic folk culture, one of the varieties of which was the traditional art of embroidery. Our task is not only to preserve such a rich artistic heritage but also to revive the past, as well as comprehensively studying the beautiful old folk art to find further ways to develop folk craft, taking as examples the best works that amaze with their simplicity and variety of compositions. Researcher of folk-art M.A. Nekrasova writes that “folk art is the past, living in the present, aspiring to the future with its dream of the unprecedented. It creates the World of Beauty, lives by the ideal of Goodness and Justice, and develops according to its laws. It is the cultural memory of the people, inseparable from the deepest aspirations of our time” (Bozheva, 2008).

Over the centuries, different regions have developed their aesthetic tastes and traditions, as well as their methods of processing materials. However, folk art has never been isolated. Coming into contact with the artistic creativity of the population of neighbouring regions and peoples, it absorbed new features that the masters creatively perceived and processed according to local tastes, customs, and conditions.

Domestic ornamental art reflected the spiritual culture, aesthetic views of its creators. It sang the joy of work and creation, dreams of happiness and beauty. The nature of the northern region was a constant source that inspired folk craftsmen on various topics and forms of folk art. She provided them with the necessary materials.

All these features characterize the features of decorative art, characteristic of Karelian folk art. Embroidery has long been almost the main form of decorative folk art of Karelian women. The embroidered patterns of Karelians decorated clothes,

women's shirts, headdresses-magpies, povoyniks, kokoshniks, as well as towels, valances, etc.

These products performed not only a utilitarian function. They formed an essential part of numerous Karelian festivals and rituals, were part of the dowry of the Karelian bride.

Depending on the materials, the Karelian folk embroidery was divided into embroidery with cotton filament, silk, gold embroidery and pearl embroidery. Each of them is characterized by certain types of equipment, its plot, stylistic features. Embroidery was also divided on a territorial basis. The most ancient and striking group was the geometric patterns that decorated the ancient headdresses made of canvas material-magpies. Folk costume and its part – the headdress – are the most massive type of traditional folk art, an integral part of our culture, a witness not only to the national identity of a person. It bears the imprint of the time, the history of the native land, the way of life, the social environment. The desire to preserve and continue the traditions of ancient culture makes us constantly turn to folk art, so the following tasks are faced by bachelor artists while training:

- study of the traditional artistic heritage of the ornamented objects of peasant art stored in the Karelian State Museum of Local History, headdresses (aesthetic content of headdress forms, laws and rules of composition, ornamentation, embroidery methods, fabrics, shape design, dimensions, pattern, colour);
- further improvement of products of applied and folk art, taking into account the traditions and knowledge of various techniques of embroidery of headdresses;
- preserving and reviving the traditions of folk-art craftsmanship, which is a life-giving source for modern people in the space of decorative and applied art.

Thus, each craftswoman sought to achieve the utmost expressiveness in the design, decorative processing, introducing the inherent artistic handwriting into the created products, relying on the centuries-old traditions developed by the masters of previous generations. Folk art is the result of collective creativity, its characteristic continuity coming from the depths of centuries, the influence on the creative process of future generations, who must preserve this tradition of studying, revising, performing and preserving new products of applied and folk art.

The diversity of Karelia's cultural heritage is a unique expression of human achievements and serves as an irreplaceable source of spiritual and intellectual wealth.

The problems of preserving cultural values in their aesthetic and historical significance, for the sake of modern and future generations, have always been the

subject of research by scientists, politicians, art historians, and specialists of traditional applied art of public figures in Russia: (I.E. Grabar, D.S. Likhachev, M.V. Lomonosov, A.V. Bakushinsky, I.Y. Boguslavskaya, N.P. Bozhieva, N.P. Burmistrova, L.A. Dinzes, A.P. Zhuravleva, N.M. Kalashnikova, S.V. Lebedev, E.E. Knats, N.T. Klimova, A.P. Kosmenko, G.S. Maslova, N.A. Rodionova, M.A. Sorokin, V.A. Faleeva, and others.

The traditional costume of the Russian North (Karelia) began to take shape in the 12th and 13th centuries. According to scientists (I.Y. Boguslavskaya, G.S. Maslov, A.P. Kosmenko, N.M. Kalashnikov, M.N. Mertsalov, M.A. Sorokin, L.F. Kislukha, and others), the Russian ethnos was undergoing an intensive process of formation during this period. One of the elements of the nation formation process was the clothing of the ancient northern peoples (Russians, Karelians, Veps, Finns). The Russian northern costume was quite peculiar. It was noticeably different from others and successfully corresponded to the way of life of the people.

In the process of research analysis of the state of artistic heritage, festive women's headdresses, their aesthetic content of forms, laws and rules of compositional solutions, ornamentation, embroidery techniques, fabrics, designs of shapes, sizes, patterns, colours. Taking into account the traditions and professional training in this field, regional-historical, informational-informing, instructive-practical, artistic-technological, practice-oriented research methods are used in the museum, which provides a unique opportunity to study authentic works of traditional applied art in the field of artistic embroidery.

This article examines the history of the origin and development of the gold and pearl art centres; technological features of the most common types of seams, with detailed information about their performance in the traditional applied art of Karelia.

In the sections of the article, the technology of embroidery design of girls' and women's headdresses, reflecting the traditional art of the Karelian region, is given. The principles of creative reinterpretation of the source, which consist of the integration of folk traditions into modernity, are proposed. The application presents a unique illustrative material (historical samples of works of folk masters of traditional and applied art).

This experience of understanding methodological and theoretical aspects is of great interest to artists-bachelors, masters, postgraduates, teachers of art universities, additional education, for a wide range of readers, creative workers engaged in artistic design and decoration of textiles, as well as for those who love and are interested in folk art.

1. History and technological features of traditional embroidery of women's headdresses of Karelia on the examples of ancient samples

As in all Russian provinces, the Olonets women's costume was complemented by specific headdresses on a rigid basis, such as a kokoshnik divided into girls' and women's ones.

The girl's costume differed from the suit of women of other age groups by the headdress. The girls were supposed to wear a headdress that revealed their hair above, which allowed them to see the braid running down their back. Maidenhair was perceived by the peasants as a symbol of beauty, innocence, and marriage opportunities. Many maiden headdresses that were previously considered festive: 'golovodets', 'pocholok', 'crown' and others at the end of the 19th century turned only into bride headdresses.

The products of applied and folk art undeservedly forgotten in our country acquire their value and superiority over industrial designs. No wonder people have always appreciated manual work as a source of emotional spirituality. Among such well-known types of needlework as embroidery, the headdresses design with embroidery and knitting of pearls occupy a special place. The headdress in the form of a wreath, bandages of a ribbon, 'pocholoks' from brocade, a braid from damask fabric, strips of calico with rich sewing with a gold filament, typical for the northern regions, were made wide, on a dense basis. They were sometimes decorated with a hemline or duckweed made of river pearls, chopped mother-of-pearl, or beads that descended to the forehead.

The Karelian masters were perfectly skilled in gold and pearl embroidery, which came from Pomeranian nuns (in some Karelian territories) (Nosan, 2006). As very expensive and highly valued needlework, these original types of embroidery had the character of craft production. There is information that at the beginning of the 18th century, Olonets pearl 'ochels' were sold in large quantities at the fairs of Novgorod. Headdresses were very expensive, so they were carefully preserved in families and passed down by inheritance. As headdresses, women of the northern provinces wore kokoshniks and kokoshniks- assemblies.

The kokoshnik, which was used mainly in the Russian North, in the north-eastern and central provinces of Russia, occupies a special place among women's headdresses. (Fig. 1) The name of this headdress is interesting and unusual, going back to the ancient pagan cults of the Eastern Slavs, their totems-protectors and guards from evil spirits. Such totems were those animals and birds with which human life was most closely intertwined: deer, elk, swans, ducks, roosters, chickens. It is their images that can be seen in the patterns of the oldest counted embroidery, and

the contours and individual details of the figures in headdresses. 'Kokosh' – 'rooster and chicken' – is the literal translation of the name of this headdress, which originated in the Russian North, which had a deep semantic meaning. It symbolized happiness and unity in marriage, the warmth of the hearth (red rooster-fire), carried the idea of fertility, and with it the infinity of the cycles of life, asserting the value of human existence (Kosmenko, 1990). "The importance of the rooster and the hen in the wedding ceremony was great: one of the dishes of the wedding table was made of chicken, and a rooster dressed up and decorated with coloured ribbons was brought to the groom's house" (Nosan, 2006). That is why in wedding headdresses, a specific preference was given to the kokoshnik. In front of the kokoshnik, a pearl or beaded underside was usually hung – a net consisting of several pearl assemblies, woven to hold beads, pearls, semi-precious stones, and glass inserts.

The podniz (a net or fringe of beaded, pearl filaments at the ancient female headdress, descending to the forehead and temples) was attached to the eyeglass and covered the woman's forehead almost to the eyebrows (Fig. 2). On the side near the ears, cassocks, or duckweeds, could be attached – strands of pearl or beaded grains with filaments of braided metal (gold or silver) lace (Fig. 3).

Until the 1920s, in Petrozavodsk, Povenetsky, Pudozhsky and Kargopolsky uyezds and the village of Kizhi, the festive women's headdress was a one-horned kokoshnik, on a solid base, with a flat upper part protruding above the forehead in the form of a blunt horn. The decoration of the kokoshnik consisted of river pearls, beads, mother-of-pearl dies and gold braid. From the lower edge to the forehead descended several flounces – 'lattices', 'one under the other', made of small river pearls or beads (Fig. 4). These kokoshniks were worn with silk sarafans, and when leaving the house, they wore handkerchiefs made of silk or white calico with a rare small pattern embroidered with green filaments. The handkerchief was folded at the corner and pinned under the chin. This headdress was common in Kargopolsky uyezd of Olonets province. Such kokoshniks had small blades that covered the ears, the back of the head-a strip of fabric on a solid base, sewn on the back, and the underside-a pearl or beaded mesh descended to the forehead to the eyebrows or slightly raised above it. Kokoshniks were decorated with gold embroidery, beads, pearls, mother of the pearl. They were usually worn with a handkerchief folded on the corner. The handkerchief was pinned under the chin or, crossing under it, tied behind the neck. Such kokoshniki were common in Olonets province (Nosan, 2006).

The second type is in the cylindrical cap form with a flat oval bottom (Fig. 5, 6, 7). This cocoanut of the north-west did not have sewn-on blades and a headpiece. It was usually made of braid, decorated with gold embroidery, glass in the sockets,

beads, pearls, and had a small base of chopped mother-of-pearl. Around the kokoshnik, along its ochelye, a folded handkerchief was tied with a ribbon, whose ends descended to the back or were fixed on the crown of the head, crossing at the back of the head (Fig. 8). “Strung kokoshnik... sewn taffeta with silver lace...” – such an entry can be found in the acts of legal life of ancient Russia, dating back to the 18th century (Historical and legal acts of the Olonetsky Krai, 2016).

Kokoshnik assemblies are a headdress on a solid base (Fig. 9). The assembly was made of brocade, braid, silk, velvet, embroidered with silver or gold filament on cardboard.

A specific feature of such an assembly was a wide ochelye and a cone-shaped elevation on the crown, laid in front with vertical and dense bolsters-bores. At the back, the assembly was tightened to the top and decorated with a wide bow with long ends descended to the back (Historical and legal acts of the Olonetsky Krai, 2016). The assembly’s eyeglass was ornamented with beads, coloured glass in a metal frame, replacing precious stones. Sometimes a beaded or pearl net-podniz that covered part of the forehead, was attached to the assembly. The upper part of the cocoanut is completely sewn with gold filaments. The front is laid in fan-shaped folds. The ochelye is decorated with a pattern of large stylized flowers – tulips, decorated with pearls, mother-of-pearl dies, faceted glass in metal sockets, and openwork podniz.

Kokoshnik assemblies of ‘borushki’ were festive headdresses of young women of the Arkhangelsk province in the 19th century married. They were made by professional craftsmen from factory fabrics using white beads, foil, glass, chopped mother-of-pearl and river pearls in the ornamentation.

To perform the ornamentation of river pearls used belle. This is a twisted white rope, cotton or linen, which is sewn on the material (linen, silk, velvet) in two or three rows, according to the preliminary marking. And in the hollow between the rows, pearls are already sewn (‘planted’). The drawing is clear, smooth and convex. Sometimes the bel was laid out in one row, but then the impaled stones could unevenly hold the line, so the single-row bel was used only in a very dense pattern, e.g., in the Kargopol kokoshniks. The most specific ornaments were floral, as well as images of birds. The forms of headdresses for the sarafan complex were different, e.g., kokoshniks in the form of a cap, with a high, elongated ochelye with blades decorated with gold embroidery, covering the ears (Kargopolsky uyezd of the Olonets province). Dressing, dressing with a silk ‘ribbon’ (Fig. 10). Girls’ and women’s headwear. The bandage was a strip of cloth, most often made of brocade, with strings sewn at the ends, which fastened the headdress at the back of the head. The front part of the

headdress was decorated with beads, pearls, and gold embroidery. The nature of the jewellery depended on the material wealth of the girl (Nosan, 2006).

On ordinary days, the girl wore a kerchief folded like a ribbon tied around her head. Festive girls' headdresses were varied in shape, material and decoration, consisted of a rectangular strip of silk, often crimson, on a solid base (birch bark, several layers of paper, fastened with bread glue), with ribbons on the back of the head. In the Arkhangelsk province in the second half of the 19th century, the most common festive girlish headdress was a bandage made of crimson silk (damask) or calico on a solid base with wide ribbons (up to 85 cm long) that went down the back almost to the waist. On the front side, above the forehead, a narrow strip of braid was sewn, and above it, gilded filaments were embroidered with figures of birds or another strip of the widest braid. These headbands were worn with silk and festive sundresses. In the Olonets province (the second half of the 19th century), the festive headdresses of girls of marriageable age were 'bandages', also called 'ribbon'.

'Bandaging' is a girl's headdress in the form of a hoop made of birch bark, cardboard or quilted in several rows of fabric, covered with brocade, silk, calico, pestryad (fabric with a pattern formed in the process of weaving, using filaments, or fibres of different colours (as opposed to the pattern formed by dyeing the finished fabric), with ribbons tied behind (Fig. 11, 12). The height of the dressing is from 5 to 22-25 cm. High bandages had the form of a truncated cone, tapering upwards (Historical and legal acts of the Olonetsky Krai, 2016; Sosnina & Shangina, 1998). Podniz is a net on horsehair made of beads or pearls, which descended on the forehead or rose above it, forming two or three arcs. Podniz, the grid consists of several pearl collections. Two wide ribbons or one wide strip of brocade (up to 25 cm) decorated with gold lace, braid, fringe, etc. were attached to the dressing back.

The bandaging is an old maiden's headdress. The term was known in the 16th and 17th centuries. Bandages in the 18th and 19th centuries were a festive headdress for girls of marriageable age. It was worn only on special holidays: on Yule parties-games, on spring and summer festivities. 'Bandages' consisted of a long rectangular strip of crimson damask (length 45-48 cm, width 7-8 cm) on a solid birch bark base, with ribbons on the back of the head. The ribbons were tied under the braid, and a wide rectangular strip of silk was attached above, which descended to the back. The front part of the headdress was usually embroidered with gilded filaments (Fig. 13). The betrothed bride attached to the bandage a small circle – 'temnik', embroidered with gilded filaments on one side.

'Konura', or 'koruna', is the headdress of a betrothed girl, is associated with wedding ceremonies in the northern regions of Karelia, in the Arkhangelsk province.

The bride wore the 'konura' on her head not only on the wedding day but also on holidays (Nosan, 2006; Sosnina & Shangina, 1998). 'Konura' – an openwork roller on a solid base—a hoop made of birch bark or pasted in several rows of cardboard, glue board, covered on the outside with a gold or silver braid, decorated with beads, beads, and on the inside—with calico or stuffing (Fig. 13). An openwork roller made of taped canvas and a string of beads sewn on it was attached to the hoop. Then beads, coloured glasses in a metal frame, oval medallions with enamel paintings, pendants made of beads, brooches, buttons, and flowers made of starched canvas were attached to the canvas. At the back of the kennel was tied a wide bow of silk fabric, the ends of which fell below the shoulder blades. In the northern regions, the 'konura' was worn over a bandage sewn from a braid with ribbons or blades running down the back (Fig. 14).

'Crown' is a girl's headdress. The Onega and Pudozhsky openwork crowns, with a podniz, differ in refinement. The underside was made of elastic horsehair strung by pearls to make the bend undulating. On the 'crown', the pearls were strung on a strong filament (or hair), which was applied according to the pattern and attached with another filament. The 'crown' also was decorated with a bright bugle. In the Kem district, brides wore a special ancient headdress in the form of a crown made on a solid base (Fig. 15). The band of this headdress ('podchelok') was narrower comprising the girl's bandage. A 'crenate corolla' was attached to the upper side of the band. From the back of the head, from the edge of the band, a wide rectangular strip of brocade or silk freely descended to the back (Fig. 16).

The headdress was tied with ribbons under the braid. The front side of the 'podchelok' was decorated with gold embroidery, pearls and beads, and metal-rimmed glasses that imitated stones (Sosnina & Shangina, 1998).

'Butterfly' earrings, i.e., earrings made of pearls, beads, chopped mother-of-pearl, metal are a metal rod with two blades on the sides of beads, pearls, mother-of-pearl, strung on horsehair or thin wire, which are attached to the end of the rod of a metal teardrop-shaped pendant, braided with a mesh of pearls (Fig. 17). The side blades of the decoration resemble butterfly wings (Sosnina & Shangina, 1998). 'Butterfly' earrings were the most common jewellery in the Russian north. They were worn with a festive costume, silk, brocade or velvet sundress, a shirt, a smart shower jacket, a crown or a kokoshnik decorated with pearls.

'Pochelek' ('podchelok') was also called a crown with five rays- fences, cut out of thick cardboard, pasted on the front side with a starched canvas, and on the wrong side painted red (Fig. 18). On the front side, the pattern is laid out with a thick hemp cord with white beads sewn on it (or two rows of thin cord-beads in the middle), i.e.,

multi-petalled flowers with a large core. The petals (their middle) were filled with birch bark (cardboard), sheathed with copper bits, cantilevers, huge pearls and mother-of-pearl (Nosan, 2006; Sosnina & Shangina, 1998). Copper and brass leaves, attached to the stems of the cantilever, decorated the crown. The crown was sewn on a narrow but dense strip of fabric, the ends of which were tied under the braid. At the back, a wide strip of silk or brocade with gold lace, ribbons, and fringe at the end was attached to the 'podchelok'.

'Podchelok' is an ancient maiden headdress dating from the second half of the 18th century. According to the observation of G.A. Grigorieva, in the collections of Russian museums, there are only two similar headdresses, which are stored in the Karelian Museum of Local Lore in Petrozavodsk. The front part (ochelye) on a solid base, rectangular in shape, with a curly zigzag cutout along the lower edge. A narrow strip of silk braid is sewn on the back, on which three long strips of ribbon on a hard lining are attached. The glasses and ribbons are decorated with a stylized pattern of complex geometric shapes, rosettes and diamonds, made in the technique of sewing small transparent beads ('pearls') on white, metal sequins and glass beads. On the wrong side of the ochelye, the plank and the ribbons are sewn with cloth-printed linen fabric. References to such headdresses also exist in the old scientific literature, e.g., at V.F. Miller, in his description of the collection of the Dashkovsky Ethnographic Museum, where peasant clothing of the 1870s and 80s was plentifully presented: "Girls in the old days wore 'podchelok' on holidays, now the head is removed with ribbons 'podbirushki' and 'bandages'".

Since the 1880s, the girl's headdress 'circle', which was also called 'rim', was widely distributed in the Olonets province.

'Circle' is the headdress of a betrothed girl of the Olonets province of the Kargopol uyezd (Fig. 19). As a girl's headdress, it was a bandage 5-6 cm wide, made of a handkerchief with a narrow strip of the paper lining. The bandage was wrapped around the head in such a way that the top of the head remained open, and the ends of the handkerchief were tied over the forehead. Sometimes in the Olonets province, a circle was called a headdress under the name 'rim' (Sosnina & Shangina, 1998).

It was made on a solid basis in the form of a hoop covered with calico. On the front part of it, above the forehead, openwork nets of pearls or beads in the form of several flounces were attached one above the other. At the back of the head, through a small loop, one wide ribbon was filamented or several narrow multi-coloured ones, which were called 'flags', were attached to a small twig with a loop, which was more typical for brides.

Festive ‘circles’ were made of red silk and embroidered on the upper part with gold filament. The band of everyday ‘circles’ was sewn from calico, pestyads; the top was trimmed with braid. When leaving the house, the ‘circle’ was usually tied with a handkerchief wrapped in a tourniquet or a strip of the braid.

‘Podcholak’ is an ancient and rare, unique in museum collections, the festive maiden headdress of the 18th century of Olonets province, Kargopol district. It was found in the city of Kargopol in a dilapidated state. From the back of the headdress, two genuine straps open for attaching ribbons made of beautiful silk braid on a red cloth lining, ending in two loops. The ‘podcholak’ is made of wool, silk, linen, cotton fabrics, paper, white, beads, sequins, metal and glass buttons (Fig. 20). Beading. The ochelye is 27 by 19 cm, the length of the ribbons is 49 cm (Grigorieva, 2002).

A handkerchief is a square cloth made of wool, silk, brocade, linen or cotton fabric, of various sizes, from small ones that only cover the head or shoulders, to large ones that wrap the entire figure of a person. The headscarf was an integral part of the girls’ and women’s headdress and an independent headdress, as well as a neck decoration for women and men (Fig. 21). In the 19th century, it became part of many headdresses. It was worn with a kokoshnik, magpie, and povoyunik. In the late 19th and early 20th centuries, the headscarf became the main headdress tied in many ways. In the Kargopolsky uyezd of the Olonets district, handkerchiefs with gold filament, gilded spun silver, whipping, and silk filaments embroidered on the corner of floral patterns were very popular (Fig. 22, 23). The headscarf was used to decorate a festive costume and was considered a great family value (Nosan, 2006).

‘Povoyunik’ is a traditional headdress of a young woman. Its purpose is to cover her hair. According to ancient beliefs, the hair had magical powers. This power was given to women by Mother Earth. When a woman married, she became a member of someone else’s family, and in order not to bring misfortune to her husband and his relatives, she had to carefully hide her hair.

Pomor ‘povoyuniks’ (from the Old Believers) sewed in the form of a soft cap, completely covering the hair, braided in two braids and laid on the head. It is simple in cut: an oval crown was cut out (from the Old Believers of Zaonezhye) and a ‘band’ was sewn perpendicular to it, which bifurcated from behind, forming ‘wings’; laces (braid) were sewn to them, with which it was tightly attached to the head. This is one of the oldest headdresses in Karelia (Fig. 24).

The ‘povoyunik’, which was used on weekdays, was made of canvas, calico, satin, calico and other inexpensive fabrics. Festive povoyunik was sewn from crimson or blue velvet, silk, brocade, cashmere (Grigorieva, 2002). It was decorated with gold embroidery, beads, pearls, glass beads, braid, etc. in the upper part.

In the 19th century, real gold and silver filaments were replaced by gilded and silvered copper. River pearls were gradually replaced by cheaper beads and artificial pearls. The motifs of gold embroidery on the povoyniks are fantastic flowers and stylized double-headed eagles: the tree of life was embroidered with pearls. The soft depth of the velvet and the matte gloss of the ornament enhanced the decorative effect, revealing the features of the pattern. Especially interesting are the Pomor povoyniks – ‘latushki’, decorated with river pearls from the northern rivers of Karelia. In the 18th and 19th centuries, gold was sewn on a map (the base is birch bark) (later on cardboard), sheathed first with woollen filaments, and then with gold, silver, and pearls (Fig. 24, 25). The upper part was embroidered with gilded and silver filaments and a thick cord around it, placed on the wrong side (Fig. 26, 27).

‘Povoynik’ was always covered with a handkerchief: silk or cashmere on holidays and canvas, calico, or satin on weekdays. It was considered very indecent to go out on the street in one raincoat, without a headscarf, or to be at home in front of strangers, and sometimes at home (Nosan, 2006). The methods of tying the scarf were different and depended on the local tradition. The first method: the handkerchief was folded diagonally or twice around the perimeter, put on the head in such a way that part of the ochelye was visible. It was pinned or tied under the chin. The second method: the handkerchief was folded diagonally several times so that a ribbon was obtained. It was laid in a spiral, crossed on the back of the head, laid on the sides or tied with a bow on the crown. Girls’ headdresses were the main decoration of the young Karelika on weekdays and holidays. They reflected the ethnographic features of the Karelian people.

Headdress ‘Magpie with Sderikha’ – the oldest female headdress of the Olonets province (Fig. 28). ‘Sderikha’ is a kind of cap made of homespun canvas, in the upper part with a ‘crown’ in the form of a hoof. ‘Magpie’ – the second part of the headdress – was worn on ‘sderikha’. ‘Magpie’ – the most ancient headdress of married women – was usually made of calico, silk, velvet on a canvas or calico lining. It was sewn from 3 parts: a low triangular ochelye, embroidered with silver or gold filament, decorated with beads and beads; triangular side wings; the back part is the tail (a cloth covering the crown and the back of the head) (Nosan, 2006). All parts were connected so that the headdress took the form of a cap with a rectangular oval top. If the ‘tail’ was short, then it was almost completely sewn together with the ‘wings’. If long, then a significant part of it descended to the shoulders.

Along with the ‘magpies’ in the form of caps, ‘magpies’ were also common, not completely sewn: connected, there were only eyeglasses with a ‘tail’ and ‘wings’ with an eyeglass. Such ‘magpies’ in a flattened form resembled a bird with a long tail and

triangular wings located on the sides. Ordinary 'magpies' were made of pestryad and calico. Old women wore 'magpies' with white or sparse black embroidery. 'Magpie with Sderikha' was distributed in Kargopol, Povenetsky, Pudozhsky, Petrozavodsk and Vytegorsky counties in the middle of the 19th century.

In addition to the 'magpies', the Karelians also wore caps (Fig. 29). The cap – the headdress of the bride and the young woman, in its appearance was close to the 'magpie', and differed in that it had the shape of a circle and was embroidered with gold filaments. Holiday caps were different from everyday ones. Karelian caps, which were worn by older women, were made of silk, half-wool, woollen fabric lined with canvas and calico. The upper part of the cap was stitched, connected in front and along the bottom line was processed by 'obtachka' (a cut detail used in sewing for finishing cuts and cutouts of textile and leather products), the back of the cap was tied with a satin ribbon (Nosan, 2006).

By the beginning of the 20th century, women wore a 'tattoo' – a 'skolok' like the Arkhangelsk one (Fig. 30). In the dictionary of V.I. Dal, an explanation is given: "a tattoo, a kind of cap, a variety of headdress; the same for merchants: a silk handkerchief with lace, artfully tied and pinned; a hole pattern, a stencil, for a tattoo or rash pattern." For several years, the most valuable material was collected bit by bit, and a unique female headdress was restored (Grigorieva, 2002).

Regardless of the colour of the 'couple' (jacket and skirt), the 'nakolok' were sewn red, scarlet, crimson, burgundy, pink – in a word, a reddish shade. It is interesting in the wedding 'nakolok' worn by the bride when she was surrounded after removing the wax wreath. Traditionally, they put it on behind the ears, tightening it from behind and tying it on a string (or ribbon), the ends of which were hidden under the cap. The wedding 'nakolok' of the masters was made of 'bursa' – a silk Persian fabric, shiny and noisy. For the rich, the 'nakoloks' were made more difficult, with the figure stitched, and for the poor, it was easier. The cap was matched with a cotton lining. The 'nakolok' was embroidered with beads, beads, glass beads. Lace was only used for those who were poorer.

Thus, the wedding headdresses and headscarves were particularly beautiful. They were sewn with gold and silver formed an essential part of numerous Karelian festivals and rituals. They were part of the dowry of the Karelian bride. According to the beliefs of distant ancestors, it is believed that an embroidered ornament containing magical symbols and images plays the role of a kind of amulet.

2. Pearl sewing in the traditional applied art of Karelia

Pearl mining, as reflected in the church books, was carried out in Karelia, in the north of Russia, in the 9th and 10th centuries. With the developed water system of Karelia, most of the villages were located on the banks of rivers and lakes. In the 15th and 16th centuries, pearls were mined in the rivers of the Kerets region, in the Kemi region. “In the 17th century, pearls were known in the rivers of Karelia, the Kola Peninsula, and were found in the rivers of the Arkhangelsk, Vologda, Leningrad, and Kirov regions” (Grigorieva, 2002).

Historical evidence suggests that the extraction of river pearls, of which there were a lot, was the main source of income for the local population. It is interested in historical documents indicating that Peter the Great decree was preserved. According to them, specific officials were sent to the Russian North for the extraction of pearls. They were charged with the duty to hire ‘hunters’ (volunteers) for work, but if there were no such people, then “take them into bondage at their discretion” (Fersman, 1954).

In 1721, Peter the Great issued a decree on the regulation of the pearl industry, as production began to decline sharply due to the mass destruction of shells. People blocked the rivers: Megrega, Olonka, Povenchanka, Kem, which were shallow up to 1 meter deep, and then forced their children 7-12 years old to collect pearl shells. It led to a reduction in pearl production since all shells were collected, not selectively, opened and discarded. In the 19th century, the pearl fishery began to disappear in Karelia, so taxes were imposed on its production. After that, pearl shells began to be selectively caught with the help of a birch-bark telescope. This led to a reduction in pearl production. While on the raft, the pearl diver lowered a birch telescope into the water, selected the right huge shell, took a pole with an iron hand on the end, lowered it into the water and through the pipe with an iron palm raised it through the pipe to the surface of the raft.

Pearls in Russia have always been treated with specific respect. It was obtained only in a joyful mood, not allowing abusive words and quarrels. In the 19th century, pearl seekers went fishing necessarily after the bath, wearing clean clothes and receiving absolution from the priest, such as the tradition of successful fishing (Nosan, 2009).

On the eve of the 20th century, A. Khrebtov wrote in his study *The Situation in the Pearl Industry of Russia*: “... Russian pearls in general, and especially those extracted in the Kem district, are very good in color, luster and shape” (Khrebtov, 2017).

In Karelia, pearls were mostly silvery-white or bluish shade. Pearls were sewn especially festive women’s headdresses-crowns, which received the name

‘zemchugat’ from Karel. The zemchugat consisted of three parts: a valance, a ‘podniz’, and a wide ribbon attached to the valance from behind. Young married women to this headdress added a velvet povoynik, embroidered with gold.

The ability to string pearls required painstaking work and great artistic skill. The embroiderer prepared the drawing in advance, then, having drilled a hole in each pearl strung them on a cord, hair or metallic filament and laid out the pearl filaments according to the prepared drawing.

An ornament made of pearls consisting of rosettes stylized waterfowl and plants (branches, shoots, flowers, trees) covered the entire surface of the headdress as if emphasizing its special significance and solemnity. The torment was worn by the girl at the moment of the main event in her life, e.g., the wedding day, as it was proof of her well-being. The basis for embroidery was silk, velvet, and other fabrics. The forms of northern headdresses, despite the names that unite them, were very diverse even in the surrounding areas. The favourite decorative materials used in the ornamentation of northern headdresses were white beads, foil, glass, chopped mother-of-pearl and river pearls.

Pearls were highly valued, and the documents and samples that have survived to our time show the widespread of pearl sewing in the Russian North and its deep traditions. Until the 17th century, this art developed mainly in boyar, princely palaces and monastic workshops, but it was especially widespread in peasant sewing – women’s and girls’ headdresses, bangs, headbands, kokoshniks, ‘korunas’. It was believed that the more rows of pearls in the ‘podchelok’, the richer the bride.

In 1897, in the Olonets Provincial Gazette, in the article *Geographical and Historical Description of the City of Kargopol*, they wrote: “Girls and women undress in headdresses, the former has a certain kind of wreath, covered with pearls, and called after their ‘koruna’, instead of a necklace, they have a ‘velvet’ or ‘naborshnik’ like a tie, and above the ‘velvet’ atop two inches wide is tied lying; a ‘gribatka’ on the shoulders, and all this, except for the ‘naborshnik’, is tied with pearls. The woman’s head is covered with a cocoanut covered with pearls. Some of them have a price of more than a thousand rubles” (Olonetsky gubernskie vedomosti. 1897, 2016).

Pearl sewing was in different ways. Most of the ornamental compositions of pearl embroidery were contoured, graphic. Pearls on the contours were sewn with a specific technique. A string of pearls was laid out on the cords sewn in two rows. Each pearl was attached with a cross-stitch. Unique is the openwork slotted pearl embroidery used to decorate maiden crowns and rizas (oklads) for icons. Pearl embroidery was complemented by the decoration of mother-of-pearl dies, mirror and coloured glasses, precious stones and other materials. Karelian craftswomen

perfectly mastered gold-embroidery and pearl craftsmanship. These original types of embroidery, very expensive and highly valued needlework, had the character of craft production.

In the early 17th century, Olonets pearl 'ochels' were sold in large quantities at the fairs of Novgorod. In the 20th century, pearl embroidery was preserved in Olonets county (Sudalitsa Village, Kokshigora Village, and Olonets city). Karelian pearls – uneven white, black (greyish-matte), pink. In the rivers that flow into Lake Paanojarvi, pink and black pearls were caught, which were sold abroad. Customers brought pearls to the craftsmen, and they made headdresses – festive, wedding. Beads of various colours, from tiny, 1 mm in diameter, to large glass beads, were also sold on the provincial market. White beads were used to replace pearls – either they completely replaced the more expensive material from the headdress, significantly reducing its cost, or they were combined with pearls in different proportions.

Thus, the products of the Olonets craftsmen enjoyed great fame, they were able to cut pearls with a specific skill, make necklaces, podnizs, earrings, pendants and wedding maiden headdresses (zemchugats) on which pearls meant for the bride the purity and innocence of a girl entering a new stage of her life.

3. Technological techniques of gold embroidery in the design of women's headdresses by the masters of the Russian North – Karelia

Gold embroidery with metal gilded and silver filaments was also very expressive, and the masters who performed it were called gold embroidery. Gold embroidery decorated the clothes, vestments of the clergy, items of church utensils, headdresses-kokoshniks, povoyniks, which had the form of small oval caps. In southern Karelia, the thieves sewed from velvet, and in the north-from silk. They were the property of wealthy peasants, distinguished by expensive and masterly embroidery, so they were very cherished, passed down from generation to generation and worn only on big holidays. The decorative effect in gold embroidery was achieved using a variety of different techniques and materials. Sewing was carried out with metal drawn to gold or silver filaments or spun filaments. Filaments were also used in the form of a narrow thin strip of the precious metal-to beat, in the form of a thin wire twisted in the form of a spiral – a rope.

The embroidery technique is a rather complex process: after receiving an order, the craftswoman cut out drawings from cardboard, attached the material to the embroidery frame, laid out the cut patterns on the fabric and embroidered with gold or silver spun filament (smooth technique), so that the cut patterns remain under the embroidery, and the pattern turned out convex. The ornamental motifs on the gold-

embroidered povoyniki are vegetable (trees, flowering bushes, sometimes with birds on the branches), made in rounded curved contours of sewing.

A specific feature of gold embroidery is the seam – ‘in the middle’. The metal filament was superimposed on the fabric and attached to it with small stitches with a thin silk or linen filament in the colour of gold, silver or colour contrast, depending on the artistic task. Goldsmiths owned a large stock of various patterns-attachments that create additional geometric shapes on the sewing surface under colourful names: ‘berry with a stalk’, ‘simple berry’, ‘coccyx’, ‘money’, ‘rows’, ‘fence’, ‘feathers’, etc.

Expensive imported velvet, silk fabrics, and fine muslin were used as a background for gold embroidery. The embroidery was complemented with pearls, precious stones, gems, gilded ornamented plates, small plaques, and sequins. Ornamental compositions of gold embroidery include plant motifs, images of birds, animals and fantastic animals. The festive kokoshniks were specially decorated. The characteristic of gold embroidery was the outline of the pattern along the contour with small openwork loops.

A diversity of women’s headdresses always completely covered the hair (according to popular beliefs, they had magical powers). To go bareheaded was considered a disgrace, a sin, for a married woman. The nature of the headdress reflected not only family but also social and property status. The technique of sewing with gold filaments is significantly different from the usual embroidery. The gold filament is difficult to filament through the fabric since the spun gold would wear out, and the dragged one would not lie flat on the surface of the fabric. Therefore, as a rule, sewing with gold is one-sided. Metal filaments are most often reinforced according to the pattern on the front side of the product and are rarely used as a normal working filament for sewing ‘on the opening’.

The sewing technique with gold and silver is very diverse, but the diversity can be reduced to three main seams. There is a cast (or forged) seam, seam ‘in-split’ and ‘in-attachment’.

A ‘cast seam’ is a smooth seam in gold (Fig. 31). At the beginning of the work, the gold filament is passed with a needle from top to bottom through the fabric near the edge of the embroidered form (cardboard or flooring) and fixed. Next, ‘in-attachment’ sewing is used, in which the gold filament is superimposed in parallel stitches on top of a defined contour (Nosan, 2006). Each stitch of gold filament is attached along the sewing borders to the fabric with a twisted silk or cotton filament attached. A needle with this filament is pricked out at the edge of the shape, grabs the gold filament and pulls it into the same hole of the puncture. The golden filament is

transferred to the opposite side of the motif, and everything is again repeated. Stitches to stitch are laid very tightly, without gaps, but also without overlapping.

Horizontal figures are embroidered from left to right, i.e., the superposition of stitches goes from left to right, and vertical ones from bottom to top. At the same time, you need to pay attention to two important points:

- in horizontal figures, when the stitches are placed vertically, the lower part of the stitch is tightened more strongly, and the upper part is smaller. And accordingly, the right side of the attachment is tightened more than the left with a horizontal arrangement of stitches;
- when embroidering a horizontal shape, the needle is pricked out to the right of the gold filament, wraps around it and returns to the same puncture hole to the left of the gold filament. Accordingly, in vertical forms, the needle is pricked out from the upper side of the gold filament, and returns from the lower, i.e., the needle always makes a movement back relative to the direction of applying the gold stitches.

On the wrong side, the filament stitches are attached in the form of eights (Fig. 32). It is very important to feel the filament tension. The gold filament stretches on the wrong side, just a little bit on the form borders. When embroidering rounding on forms to preserve the stitches parallelism, they are made quite rarely on the bulges, and in the concave part of the pattern, they are placed tightly. In the meantime, the stitches do not fall off, and they are laid tightly, without gaps.

With a soft, dense lining fabric, the gold filament may not stretch instead of piercing, but ‘drowns’ in it. In this case, you can work without an awl, and the awl must be used when working with leather, suede and other dense, thick materials, where, to achieve a smooth cast seam, you need to pierce the points of the beginning and end of the gold stitch in advance.

The seam ‘in-split’ is performed similarly to the casting seam, only along the split line the gold filament is broken and pulled by the filament of the attachment (Fig. 33). The result is a relief pattern. Usually, the seam ‘in the split’ is made when sewing on cardboard or string. In a stylized plant ornament, a solid split line is usually drawn in the middle of the petals or leaves. This line is sometimes closed with a chain of frills or sequins. The ‘in-split’ seam is used when filling in whole forms (Fig. 34). In the drawing, a fragment of the pattern is filled with split lines of the same size made on the cardboard in a staggered order according to the count of the gold stitches, which are tightly adjacent to each other.

When sewing with a seam ‘in-attachment’, gold and silver filaments, as in the previous seams, are superimposed on top of the fabric in parallel rows and attached to it with silk stitches or cotton filaments so that by arranging the stitches of the filament of the attachment, the desired pattern is achieved. Sewing is performed directly on the fabric or the flooring. In contrast to the ‘in-split’ seam, the filament of the fastener does not tighten, does not split the stitch of the gold filament, but remains on the surface. The silk stitches of the attaching filament, drawing the gold filaments one after the other, form a concave line, and the non-attracted filaments create a shiny convex surface.

Depending on the tension of the filaments, a more or less relief pattern is created. When it is necessary to more clearly depict a pattern or ornament, rather than a relief pattern, then usually a contrasting silk filament is attached. The fastening stitch is doubled or even tripled, without strongly attracting the gold filament. In the meantime, the silk is visible. Also, the impression is created of a pattern embroidered with silk on a gold background. When using cardboard for flooring, a pattern is applied to it. Then it is fixed with a gold filament. When sewing ‘in-attachment’ on the filaments or ropes flooring, the fastening is performed according to the filament count. For the correct execution of the seam ‘in-attachment’, it is very important to first lay a gold stitch from edge to edge (one or more, depending on how many gold filaments will be captured by one stitch of the filament attached to the pattern), secure, make sure that it is laid straight, and only then attach the filament according to the pattern.

If the direction of the gold stitch is skewed, the fixing stitch will shift, and the pattern will be distorted. This procedure is done if the gold filament is not pulled strongly by the filament attached between the ropes or according to the pattern on the cardboard. The patterns made based on the seam ‘in-attachment’ are very diverse. Stylized plant shapes are rare, mostly combinations of simple geometric shapes. This diversity of patterns used in gold embroidery is reduced to eight main groups. They have traditional names that have come down to us from ancient times.

In the patterns of ‘rows’ or ‘oblique row’, the stitches of the fastening filament are arranged so that they form parallel diagonal lines (Nosan, 2009). Depending on how many gold filaments are captured with one stitch and how thick the rope or filament of the flooring is, the angle of inclination of the ‘oblique row’ changes. When sewing on cardboard, the gold filament is attached according to the applied pattern. When sewing on a string, it is done according to the number of filaments (Fig. 35).

‘Fence’, or ‘hoof’, is a pattern in the form of a broken line or zigzag. The sharpness of the zigzag, as in the previous pattern, depends on the number of gold

filaments captured by one stitch and on the thickness of the filaments or ropes of the flooring. The sharper the angle, the more graceful the zigzag (Fig. 36).

The pattern 'money' consists of the same zigzags, but in the 'fence', they are parallel to each other, and in the 'money', they are made up of the points of the corners. It is better to start the attachment with a stitch that defines the shape, in this case, the junction of the corners (Fig. 37).

'Berry' pattern is a regular one in a cage (Fig. 38). 'Adjustable Cage' is the same pattern 'berry', only the cells are divided by stripes (Fig. 39). 'Stalk with a Berry' is the traditional complex name of a simple rare braid consisting of straight stripes. This pattern is found on ancient Russian sewing monuments mainly in a diagonal design, i.e., the given pattern is rotated by 45 degrees (Fig. 40).

'Klopets', 'klopchik', 'matting' is the way when the gold filament is fixed in a staggered order (Fig. 41). To make the pattern, horizontal parallel lines are evenly applied to the cardboard, or the filaments of the flooring are sewn on the fabric and the fastening is carried out according to the number of filaments (Nosan, 2006). 'Klopchik' is mainly in two, three, four filaments. Depending on how many gold filaments are captured, the width of the braid strips changes.

'Feathers' is a 'berry' kind, the cells of which are divided by parallel horizontal lines into triangles. Most often used for embroidery of the wings of angels (Fig. 42).

Each of these pattern groups includes several complicated variants, e.g., 'simple money', 'money with a berry', 'money in four cells' or 'berry with one stitch', 'berry with a cross', 'double berry', etc. Some patterns can not be attributed to any of these groups. The gold filament in them is fixed with stitches of the filament attached without a specific pattern. This technique is called 'free attachment'.

In ancient monuments of liturgical sewing, there is a rather rare 'double complex seam' (Fig. 43), which began to be used in Russia at the late 15th century in the grand-ducal workshop with the appearance of Elena Voloshanka, the wife of the son of Ivan the Third, the daughter of the powerful Moldavian ruler Stephen the Great. To make a double complex seam, first, the filaments of uncoiled silk are vertically superimposed. Then they are overlapped horizontally with twisted silk filaments attached with small stitches of the fastener in a staggered order between the parted lower filaments. This seam did not receive further significant continuation and was rarely used by Russian craftsmen.

Modern gold seamstresses use all the described types of seams and many traditional patterns in their works. The combination of the 'casting' seam with others and the use of various floorings open great opportunities for creating a rich and

diverse texture of embroidery. Torzhok gold seamstresses have kept the secrets of performing many ancient seams, and some long-forgotten ones have been restored.

'Broadening' seam is performed on cardboard or string, using the seam 'in-split' (Fig. 44). The 'broadening' seam is like brickwork: the split lines are staggered. It is similar to the 'klopets' seam. When performing a seam on cardboard, the split line is pre-pierced with an awl and cleaned.

'Goose' seam is also performed on cardboard or string (Fig. 45). The form of cardboard is drawn evenly in horizontal parallel lines with 2.5 mm from each other, using a seam 'in-split' through the line and through the filament (one filament is pulled). This is followed by a staggering move again through the line and the filament. Similarly, the seam with the flooring is performed 'on a string'.

Wavy seam, 'samite sewing', seam 'on samite work' refer to one seam, which is a soft, embossed, looped texture (Manushina, 1983). To achieve convexity, a thick sliding cord with an undefined twist, a round wire with a braid or thin tubes are used. The selected material is cut into segments and attached to the top of the form. This seam is sewn without cardboard and flooring (Fig. 46). The lengths of the cord are placed at equal distances from each other. The gold filament is laid in the shape across the flooring and attached in the gaps between the cords. At the same time, the line of attachment must be smooth and clear. At the end of sewing, the cord is pulled out, and the gold filament retains a voluminous, wavy shape. For this seam, it is better to use a twisted gold filament. When performing it, you need to make sure that it does not unwind. In ancient times, this seam was called 'for samite work', 'samite sewing'. For its implementation, a needle attached to form loops was used and then pulled out. Such loops often covered only the contour of the ornament, sewn with silk or gold, so in the inventories, the expression 'sewing on the edges of the samite gold' was often found.

'Basket' seam is cut out of cardboard, pasted on the fabric and covered with long stitches with gold filament by the technique of cast seam over the entire shape. Then the gold filament is intertwined with a coloured (contrasting) or silver filament in a staggered order according to the number of filaments (Fig. 47). On the wrong side, the coloured filament goes in a circle (double-sided smooth). The size of the cells depends on the number of filaments laid. It is sewn under tension. The seam on a cord (rope), or a smooth roller-the seam, is used as a contour (Fig. 48). Usually, it is sewed the contours of fragments of the headdress ornament and decorated the embroidery instead of a twisted gold cord performed on the principle of a 'casting' seam. When sewing round shapes, the stitches on the inside of the fragment are laid more tightly than on the outside to obtain uniform sewing. The thicker the flooring cord, the more pronounced the seam is.

Thus, the gold embroidery of girls' and women's headdresses, presented in the Local History Museum of Karelia, is a bright, original art that attracts a specific expressiveness – the magic of sunlight. Gold embroidery is a rather complex type of embroidery. It requires special attention, painstaking and accuracy. The art of gold embroidery was not owned by every craftswoman. The ability to embroider with gold was passed down in the family, from generation to generation. It was taught in parochial schools, monasteries of Kargopol, reaching the highest level. The brilliant, festive headdresses and ornaments of the masters of the Karelian Russian North have always been luxury items and an indicator of the wealth of their owner.

Conclusion

Thus, the research activity on the revival, preservation and application of ancient technologies of embroidery of women's headdresses in the traditional applied art of Karelia is of great interest to researchers, as a storehouse of the diverse cultural heritage of Karelia, being a unique expression of the achievements of humanity, serves as an indispensable source of spiritual and intellectual wealth. In the process of research analysis of the state of artistic heritage, festive women's headdresses, their aesthetic content of forms, laws and rules of compositional solutions, ornamentation, embroidery techniques, fabrics, designs of shapes, sizes, patterns, colours; taking into account the traditions and professional training in this field, regional-historical, informational-informing, instructive-practical, artistic-technological, practice-oriented research methods are used in the museum, which provides a unique opportunity to study authentic works of traditional applied art in the field of artistic embroidery.

Presented in the local history museums of the republic, samples of folk clothing and headdresses are a vivid illustration of the features of traditional everyday culture. These masterpieces of folklife are an important component of the general culture of the peoples living on the territory of Karelia. The folk costume is an inexhaustible source of creativity. It concentrates an infinite wealth of ideas, which can be achieved by a diversity of forms, unusual design solutions of headdresses as a whole and their elements, colourful embroidery. The richness of forms and unexpected solutions give us the hats presented in the article. Original forms of structures and unusual compositions allow to meaningfully transform the sources and find expressive, complete, imaginative artistic solutions, which significantly contributes to the renewal and enrichment of modern products. Ancient, national headdresses are presented as an example of original forms, designs and interesting ornamental solutions. They are widely represented by the combination of different materials and

textures. The headdresses most clearly show the features of national identity, which can serve to create new compositions of folk national colour in the future. When developing modern hats, you need to consider the fact that such products can be used in creating a wedding ensemble or evening dress.

The artist who creates modern clothing does not copy the forms of folk costume and embroidery but creatively reworking them, achieves expressiveness and imagery of the solution.

The theoretical significance of the research is that it contributes to the theory and methodology of professional education and professional competencies in each specific art form in the process of teaching the technology of artistic embroidery and improving the skill of artistic embroidery. Summing up all the above, it can be noted that the article collects, analyzes and summarizes the material on northern headdresses, which can serve as an invaluable creative source for the work of modern artists and designers of clothing.

References:

- Bozheva, P.P. (2008). *Russian ornament in embroidery: tradition and modernity*. Moscow: Art School of Applied Art. (in Russian).
- Fersman, A.E. (1954). *Stories about gems*. Leningrad. (in Russian).
- Grigorieva, G.A. (2002). *Russian North through the eyes of a restorer. Fabrics, clothing*. Arkhangelsk. (in Russian)
- Historical and legal acts of the Olonetsky Krai. (2016) *Olonetsky gubernskie vedomosti 1850*. Retrieved October 3, 2020, from <http://www.kondopoga.ru/terr/7terr01.php> (in Russian)
- Khrebtov, A.A. (2017). The situation in the pearl industry in Russia. Retrieved November 1, 2020, from <http://www.kondopoga.ru/terr/7terr01.php> (in Russian)
- Kosmenko, A.P. (1990). *Karelian folk art*. (in Russian). Petrozavodsk.
- Manushina, T. (1983). *Sewing of ancient Russia. Zagorsky Museum*. Moscow: Soviet Russia. (in Russian).
- Nosan, T.M. (2009). Karelian pearl. *A.I. Herzen RSPU Izvestiya*, 94, 178-181. St Petersburg. (in Russian).
- Nosan, T.M. (2006). *Women's headdresses in the work of masters of Karelia: An educational and methodological guide*. Petrozavodsk. (in Russian)
- Olonetsky gubernskie vedomosti. 1897. (2016). Retrieved October 6, 2020, from <http://www.kondopoga.ru/terr/7terr01.php> (in Russian)

Pearl... Ancient decoration of Northern Russia. Retrieved October 6, 2020, from <https://www.perunica.ru/tradicii/10210-zhemchug-starinnoe-ukrashenie-severnoj-rusi.html> (in Russian)

Sosnina, N. & Shangina, I. (1998). *Russian traditional costume. Illustrated Encyclopedia*. St Petersburg: Iskusstvo. (in Russian)

Women's folk costume in Russia of the 18th and 20th centuries. (2013). *Almanac*, 405. St Petersburg: Palac Editions. (in Russian)

Appendix



Figure 1. Kargopol kokoshnik. The second half of the 19th century. Olonets province, Kargopol uyezd. Glass beads, beads, river pearls, mother-of-pearl dies, gold-plated spun silver, beat, gold cord, calico, gold embroidery 'in-attachment', sewing with beads and pearls.



Figure 2. Kargopol kokoshnik. The second half of the 18th century. Olonets province, Kargopol uyezd. Glass beads, beads, river pearls, mother-of-pearl dies, gold-plated spun silver, beat, gold cord, calico, gold embroidery 'in-attachment', sewing with beads and pearls.



Figure 3. Kargopol kokoshnik. The second half of the 19th century. Olonets province, Kargopol uyezd. Glass beads, beads, river pearls, mother-of-pearl dies, gold-plated spun silver, beat, gold cord, calico, gold embroidery 'in-attachment', sewing with beads and pearls.



Figure 4. Ancient women's headdress kokoshnik. Kargopol uyezd, Olonets province. Early 19th century. Gold braid, river pearls, beads, mother-of-pearl dies, white lace, gold threads; knitting. Embroidery with beads, pearls. Gold embroidery 'in-attachment'



Figure 5. Women's headdress – kokoshnik. Povenetsky uyezd. The first half of the 19th century. Velvet, braid. Embroidery with colored foil, cannetille, spangles



Figure 6. Women's headdress – kokoshnik. 19th century. Olonets province. Damask, gold-plated spun silver, gold cord, braid, silk braid, linen knockout. Gold embroidery 'in-attachment'



Figure 7. Women's headdress – kokoshnik. 19th century. Olonets province, Vytegorsk uyezd, Vytegorsk volost. Velvet, gold-plated spun silver, gold cord, cotton printed fabric (knockout), silk braid, tinsel braid. Gold embroidery 'in-attachment'




Figure 8. Women's headdress-kokoshnik on a solid base with a hem made of chopped mother-of-pearl. 19th century. Olonets province. Cardboard, shtof, canvas (lining), metal lace, mother of pearl, pearls, sewing, knitting, metal thread, glass in cufflinks and sockets



Figure 9. Festive women's headdress – kokoshnik assembly type. Early 19th century. Arkhangelsk province. Spun gold-silver threads, gold, chopped mother-of-pearl, faceted glass, pearls, gilded foil is pierced with rounded prongs of river pearls. Lived in the villages along the Mezen River



Figure 10. Dressing, dressing with silk ribbon late 19th century. Olonets province. Braid, foil, cardboard, chintz, glass beads, beads, mother-of-pearl dies



Figure 11. Bandaging. Late 19th and early 20th century. Olonets province, Kargopol uyezd, Usachevsky volost. Braid, river pearls, beads, mother-of-pearl dies, calico, cardboard; Gold embroidery, embroidery with pearls and beads



Figure 12. Bandaging, Late 19th century, Olonets province, Kargopol uyezd. Under the bottom, the grid consists of several pearl collections. Sewing with pearls, beads, gold embroidery on a high card 'in-attachement'



Figure 13. 'Konura' or koruna – a maiden wedding headdress. Late 19th century. Vologda province, Solvychevsk. Cardboard, calico (lining), braid, braid, metal fringe, glass inserts, beads, beads, sewing, knitting, glass and metal brooches, silk ribbons



Figure 14. 'Konura' or koruna – a maiden wedding headdress. Late 19th century. Vologda province, Solvychevsk. Cardboard, calico (lining), braid, braid, metal fringe, glass inserts, beads, beads, sewing, knitting, glass and metal brooches, silk ribbons



Figure 15. 'Crown' is a girl's festive headdress. Olonets province, Pudozhsky district, 19th century. Gold thread, beads, glass beads, colored glass, mother-of-pearl cardboard; mesh podniz. Casting pearls on horsehair, ribbon



Figure 16. 'Crown' is a girl's festive headdress. Olonets province, Pudozhsky district, 19th century. Gold thread, beads, glass beads, colored glass, mother-of-pearl, cardboard; mesh-under the bottom. Knitting pearls on horsehair, ribbon, 'butterfly' earrings



Figure 17. 'Butterfly' earrings, 19th century. Olonets province, Pudozh district. Beads, chopped mother of pearl, metal, casting river pearls on horsehair



Figure 18. 'Pochelok' (Podchelok) – also called the 'crown' with five rays-fences. The second half of the 18th century. Novgorod province. Cardboard, paper, gold threads, sewing 'in-attachment', tinsels, glass. Ribbons for the crown: brocade, silk, gold embroidery




Figure 19. 'Circle' and 'flags' of the betrothed girl Olonets province, Kargopol uyezd 18th century. Wool, silk, linen, cotton fabrics, printed fabrics, paper, linen, beads, tinsels. Embroidery with beads



Figure 20. Podcholok – a festive maiden headdress of the 18th century Olonets province, Kargopol uyezd. Wool, silk, linen and cotton fabrics, paper, linen, beads, tinsels, metal, glass buttons, strung pearls and beads



Figure 21. The golden handkerchief of the 19th century. Olonets province, Kargopol uyezd, Lodyginsky volost. Cotton cloth, paper, gold-plated spun silver, lace, silk and cotton threads, fringe; gold threads 'in-attachment', vestibule seams



Figure 22. Golden handkerchief of the 19th century. Olonets province, Kargopol uyezd, Lodygino volost. Mitkal, gold threads, paper. Gold embroidery 'in-attachment', vestibule seams



Figure 23. Handkerchief golden end of the 19th century. Olonets province, Kargopol uyezd. Cotton canvas, gold-plated spun silver and gold, paper. Gold embroidery 'in-attachment', vestibule seams




Figure 24. Povoynik The beginning of the 20th century. Arkhangelsk province, Mezensky uyezd. Yurom parish, the village of Malaya Nisogora. Tinsel brocade, kumach, calico



Figure 25. Povoynik. The second half of the 19th century. Arkhangelsk province, Kem uyezd, Vygostrov village. Velvet, spun silver, river pearls, cardboard, wool blend. Gold embroidery 'in-attachment' on the high map



Figure 26. 'Magpie'. 19th century. Olonets province, Kargopol uyezd. Silk fabric, pestryad, linen cloth, spun silver, gold cord, thread, foil, pearls, beads, glass beads, gold embroidery 'in-attachment', embroidery with beads



Figure 27. 'Magpie'. 19th century. Olonets province, Kargopol uyezd. Calico, shtof, Chinese, braid, gold-plated spun silver, gold cord, glass beads, metal tinsels; hand sewing, gold embroidery 'in-attachment', sewing with beads




Figure 28. 'Magpie' with sderikha. 19th century.
Olonets province, Kargopol uyezd. Calico, silk, velvet,
canvas or calico lining, silver or gold threads, beads,
beads



Figure 29. Karelian caps of the beginning of the 20th century. Olonets province, Kargopol
uyezd



Figure 30. Skolok. Late 19th century.
Arkhangelsk province, Kholmogor uyezd,
Bystrokursk volst, Pogost village.
Dvoelikaya taffeta, mitkal, paper



Figure 31. 'Casting' seam




Figure 32. Seam 'in-attachment'




Figure 33. Seam 'in-split'




Figure 34. Seam 'in-split'




Figure 35. Seam 'Rows'




Figure 36. Seam 'Fence'




Figure 37. Seam 'Money'




Figure 38. Seam 'Berry'




Figure 39. Seam 'Adjustable cell'




Figure 40. Seam 'Stalk with a Berry'




Figure 41. Seam 'Klopets'




Figure 42. Seam 'Feathers'




Figure 43. 'Double Complex Seam'




Figure 44. Womanish seam




Figure 45. 'Goose' seam




Figure 46. Wavy seam of
Aksamite Sewing




Figure 47. 'Basket' seam




Figure 48. Seam by 'cord, (string)' or
'smooth roller'

Denys I. Bakhtiarov

Graduate assistant
National Aviation University
Kyiv, Ukraine
E-mail: denys.bakhtiarov@npp.nau.edu.ua
ORCID: 0000-0003-3298-4641

Oleksandr Y. Lavrynenko

Graduate assistant
National Aviation University
Kyiv, Ukraine
E-mail: oleksandr.lavrynenko@npp.nau.edu.ua

Nataliia O. Lishchynovska

Graduate assistant
National Aviation University
Kyiv, Ukraine
E-mail: natashalil858@ukr.net
ORCID: 0000-0002-1913-8419

Oleg O. Komarnytskyi

Graduate assistant
Deputy Head of the Department of Strategic Planning
Department of Transport Infrastructure
Kiev State Administrative Administration
Kyiv, Ukraine
E-mail: komarnitskiy2012@gmail.com
ORCID: 0000-0003-4038-9906

Methods of evaluation and forecasting of levels of electromagnetic radiation in urban environments (in Ukrainian)

Abstract:

This article is devoted to the decision of the actual scientific and applied problem which consists in the development of a method of definition of levels of the basic and secondary electromagnetic radiations in the urban environments at the expense of perfection of models of their distribution. The necessity in the increased efficiency of use of devices of monitoring of an electromagnetic situation on the basis of the analysis of features of distribution of electromagnetic radiations in the urban environment and lacks of the existing mathematical device for their description is proved. The nature of the interference and the distance in real operating conditions and the corresponding graphical and mathematical dependences were obtained, which formed the basis of the method of improving the models of electromagnetic radiation propagation. Scientific methods of synthesis of the detailed structural scheme of processes of detection and localization of uncontrolled and unlicensed devices of information transmission on radio channels, including development of the software for definition of a zone of electromagnetic accessibility indoors are substantiated. An original approach, algorithm of functioning and methods of synthesis of search means in the conditions of radio interference and detection of sources of electromagnetic radiation are developed.

Key words:

secondary electromagnetic radiation; electromagnetic reach; radio wave propagation; Hut model; COST 231 MWM; monitoring of the electromagnetic environment, attenuation factor.

Денис Ілшатович Бахтіяров

Здобувач

Національний авіаційний університет

Київ, Україна

E-mail: denys.bakhtiarov@npp.nau.edu.ua

ORCID: 0000-0003-3298-4641

Олександр Юрійович Лавриненко

Здобувач

Національний авіаційний університет

Київ, Україна

E-mail: oleksandr.lavrynenko@npp.nau.edu.ua

Наталія Олександрівна Ліщиновська

Здобувач

Національний авіаційний університет

Київ, Україна

E-mail: natashalil858@ukr.net

ORCID: 0000-0002-1913-8419

Олег Олександрович Комарницький

Здобувач

Заступник начальника відділу стратегічного планування

Департамент транспортної інфраструктури

Київська міська державна адміністрація

Київ, Україна

E-mail: komarnitskiy2012@gmail.com

ORCID: 0000-0003-4038-9906

Методи оцінювання та прогнозування рівнів електромагнітних випромінювань в урбанізованих середовищах

Анотація:

Дана стаття присвячена рішенням актуальної науково-прикладної задачі, яка полягає в розробці методу визначення рівнів основних та побічних електромагнітних випромінювань в урбанізованих середовищах за рахунок удосконалення моделей їх розповсюдження. Обґрунтовано необхідність в підвищенні ефективності використання пристроїв моніторингу електромагнітної обстановки на основі аналізу особливостей розповсюдження електромагнітних випромінювань в урбанізованому середовищі та недоліків існуючого математичного апарату для їх опису. Представлено модель оцінки енергетичних характеристик сигналів в точці спостереження на основі експериментальних досліджень затухання електромагнітних випромінювань в залежності від частоти, характеру перешкоди та відстані в реальних умовах експлуатації та отримано відповідні графічні й математичні залежності, що лягли в основу методу удосконалення моделей розповсюдження

електромагнітних випромінювань. Обґрунтовано наукові методи синтезу деталізованої структурної схеми процесів виявлення та локалізації неконтрольованих та неліцензованих пристроїв передавання інформації по радіоканалах, що включають розробку програмного забезпечення для визначення зони електромагнітної доступності всередині приміщення. Розроблено оригінальний підхід, алгоритм функціонування та методи синтезу засобів пошуку в умовах радіоперешкод та виявлення джерел електромагнітних випромінювань.

Ключові слова:

побічні електромагнітні випромінювання, зона електромагнітної доступності, розповсюдження радіохвиль, модель Хата, модель COST 231 MWM, моніторинг електромагнітної обстановки, коефіцієнт згасання.

Вступ

Комплекси радіомоніторингу електромагнітної обстановки широко використовуються як інструмент для вирішення проблем у різних сферах – від управління використанням радіочастотних ресурсів до визначення областей енергетичного покриття при оцінці якості радіозв'язку. На додаток до конкретних завдань радіомоніторингу використання вищезазначених методів знаходить свої застосування для потреб електрозв'язку. Це, в свою чергу, призводить до необхідності розрахунків зони «покриття», або зони ЕМД, та інтеграцію радіочастотних систем, найбільш доцільних з точки зору вимог ефективності використання радіотехнічних пристроїв моніторингу електромагнітної обстановки.

Прикладна частина, яка використовується для вирішення даного завдання, включає перевірку аналітичних підходів та розробку методів забезпечення моніторингу електромагнітних випромінювань, оцінку операційної ефективності для забезпечення електромагнітної доступності з урахуванням впливу урбанізованого середовища на характер розповсюдження електромагнітних випромінювань.

Проблема підвищення ефективності використання пристроїв моніторингу електромагнітних випромінювань стала актуальною внаслідок збільшення кількості міжнародних контактів та лібералізації ринку засобів радіозв'язку, а також загроз з боку зловмисників, які збирають інформацію про промислові та економічні таємниці державних та комерційних установ. Поява на новому рівні проблеми захисту інформації та розрахунку периметрів контрольованих зон наочно продемонстрували певне наукове і особливо технічне відставання вітчизняних засобів радіомоніторингу, здатних адекватно протистояти даними загрозами при проведенні контролю рівнів електромагнітних випромінювань, виявленні і локалізації потенційно небезпечних джерел радіовипромінювання,

виявленні електромагнітних випромінювань і наведень, здатних призвести до витoku конфіденційної інформації.

Метою даного оригінального дослідження є підвищення ефективності використання приладів радіомоніторингу в умовах складного характеру розповсюдження радіохвиль всередині приміщень. Відповідно до цього було запропоновано метод розрахунків рівнів основних та побічних електромагнітних випромінювань для потреб радіомоніторингу, що здатен враховувати втрати потужності радіосигналу на подолання різних типів перешкод всередині приміщень (Бахтіяров, Д.І., 2019). Вперше розроблено метод оцінювання рівнів електромагнітних випромінювань радіотехнічними засобами моніторингу електромагнітної обстановки, що полягає в синтезі чотирьохетапного процесу виявлення їх джерел в урбанізованому середовищі в умовах складної структури електромагнітного поля, що дозволяє зменшити тривалість пошукового процесу та підвищити достовірність одержаної інформації. Також удосконалено принципи оптимального проектування радіотехнічних вузлів та пристроїв моніторингу електромагнітної обстановки через врахування детермінованих та випадкових відхилень параметрів електромагнітного поля всередині приміщень, що дозволило підвищити інтегральну чутливість засобів моніторингу електромагнітної обстановки та точність прогнозування електромагнітного поля з урахуванням особливостей джерел випромінювань.


Всі представлені в даній роботі аналітичні результати отримані з використанням наступних математичних апаратів: методи теорії розповсюдження електромагнітних випромінювань – для аналізу затухання електромагнітного поля в залежності від частоти та відстані в реальних умовах експлуатації; методи математичного моделювання – для перевірки адекватності розроблених моделей та алгоритмів; методи обробки експериментальних даних – для уточнення моделі розповсюдження радіохвиль.

В переліку літературних джерел представлені проміжні етапи ходу дослідження авторами даної статті: «Особливості вибору моделі розповсюдження електромагнітних випромінювань всередині приміщення» (Бахтіяров, Д.І., 2019), «Методика модернізації моделі розповсюдження радіохвиль в середині приміщення для побудови контрольованої зони корпоративної мережі» (Бахтіяров, Д.І. і Козлюк І.О., 2019), “Evaluation of energy availability of means to communicate with UAVs in conditions of radioelectronic countermeasures by the enemy” (Bakhtiarov, D., 2016), «Оцінка можливості перехоплення семантичної інформації за рахунок побічних

електромагнітних випромінювань у відеосистемі персонального комп'ютера» (Бахтіяров, Д.І., 2020), «Порівняльний аналіз перетворення Фур'є, косинусного перетворення та Вейвлет-перетворення як спектрального аналізу цифрових мовних сигналів» (Конахович, Г.Ф. і інші, 2015), “A Digital Speech Signal Compression Algorithm Based on Wavelet Transform” (Konakhovych, et al., 2016).

Процес виявлення джерел електромагнітних випромінювань в умовах складної електромагнітної обстановки

Одним з напрямків моніторингу електромагнітної обстановки є пошук і виявлення спеціально організованих і потенційних радіоканалів витоку інформації. Виявлення технічних каналів витоку – складний багатоетапний процес, який в спрощеному вигляді може бути представлений у вигляді сукупності ряду етапів, представлених на іл. 1.



Ілюстрація 1. Основні етапи процесу виявлення технічних каналів витоку інформації.

Від повноти вирішення завдань пошуковим обладнанням залежить тривалість процесу пошуку і достовірність одержуваної інформації. Повнота і швидкість їх проведення, ефективність пошукової системи, достовірність одержаної інформації та вірогідність прийняття рішення залежать від структури пошукової системи і характеристик використовуваних в ній засобів.

I Етап передбачає аналіз поточного завантаження діапазону і накопичення даних про частоти, рівні і характер електромагнітних випромінювань в робочому діапазоні частот з прив'язкою даних до місця прийому. Під «відомими» випромінюваннями розуміється сукупність накопичених за певний інтервал часу даних про завантаження діапазону,

отриманих за результатами проведення поточного контролю. При цьому передбачається, що небезпечні сигнали відсутні, що досягається, наприклад, поступовим накопиченням «відомих» випромінювань з ретельною перевіркою кожного з випромінювань.

II Етап. До переліку «невдомих» включаються дані про випромінювання, сукупності параметрів яких задовольняють заданим критеріям пошуку. Використання «опорної» антени передбачає наявність у складі пошукової системи антенного комутатора, що забезпечує почергове підключення однієї з прийомних (в виділеному приміщенні) антен та «опорної» антени, що знаходиться поза контрольованою зоною приміщення, але забезпечує надійний прийом всіх зовнішніх сигналів.

III Етап передбачає проведення тестування, що дає певний ефект як при виявленні радіомікрофонів без закриття (випромінювання в виділеному приміщенні спеціально синтезованих акустичних сигналів), так і при проведенні спецдосліджень на ПЕМВН шляхом відповідної модуляції інформативних параметрів випромінювань (Бахтіяров і Д.І., Козлюк І.О., 2019; Bakhtiarov, D., 2016).

Для виконання IV Етапу необхідно здійснити порівняння максимальних (з виходів антен в контрольованій зоні) компонент спектра з рівнями відповідних компонент попередньо накопичених у виділеному приміщенні «відомих» електромагнітних випромінювань (при явній відсутності випромінювань ЗП) і граничним рівнем для відповідної частоти, а потім за результатами порівняння приймається рішення про наявність (відсутність) «невдомих» випромінювань в контрольованій зоні (Бахтіяров, Д.І., 2020). Координати при моніторингу електромагнітної обстановки обрані з сукупності спектральних відліків $X_R(j, n)$ усереднених по R реалізацій енергетичного спектра.

$$X_R(j, n) = \frac{1}{R} \times \sum_{r=1}^R |c_r(n)|^2,$$

де j - номер антени, підключеної до входу апаратури моніторингу.

Середня потужність випадкового процесу $U_m(t)$, представленого в частотній області сукупністю значень $X_R(j, n)$ номерами від n_{min} до n_{max} , пропорційна сумі цих відліків:

$$\hat{P}_{j,m} = 10 \lg \left(\sum_{n=n_{min}}^{n_{max}} X_R(j, n) \right) + \mu, \text{ дБ},$$

— де μ - поправочний коефіцієнт, який визначається калібруванням антени і апаратури використовуваного каналу моніторингу електромагнітної обстановки (МЕО).

Запропонована структура пошукової системи, яка реалізує даний алгоритм і забезпечує при цьому підвищену інтегральну чутливість і максимальну швидкість, містить: комплект широкодіапазонних антен, одна з яких («опорна») винесена за межі виділеного приміщення; керований антенний комутатор; керований по частоті приймальний тракт з шириною смуги пропускання по ПЧ; пристрій аналого-цифрової обробки на основі швидкого перетворення Фур'є; керуючий пристрій із змінною структурою, яка визначається запропонованим програмним забезпеченням.

Підвищення ефективності використання апаратури МЕО при даному способі забезпечується: використанням панорамного аналізу на основі ШПФ (Конахович, Г.Ф. і інші, 2015; Konakhovych, G.F., et al., 2016); скороченням обсягу оброблюваних даних при використанні бази «відомих» електромагнітних випромінювань або сигналів з виходу «опорної» антени.

В основу даного способу покладено відоме положення електродинаміки про різний характер зміни напруженості електромагнітного поля в ближній і дальній зонах. Компоненти вектора напруженості електричного поля, випромінюваного електричним диполем \vec{p} , в сферичних координатах визначаються виразами:

$$\begin{cases} E_r = \frac{1}{2\pi\epsilon} \left(\frac{1}{r^3} - \frac{ik}{r^2} \right) \cos\theta |\vec{p}| \exp[-i\omega t], \\ E_\theta = \frac{1}{4\pi\epsilon} \left(\frac{1}{r^3} - \frac{ik}{r^2} - \frac{k^2}{r} \right) \sin\theta |\vec{p}| \exp[-i\omega t], \\ E_\varphi = 0. \end{cases}$$

де r , θ та φ – сферичні координати, E_r , E_θ , E_φ – компоненти напруженості електричного поля в сферичних координатах, ϵ , μ – електрична і магнітна проникності вільного середовища, ω – кругова частота випромінювання.

Дипольний момент пов'язаний з випромінюваною потужністю W співвідношенням:

$$W = \frac{\omega^4}{12\pi} \mu \sqrt{\epsilon\mu} |\vec{p}|^2,$$

Модуль напруженості електричного поля визначається виразом:


$$|\vec{E}| = \sqrt{\frac{12\pi W}{\mu\sqrt{\epsilon\mu}\omega^4}} \sqrt{\frac{1}{(2\pi\epsilon)^2} \left(\frac{1}{r^6} + \frac{k^2}{r^4} \right) \cos^2\theta + \frac{1}{(4\pi\epsilon)^2} \left(\left(\frac{1}{r^3} + \frac{k^2}{r} \right)^2 + \frac{k^2}{r^4} \right) \sin^2\theta},$$

Максимум модуля напруженості електричного поля по всіх можливих напрямках θ , при заданому r визначається виразом:

$$E_{max}(r) = \sqrt{\frac{12\pi W}{\mu\sqrt{\epsilon\mu}\omega^4}} \sqrt{\max \left\{ \frac{1}{(2\pi\epsilon)^2} \left(\frac{1}{r^6} + \frac{k^2}{r^4} \right), \frac{1}{(4\pi\epsilon)^2} \left(\left(\frac{1}{r^3} + \frac{k^2}{r} \right)^2 + \frac{k^2}{r^4} \right) \right\}},$$

На іл. 2 представлені залежності максимального значення модуля напруженості електричного поля E_{max} , що породжується порівняно малопотужними (100 мкВт і 1 мВт) джерелами ЕМВ з частотами 30 і 300 МГц в виділеному приміщенні на відстанях R від 1 до 10 м. На тих же рисунках приведені залежності потужних (100 Вт) джерел електромагнітних випромінювань, наприклад, радіомовних станцій, віддалених від виділеного приміщення на 3 км.

Аналіз характеру зміни кривих показує, що в ближній (1...8 м) зоні рівень випромінювання від малопотужних джерел, як і слід було очікувати, перевищує рівень потужних, але віддалених джерел. Для реалізації можливості виявлення малопотужних радіомікрофонів в умовах складної завадової електромагнітної обстановки і підвищення ефективності пошукової системи в виділеному приміщенні розміщуються декілька (2...4) антен з квазіізотропними діаграмами спрямованості. Вони встановлюються з таким розрахунком, що при будь-якому розміщенні радіомікрофона його відстань до антени складе 1...5 метрів, що відповідає «ближній» зоні прийому.



Ілюстрація. 2. Залежність E_{max} від відстані до джерела випромінювання на частоті:
 (а) 30 МГц при значеннях потужності 1 мВт (E_{max_1}), 100 мкВт (E_{max_2}), 100 Вт (E_{max_3});
 (б) 300 МГц при значеннях потужності 1 мВт (E_{max_1}), 100 мкВт (E_{max_2}), 100 Вт (E_{max_3}).

Такий метод дає можливість виділити антену, сигнал з виходу якої має найбільший рівень. Цим досягаються такі можливості: відселектувати випромінювання ЗП на фоні випромінювань штатних радіозасобів;

компенсувати нерівномірності діаграми спрямованості квазіізотропних антен в різних просторових секторах.

Можливість підключення до одного з входів комутатора зовнішньої («опорної») антени істотно збільшує ймовірність розрізнення зовнішніх і внутрішніх джерел випромінювань в складній електромагнітній обстановці, підвищує швидкодію пошуку нових сигналів.

Методика виявлення джерел «невдомих» електромагнітних випромінювань в зоні електромагнітної доступності з урахуванням детермінованих та випадкових відхилень параметрів електромагнітного поля

Дана методика складається з наступних кроків:

1. Радіоприймальний пристрій налаштовується на ділянку частот, що дорівнює смузі $\Delta F(q)$ з номером q робочого діапазону RD, $q = 1, 2, \dots Q$,
$$Q = \frac{RD}{\Delta F}$$
2. Антенний комутатор підключає до входу пристрою МЕО «опорну» антену з номером j ($j=1$)
3. За відліком спостережуваного енергетичного спектра вхідного випадкового процесу на основі: $\hat{\sigma}_{\text{уточ.}}^2 = \frac{N}{N_p - N_c} \times \sum_{n \notin \theta_c} x_n$, розраховується оцінка інтенсивності шуму.
4. Проводиться виявлення вузькосмугових сигналів в смузі частот $\Delta F(q)$ і запам'ятовування всіх компонент, що перевищили порогове значення.
5. Антенний комутатор підключає до входу пристрою МЕО антену з номером $j = 2, \dots, J$ після чого виконуються дії відповідно до кроків 3, 4.
6. Для кожного з виявлених сигналів $u_m(j, t), j = 2, \dots, J$ визначаються номер j і середня потужність, для якого $\hat{P}_{j,m}$ максимальна, а також $\hat{P}_{1,m}$ для опорної антени ($j = 1$).
7. Для кожного з виявлених сигналів розраховується оцінка відмінності спостережуваної інтенсивності $\Delta P_{\text{спост}}$ за правилом: $\Delta P_{\text{спост}} = 10 \lg \left(\frac{\hat{P}_{j,m}}{\hat{P}_{1,m}} \right) + (\mu_c - \mu_o)$, де $j = 2, \dots, J$ з перерахунком поправочних коефіцієнтів μ_c та μ_o відповідно до параметрів антен в КЗ («сигнальних») і «опорної».
8. Визначається клас джерела електромагнітних випромінювань ζ_m відповідно до правила:

$$\zeta_m = \begin{cases} \rho_{\text{КЗ}}, \text{ якщо } \Delta P_{\text{спост}} > \Delta P_{\text{пор } 2} \\ \text{не визначено, якщо } \Delta P_{\text{пор } 1} < \Delta P_{\text{спост}} < \Delta P_{\text{пор } 2}, \text{ де } \rho_{\text{КЗ}} - \text{об'єднue} \\ \rho_{\text{зовн}}, \text{ якщо } \Delta P_{\text{спост}} \leq \Delta P_{\text{пор } 1} \end{cases}$$

джерела, що належать КЗ, а $\rho_{\text{зовн}}$ – віддалені джерела випромінювань.

9. Далі процедура повторюється для всіх ділянок робочого діапазону, тобто дії по пунктам 1-9 для $q = 2$ і т.д.

Використовувані пороги $\Delta P_{\text{пор } 1}$ і $\Delta P_{\text{пор } 2}$ можуть в кожному конкретному випадку коригуватися з урахуванням властивостей області контролю і розміщення приймальних антен. Крім того, дані пороги можуть бути різними для різних ділянок спектра відповідно до реальних параметрів електромагнітної обстановки. На основі викладеного можна зробити висновок, що виявлені структурні закономірності розподілу електромагнітного поля всередині приміщень можуть бути реалізовані для підвищення ефективності використання радіотехнічних пристроїв та засобів телекомунікацій для моніторингу електромагнітної обстановки, пошуку пристроїв негласного знімання конфіденційної інформації та технічних каналів витoku за рахунок побічних електромагнітних випромінювань офісної техніки.

Оцінка ефективності використання радіотехнічних пристроїв моніторингу електромагнітної обстановки

Під ефективністю роботи пристроїв МЕО будемо розуміти відношення кількісно виражених результатів, отриманих за допомогою даного пристрою за заданий період часу, до потенційних або максимально можливих за той же період.

Ефективність використання пристроїв МЕО в значній мірі залежить від його функціональних і технічних можливостей, що визначають їх продуктивність та виробничу потужність при вирішенні основних завдань радіомоніторингу (Калюжный і інші, 2013; Система управління якістю, 2009).

Відповідно до детермінованого просторово-частотно-часового підходу до оцінювання ефективності функціонування пристроїв МЕО (Калюжный і інші, 2015; Калюжный і інші, 2013) їх продуктивність в загальному вигляді визначається виразом (Калюжный і інші, 2015):

$$\Pi = \Delta S \times \Delta F \left(\frac{\Delta T}{T} \right),$$

де ΔS , ΔF и ΔT – площа зони ЕМД, частотний діапазон і час контролю; T – період часу (година, зміна, доба).

Тоді виробничу потужність пристроїв МЕО можна оцінити як (Калюжный та інші, 2015):

$$\pi = \Pi \times T_{\text{пл.МЕО}},$$

де $T_{\text{пл.МЕО}}$ – плановий час радіоконтролю (місяць, квартал, рік).

Технологія використання пристроїв МЕО залежить від контрольованої радіотехнології, характеру вирішуваних завдань, рівня автоматизації їх вирішення і кваліфікації операторів.

Відповідно до (Система управління якістю, 2009) Державне підприємство «Український державний центр радіочастот» здійснює плановий періодичний (щомісячний) технічний радіоконтроль випромінювань РЕЗ 23 радіотехнологій загального користування протягом $T_{\text{пл.МЕО}} = 21$ робочого дня при тривалості робочої зміни $T_{\text{зм}} = 8$ годин з наданням щомісячної та узагальненої щоквартальної електронної звітності за $3T_{\text{пл.МЕО}} = 63$ робочих днів. При цьому вирішуються такі завдання моніторингу електромагнітної обстановки з кількісно вираженими результатами:

- контроль відповідності параметрів випромінювань зареєстрованих РЕЗ нормативним документам;
- контроль зайнятості смуг радіочастот;
- виявлення неліцензованих та незаконно встановлених радіопередавачів;
- виявлення джерел радіозавад.

З багатьох причин об'єктивного і суб'єктивного характеру (несправності апаратури контролю і транспортних засобів мобільних пристроїв МЕО, недостатня кваліфікація обслуговуючого персоналу і ін.) Деякі типи пристроїв МЕО не можуть бути використані для виконання завдань радіомоніторингу весь плановий період $T_{\text{пл.МЕО}}$. Для виявлення конкретних причин такого характеру доцільно ввести показник і критерій ефективності використання пристроїв моніторингу електромагнітної обстановки.

В якості такого показника пропонується коефіцієнт (показник ефективності) використання існуючого переліку пристроїв МЕО.

Оцінювання показників ефективності має важливе практичне значення. За допомогою показника (Калюжный і інші, 2015):

$$E_{\text{пл.МЕО}} = \frac{\pi_{\text{р}}}{\pi_{\text{п}}}$$

де $\pi_{\text{р}}$, $\pi_{\text{п}}$ – реальна та потенційна продуктивні потужності.

Оцінити ефективність роботи кожного пристрою МЕО за плановий період можна:

$$E_{\text{в}} = \frac{\sum_{z=1}^Z \times \sum_{j=1}^J T_{\text{пл.МЕО}}^{zj}}{T_{\text{пл.МЕО}}}$$

де $\sum_{z=1}^Z \times \sum_{j=1}^J$ – показники продуктивності пристроїв МЕО в певному просторово-частотно-часовому континуумі узагальнені за завданнями і класом радіотехнологій, $T_{\text{пл.МЕО}}^{zj}$ – кількість робочих змін для вирішення задачі моніторингу електромагнітної обстановки.

Продемонструємо практичну спрямованість викладеного методичного підходу до оцінки ефективності роботи і використання існуючого переліку пристроїв МЕО.

Виходячи з виразу (Калюжный і інші, 2015):

$$\Delta T^{zj} = \Delta T_{\text{пр}}^{zj} + \Delta T_{\text{непр}}^{zj}$$

необхідно визначити і розрахувати продуктивні і непродуктивні витрати часу при виконанні процедури моніторингу електромагнітної обстановки. Відповідно до (Система управління якістю, 2009) було визначено, що загальні непродуктивні витрати часу включають в себе:

- час $\Delta T_{\text{пз}}$ постановки завдань операторам на зміну;
- час $\Delta T_{\text{кф}}$ на проведення контролю функціонування пристроїв МЕО;
- час $\Delta T_{\text{рм}}$ рух до місця проведення моніторингу;
- час $\Delta T_{\text{рз}}$ на розгортання / згортання пристроїв МЕО;
- час $\Delta T_{\text{ко}}$ на кінцеву обробку результатів радіомоніторингу.

З урахуванням технології використання пристроїв МЕО непродуктивні витрати часу для стаціонарних, мобільних і портативних застосувань будуть відрізнятися. Непродуктивні витрати часу для стаціонарних пристроїв МЕО розраховуються як:

$$\Delta T_{\text{непр.стац}}^{zj} = \Delta T_{\text{пз}}^{zj} + \Delta T_{\text{кф}}^{zj} + \Delta T_{\text{ко}}^{zj}$$

Непродуктивні витрати часу для мобільних і портативних пристроїв МЕО визначаються наступними часовими параметрами:

$$\Delta T_{\text{непр.моб}}^{zj} = \Delta T_{\text{пз}}^{zj} + \Delta T_{\text{кф}}^{zj} + \Delta T_{\text{ко}}^{zj} + \Delta T_{\text{рм}}^{zj} + \Delta T_{\text{рз}}^{zj}$$

При цьому необхідно враховувати також те, що не всі мобільні пристрої потребують в розгортанні апаратури на місцевості і можуть здійснювати виконання необхідних функціональних операцій в автоматичному режимі під час руху. В цьому випадку час $\Delta T_{\text{рз}}^{zj} = 0$.

До продуктивним витрат часу на моніторинг електромагнітної обстановки одного РЕЗ стаціонарними, мобільними і портативними пристроями МЕО були віднесені:

- час $\Delta T_{\text{МЕО}}^{zj1}$ на виконання операцій по моніторингу електромагнітних випромінювань;

- час $\Delta T_{\text{фп}}^{zj1}$ на формування електронного протоколу вимірювань;
- час $\Delta T_{\text{по}}^{zj1}$ на первинну обробку результатів.

Відповідно загальні продуктивні витрати часу для всіх типів пристроїв МЕО дорівнюють:

$$\Delta T_{\text{пр}}^{zj1} = \Delta T_{\text{МЕО}}^{zj1} + \Delta T_{\text{фп}}^{zj1} + \Delta T_{\text{по}}^{zj1}$$

Для проведення відповідних розрахунків було проведено хронометраж продуктивних і непродуктивних витрат часу. Розроблюваний пристрій на основі методу викладеного умовно позначимо як АДБ-511 та порівняємо його хронометраж використання з найпоширенішими пристроями МЕО при однаковій продуктивності та вирішенні завдань моніторингу електромагнітної обстановки.

Загальні продуктивні витрати часу $\Delta T_{\text{пр}}^{zj1}$ для запропонованого пристрою зменшились на 10 хв в порівнянні з середнім часом для мобільних пристроїв МЕО, що становить 40 %; в порівнянні з середнім часом для стаціонарних пристроїв МЕО $\Delta T_{\text{пр}}^{zj1}$ зменшилось на 33 хв, що становить 68.75%. Результати порівняння зображені в таблиці 1.

Таблиця 1.

Порівняння продуктивних і непродуктивних витрат часу по вирішенню завдань МЕО за робочу зміну

| | Продуктивні затрати часу за робочу зміну $\Delta T_{\text{пр}}^{zj1}$, хв | Непродуктивні затрати часу за робочу зміну $\Delta T_{\text{непр}}^{zj}$, хв |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Мобільний: PM-1300 XX, PM-1300-2P3, PM-1300-P3/5, PM-1300-P3/5M | 10 | 55 |
| Стаціонарний: PM-172, PM-2500P, АІК-С, АІК-СП6, UMS-100 | 33 | 5 |

Висновки

В результаті проведених наукових досліджень за розглянутими проблемами отримані такі найважливіші наукові результати:

1. Обґрунтовано наукові методи синтезу багатоетапного процесу виявлення технічних каналів витоку інформації, що включає етапи: отримання «відомих»

ЕМВ (I), виявлення «невідомих» ЕМВ (II), ідентифікації та оцінки небезпеки ЕМВ і ПЕМВН (III) та побудова периметру контрольованої зони, локалізації місця розташування виявленого джерела електромагнітних випромінювань і протидії зніманню (витоку) інформації (IV). Результати проведених досліджень: «відомі» випромінювання (I), перелік «невідомих» випромінювань (II), переліки ідентифікованих ЕМВ, параметрів цифрових радіосигналів і частот виявлених потенційних каналів витоку (III), координати розташування джерела електромагнітних випромінювань в виділеному приміщенні, формування прицільних перешкод на частотах ідентифікованих джерел ЕМВ і зниження рівня побічних випромінювань перевірених технічних засобів (IV).

2. Розроблено оригінальний підхід, алгоритм функціонування та методи синтезу одноканальних апаратно-програмних засобів пошуку та виявлення технічних каналів витоку інформації, що вирішують завдання виявлення несанкціоновано встановленого в обмеженому просторі радіомікрофона та забезпечують підвищення швидкодії виявлення в умовах радіоперешкод, в тому числі від радіомовних станцій, виявлення радіопередавачів, використовуваних будь-яких видів модуляції.
3. Розраховано загальні продуктивні витрати часу $\Delta T_{\text{пр}}^{zj1}$ для запропонованого пристрою МЕО, що зменшились на 10 хв (40 %) в порівнянні з середнім часом для мобільних пристроїв МЕО; в порівнянні з середнім часом для стаціонарних пристроїв МЕО $\Delta T_{\text{пр}}^{zj1}$ зменшились на 33 хв (68.75%).

Список джерел інформації:

- Бахтіяров, Д.І. (2019). Особливості вибору моделі розповсюдження електромагнітних випромінювань всередині приміщення. *Науковий технології*, vol. 44, 4, 457-467.
- Бахтіяров, Д.І. та Козлюк І.О. (2019). Методика модернізації моделі розповсюдження радіохвиль в середині приміщення для побудови контрольованої зони корпоративної мережі. *Науковий технології*, vol. 43, 3, 349-356.
- Bakhtiarov, D. (2016). Evaluation of energy availability of means to communicate with UAVs in conditions of radioelectronic countermeasures by the enemy. *Collection "Information technology and security"*, vol. 4, 1, 118-130.

- Бахтіяров, Д.І. (2020). Оцінка можливості перехоплення семантичної інформації за рахунок побічних електромагнітних випромінювань у відеосистемі персонального комп'ютера. *Colloquium-journal*, 26, 40-46.
- Конахович, Г.Ф., Давлет'янц, О.І., Лавриненко, О.Ю. та Бахтіяров, Д.І. (2015). Порівняльний аналіз перетворення Фур'є, косинусного перетворення та Вейвлет-перетворення як спектрального аналізу цифрових мовних сигналів. *Наукові технології*, vol. 27, 3, 210-220.
- Konakhovych, G.F., Lavrynenko, O.Y., Antonov, V.V., & Bakhtiarov, D.I. (2016). A Digital Speech Signal Compression Algorithm Based on Wavelet Transform. *Electronics and control systems*, 2, 30-36.
- Калюжный, Н.М., Задонский, А.И. та Ковшарь, В.А. (2015). Методический подход к оценке эффективности работы средств радиоконтроля по комплексному решению задач радиочастотного мониторинга. *Системы озброєння і військова техніка*, 2(42), 99-105.
- Калюжный, Н.М., Слободянюк, П.В., Благодарный, В.Г. (2013). Системная методология оценивания эффективности функционирования национальных систем радиочастотного мониторинга на основе пространственно-частотно-временного подхода. *Прикладная радиоэлектроника*, 12, 3, 375-386.
- Система управління якістю. Виконання робіт з технічного радіоконтролю параметрів випромінювання РЕЗ (ВП). Інструкція І-3.4.3/01-09. Редакція 01. (Введена наказом УДЦР від 19.11.2009 № 522).

Peter V. Komissarov

PhD student

Admiral Makarov State University of Maritime and Inland Shipping

St Petersburg, Russia

Email: KomissarovP@yandex.ru

Relevance of the application of the theory of fuzzy sets in the calculation of the strategic security of a complex technical system

Abstract:

The relevance of the topic is related to the problem of protection and security of technical systems in the era of globalization and information warfare, as well as determining the strategic reserve of stability for production cycles. The study object was mathematical methods of modelling production processes and determining the point of the production system stability. The study purpose was to use the fuzzy set device to determine the point of stability of the production system. To implement this study, methods of statistical analysis, data grouping, sample ranking, and methods for studying time series components were used. During the study, the scientific materials of leading researchers in the field of fuzzy sets and mathematical methods to calculate various components were used. The study results are intended for specialists and researchers in the field of development and application of mathematical methods in the modelling of economic indicators of technological processes at enterprises.

Keywords: fuzzy set theory, strategic security, technical systems, stability domain.

Пётр Вениаминович Комиссаров

аспирант

Государственный университет морского и речного флота

им. адмирала С.О. Макарова

Санкт-Петербург, Россия

Email: KomissarovP@yandex.ru

Актуальность применения теории нечётких множеств при расчёте стратегической безопасности сложной технической системы

Аннотация:

Актуальность темы связана с проблемой защиты и безопасности технических систем в эпоху глобализации и информационной войны, а также определения стратегического запаса стабильности для производственных циклов. Объектом исследования стали математические методы моделирования производственных процессов и определение точки стабильности производственной системы. Целью исследования являлось применение аппарата нечётких множеств для определения точки стабильности производственной системы. Для

реализации данного исследования были применены методы статистического анализа, группировка данных, ранжирование выборки, методы исследования компонент временного ряда. В ходе исследования были использованы научные материалы ведущих исследователей в области нечётких множеств и математических методов расчётах различных компонентов. Результаты исследования предназначаются для специалистов и исследователей в области разработки и применения математических методов в моделировании экономических показателей технологических процессов на предприятиях.

Ключевые слова: теория нечётких множеств, стратегическая безопасность, технические системы, область стабильности.

Introduction

The fuzzy sets concept was introduced by Lotfi Askar Zadeh back in 1965 in the article *Fuzzy Sets* in the journal *Information and Control* (Zadeh, 1965). He extended the classical set concept and allowed that the characteristic function of a set, or the membership function for a fuzzy set, can take any values in the interval specified. Set theory is the basic branch of discrete mathematics. The understanding of its other sections (graph theory, network theory, automata theory, etc.) is based on the set-theoretic representation of the processes of modelling objects of the surrounding world (Zadeh et al., 1975).

Fuzzy sets are based on solving the problem of processing and using fuzzy knowledge in image recognition systems. Fuzzy logic is one of the core technologies for developing efficient and efficient image recognition systems (Vолохин, 2020).

The relevance of the topic is related to the problem of protection and security of technical systems in the era of globalization and information warfare, as well as determining the strategic reserve of stability for production cycles. The variability of the area of stable economic activity of the enterprise makes it possible to flexibly plan all systems and modules. Therefore, it is necessary to develop mathematical models and methods for determining the strategic stability reserve for any production system.

The object of the research is the mathematical methods of modelling production processes. The subject of the study is to determine the point of stability of the production system.

The study purpose was to use the fuzzy set device to determine the point of stability of the production system.

Based on the goal, the following tasks were set during the study:

- develop a mathematical model for calculating the strategic stability reserve for the production system;

- develop a method for determining the strategic stability reserve for the production system;
- test the mathematical model of calculation and the method of determining the strategic stability reserve;
- determine whether it is possible to calculate the point of economic stability in parameters' range specified.

To implement this study, mathematical and statistical analysis, data grouping, sample ranking, and methods for studying time series components are used.

The research used scientific materials of L.A. Zadeh, G. Siegfried, R.E. Bellman, E. Polak, and other leading researchers in the field of fuzzy sets and mathematical methods for calculating various components.

The study results are targeted at specialists and researchers in the field of development and application of mathematical methods in the modelling of economic indicators of technological processes at enterprises.

Methods and Materials

One of the most important indicators of this process is the Break-even Point Analysis (BEP Analysis). It allows determining the volume of production, sales, at which all costs associated with the manufacturing, are compensated. This indicator also forms the minimum required production capacity for successful operation.

By defining this point, we identify the volume, at which production breaks even when it is in it. However, if there is a deviation during economic activity influencing internal or external factors, the company 'goes into negative territory' and becomes unprofitable.

If there is a break-even point, then the existence of a stability point and a stability interval is logical. Having calculated it, the specialist receives a certain range of acceptable indicators, which is a criterion for maintaining economic stability. It helps to form the necessary counteraction and not reduce the efficiency of production. As a result, it is obvious that the indicators of conducting financial and economic (manufacturing) activities of the enterprise should be in the range of values of this desired interval.

Turning to the basic concepts of fuzzy set theory and fuzzy logic, it should note that the fuzzy system was the first proposed by the Polish mathematician Lukasiewicz in 1920. In fuzzy systems, the concept of weighted membership is introduced, i.e. an element can be more owned or less owned. In the 1960s, Lotfi

Askar Zadeh, an American scientist of Azerbaijani origin, continued this work at the University of Berkeley.

Developing the *Theory of Fuzzy Sets*, Lotfi Askar Zadeh took steps to combine the accuracy of classical mathematics and the inaccuracy of the real world. The scientist believed that an excessive desire for accuracy began to have an effect that negates control theory and systems theory, leading to the fact that research in this field focuses exclusively on those problems that can be accurately solved. Many classes of significant problems in which the data, goals, and constraints are too complex or poorly defined to allow for accurate mathematical analysis have been left out for the sole reason that they are not amenable to mathematical interpretation.

Lotfi Askar Zadeh believed that the more complex a system is, the less the researcher can make accurate and at the same time practical judgments about its behaviour. In systems whose falsity exceeds the established threshold, accuracy and meaning become opposing parameters.

During the study, the advantages of fuzzy systems were identified:

- operating with qualitative and quantitative data;
- stability under the action of various perturbations on the system;
- building models of approximate human reasoning;
- operating under uncertainty;
- use of expert knowledge.

The advantages of fuzzy systems listed above were compared with the disadvantages of the system:

- no improvement in the accuracy of calculations compared to the probabilistic approach;
- impossibility of mathematical analysis by existing methods;
- the lack of a standard methodology for designing fuzzy systems.

In the *Theory of Fuzzy Sets*, the main approaches are probabilistic and fuzzy. Thus, fuzzy sets are a collection of elements, concerning which it is impossible to say with complete certainty whether they belong to a given set or not.

If it should write this expression mathematically, it is got:

A fuzzy set C is a collection of ordered pairs composed of elements x of the universal set X and the corresponding degrees of membership $\mu_C(x)$, which is a membership function that shows to what extent the element x belongs to the fuzzy set C .

$$C = \{(x, \mu_C(x)) | x \in X\}$$

There:

the set of values of an x is tuple,
 x is an element of the universe,
 X is the universe itself.

Solving a practical problem

The results of the theoretical part of the research were verified based on a virtual production enterprise operating at the level of standard capacities and under conditions of certain dynamic stability. In the practical part of the study, an event was modelled that leads the enterprise out of the state of system stability.

It was proposed to introduce the concept of a stability domain with a set of stability points. It is obvious to assume that by representing the stability point as the value of the break-even point ((\cdot) BEP) to which a 100% margin of reliability is added, it is expected to get a necessary and appropriate result. The best example to illustrate the correctness of this decision is the human body. For example, to open a door, one hand is needed, but to do this reliably, even under the influence of certain factors, the second hand provides absolute stability to this process.

The above can be represented as a formula:

$$(\cdot)STABILITY = (\cdot)BEP + 100\%$$

In this version, a question appears. Given that the problem is solved with respect to strategic enterprises and industries, which, due to their complexity, high cost and uniqueness, exist in the singular, then 100% in absolute value can represent hundreds of millions or billions of units of monetary equivalent. There is a strategic need to optimize or minimize the ‘insurance’ resources.

In this case, it is proposed to apply the apparatus of fuzzy sets to the problem being solved:

The values were phasified (\cdot)*STABILITY*:

0% – instability

y1 – 25% – uncertain stability

y2 – 50% – satisfactory stability

y3 – 75% – stable stability

y4 – 100% – full stability

It is reasonable to assume that the phasification of the above values can remain constant, but change if necessary, to use the ‘working terminology’.

Next, the factors or influences affecting the system were phasified:

x1 – loss of customers

x2 – loss of quality

x3 – reduced customer demand

x4 – competitive activity

In this case, the above factors can be formed exclusively by expert means and will relate to a specific object of the application.

Thus, universum 1 is the factors or influences that affect the system:

$$X = \{x1, x2, x3, x4\}$$

Universum 2 has values of $(\cdot)STABILITY$:

$$Y = \{y1, y2, y3, y4\}$$

The mutual influence of universes can be expressed in tabular form, by expert evaluation of the interdependence values. These values can be either constant or refer to any set of values. Moreover, the values of the universum 2 can change over time, i.e., they can be dynamic characteristics that can be tracked using, e.g., a simulation model. The record will be made using the table 1.

Table 1. Indexing universum 1 factors.

| | y1 | y2 | y3 | y4 |
|----|-----|-----|-----|-----|
| x1 | 1 | 0,8 | 0,5 | 0,1 |
| x2 | 0,8 | 0,7 | 0,5 | 0,3 |
| x3 | 0,7 | 0,5 | 0,2 | 0,1 |
| x4 | 0,5 | 0,4 | 0,3 | 0,2 |

The mathematical model of the function will have the form of a matrix:

$$Mf(\text{модель функция}) = \begin{vmatrix} 1 & 0,8 & 0,5 & 0,1 \\ 0,8 & 0,7 & 0,5 & 0,3 \\ 0,7 & 0,5 & 0,2 & 0,1 \\ 0,5 & 0,4 & 0,3 & 0,2 \end{vmatrix}$$

or a linear record:

$$F = \{(<X1, Y1>, 1), (<X1, Y2>, 0,8), (<X1, Y3>, 0,5), (<X1, Y4>, 0,1), \\ (<X2, Y1>, 0,8), (<X2, Y2>, 0,7), (<X2, Y3>, 0,5), (<X2, Y4>, 0,3), \\ (<X3, Y1>, 0,7), (<X3, Y2>, 0,5), (<X3, Y3>, 0,2), (<X3, Y4>, 0,1), \\ (<X4, Y1>, 0,5), (<X4, Y2>, 0,4), (<X4, Y3>, 0,3), (<X4, Y4>, 0,2) \}$$

Fuzzy relationships should also be displayed as a graph:




Figure 3. The graph of fuzzy relationships

Results

This article presents the study results of the possibility of using the fuzzy sets apparatus for solving such problems. It should consider that in the real production and industrial sector, it is necessary to conduct research using observations of dynamic characteristics. It is reasonable to assume that the practical implementation will require the creation of serious software support for the calculation, calculation and processing of the studied characteristics. In this study, using the minimax composition apparatus, the final solution of this function was made for one series of mutually influencing universes:

$$\begin{array}{cccc|cl}
 & 1 & 0,8 & 0,5 & 0,1 & \rightarrow \min 0,1 \\
 Mf = & 0,8 & 0,7 & 0,5 & 0,3 & \rightarrow \min 0,3 \\
 & 0,7 & 0,5 & 0,2 & 0,1 & \rightarrow \min 0,1 \quad \text{maxmin } 0,3 \\
 & 0,5 & 0,4 & 0,3 & 0,2 & \rightarrow \min 0,2 \\
 & \downarrow & \downarrow & \downarrow & \downarrow & \\
 & \max 0,8 & \max 0,8 & \max 0,8 & \max 0,8 & \\
 & \minmax 0,3 & & & &
 \end{array}$$

The values of minmax 0.3 and maxmin 0.3 are the same. Therefore, they are optimal.

Thus, the 30% value $(\cdot)STABILITY$: is optimal under the given conditions.

Discussion of Results

The calculations carried out in the framework of the study gave a positive result. By representing the stability point as the break-even point $((\cdot)BEP)$ value, to which a 100% margin of reliability is added, a result that uniquely satisfies all the system's security indicators was expected. However, the Theory of Fuzzy Sets application showed that in the situation modelled during the study, a 30-per cent margin is adequate in terms of reliability and optimality. The savings of 70% of the resources from the 'insurance' reserve become obvious. Calculations showed that the saved resources are enough to ensure two more similar projects.

Conclusion

The apparatus of fuzzy sets used in this work turned out to be practically applicable and convenient for use. The empirical data obtained carry a huge practical potential for applicability. A significant feature of the proposed method is the possibility of saving more than half of the 'insurance' resources. In the meantime, the security provided by a complex technical system is close to 1 or, in more understandable terms, the system is resistant to the expected possible threats.

Thus, as one of the study results, a conclusion was formed about the need to apply the theory of fuzzy sets to a wide range of practically solvable problems. Various expert values of universes were used in the calculations. Of course, they have a margin of error. But even in this vein, there is an undeniable interest in the subsequent study of this issue. The author sees the main directions of further study of the development of methods for ensuring the security of a complex technical system in focusing on the development of methods using a computer, possibly with a dynamic component.

References:

- Aleskovsky, V.V. & Yantsen A.V. (2011). Russian experience in developing a program-but-target approach. *Almanac of Modern Science and Education*, 4 (47), 156-158. (in Russian)
- Bellman, R.E. & Zadeh, L.A. (1970). Decision making in a fuzzy environment. *Management Science*, 17, 4, 141-164.
- Bellman, R.E. & Zadeh, L.A. (1977). Local and fuzzy logics. *Modern Uses of Multiple-Valued Logic*, 103-165. The Netherlands: D. Reidel Publishing Co.

- Chernov, V.P. (2002). *Mathematics for senior managers*. St Petersburg: Nauka. (in Russian)
- Krass, M.S. & Chuprykov, B.P. (2019). *Mathematics in Economics: mathematical methods and models*. Moscow: Yurayt Publishing House.
- Golik, E.S. (Ed.) (2005). *Mathematical methods of system analysis and decision-making theory*. Part II: Textbook. St Petersburg: SZTU. (in Russian)
- Guts, A.K. (2016). *Mathematical logic and the theory of algorithms. Textbook*. Ed. 3rd, ISPR. Moscow: LENAND, 2016. (in Russian)
- International collection of Newspapers of the 19th and 20th century*. Retrieved May 25, 2019, from <https://freep.newspapers.com/> (in Russian)
- Kim, E.S. (2016). Analysis of existing software to automate the operation of the enterprise. *Technology. Technologies. Engineering*, 1, 11-14.
- Kolesnichenko, S.V. (2017). Information and statistical analysis of the processes of functioning of complex technical and socio-economic systems. *Proceedings of the 16th MNPK Analysis and Forecasting of Control Systems in Industry and Transport*, 336-348. St Petersburg.: Fedorov Publishing House. (in Russian)
- Kolmogorov, A.N. & Dragalin, A.G. (2017). *Mathematical logic: Introduction to mathematical logic. Textbook*. Moscow: LENAND. (in Russian)
- Komissarov, P.V. (2018). Actual issues of modelling production processes of complex technical and socio-economic systems. *Collection of works of the GUMRF*. St Petersburg: GUMRF, 67-71. (in Russian)
- Komissarov, P.V. (2018). Method of complex assessment of economic indicators of the enterprise. *Collection: Analysis and forecasting of management systems in industry and transport*, 57-58. St Petersburg: Astra. (in Russian)
- Leonenkov, A.V. (2003). *Fuzzy modeling in MATLAB and fuzzy TECH*. St Petersburg: BHV-Petersburg. (in Russian)
- Lisitsina, L.S. (2020). Fundamentals of fuzzy set theory. St Petersburg: University ITMO. (in Russian)
- Pyanykh, S.M. (1988). *Economic and mathematical methods of optimal planning of river transport*. Moscow: Transport. (in Russian)
- Siegfried, G. (2010). An early approach toward graded identity and graded membership in set theory. *Fuzzy Sets and Systems*, 161, 18, 2369-2379.
- Volokhin, D.V. (2020). The relevance of the representation of fuzzy knowledge using fuzzy sets. *Scientific Aspect*, 2, 16, 2026-2029. Samara: Aspect. (in Russian)
- Zadeh, L.A. (1965). Fuzzy sets. *Information and Control*, 8, 3, 338-353.
- Zadeh, L.A., Fu, K., Tanaka, K., & Shimura M. (Eds.). (1975). *Fuzzy sets and their applications to cognitive and decision processes*. New York: Academic Press.

- Zadeh, L.A., & Polak E. (Eds.). (1969). System Theory. *Inter-University Electronics Series*, 8. New York: McGraw-Hill.
- Zemskov, A.V. & Shilkina I.D. (2018). *Economic and mathematical models. Educational and methodological guide for laboratory work*. St Petersburg: Publishing house of S.O. Makarov GUMRF. (in Russian)

European Scientific e-Journal

EU, Czech Republic, Hlučín-Bobrovníky

Publisher
Anisiia Tomanek OSVČ

Right to conduct publication activities
IČO: 06463371

Date of Issue
December 29, 2020

European Scientific e-Journal

ISSN: 2695-0243

ISSUE 6 (6)
Volume 2
December 29, 2020

EU, Czech Republic, Ostrava-Hlučín

ISBN: 978-80-908088-3-6

DOI: 10.47451/col-06-2020-006-2