

Evaluating Health Policy Without a Fixed Lifespan: A Steady-State Foundation for Quality, Maintenance, and Risk

Daniel S. Goldman 

February 6, 2026

Abstract

In a world where biological lifespan has no fixed upper bound, yet individuals remain vulnerable to stochastic catastrophic failures (accidents, disease, irreparable breakdown) and also experience repairable degradation requiring ongoing maintenance, lifetime-summed health metrics become structurally ill-suited for public policy. This note gives a foundation for evaluation based on *steady per-unit-time* health value: a regenerative (renewal) QALY flow defined as a ratio of expected cycle reward to expected cycle duration, together with compatible notions of cost-effectiveness, stability under perturbations, and explicit extensions for irreversibility and risk/volatility. The framework is stated as axioms plus a controlled continuous-time model and yields standard existence and sensitivity results under transparent conditions.

Contents

1	Setting and design requirements	2
1.1	The setting	2
1.2	Axioms (explicitly normative and structural)	2
2	A controlled health process with repairability and catastrophe	3
2.1	State space, quality, and irreversibility	3
2.2	Actions and costs	4
2.3	Dynamics	4
3	Regeneration and the steady QALY flow objective	4
3.1	The regenerative regime axiom (institutional replacement)	4
3.2	Cycle reward and cycle cost	5
3.3	Definition: QALY flow and cost flow	5
3.4	Theorem: long-run person-time interpretation	6
3.5	Handling regimes with very long or infinite expected cycles	6
4	Optimization under stationary policies	7
4.1	Stationary Markov policies	7
4.2	Finite-state existence and computation (clean baseline)	7
4.3	General-state extensions (policy class conditions)	7
5	Perturbation stability (sensitivity) of the repaired metric	7

6	Irreversibility, risk, and volatility as explicit extensions	8
6.1	Irreversibility as penalty or constraint	9
6.2	Volatility and risk sensitivity	9
7	Cost-effectiveness in the steady-flow framework	9
8	Distributional aggregation (explicit ethics)	10
9	Relation to the broader ensemble	10
10	Conclusion	11
A	Appendix: cross-sectional sampling interpretation	11
B	Appendix: relation to discounting	11

1 Setting and design requirements

Health technology assessment relies on established frameworks for comparing interventions (Sanders et al., 2016), but these presuppose finite planning horizons. As longevity science advances the prospect of radical healthspan extension (Masny, 2023), fundamental questions arise about how to evaluate policies when lifespans may be unbounded. The extensive literature on discounting in health economics (Attema et al., 2018; Gravelle et al., 2007) has debated time preference, but unbounded horizons require a more fundamental rethinking.

1.1 The setting

We assume the following stylized world:

- There is *no fixed biological maximum lifespan*. Conditional on avoiding catastrophic failure and receiving ongoing care, individuals can persist indefinitely.
- Catastrophic failures still occur stochastically (accidents, lethal disease, irreparable system failure).
- Many degradations are *repairable*, with maintenance and replacement restoring function at monetary, time, and quality costs.

Public policy must allocate scarce resources among prevention, monitoring, maintenance, repair technologies, environments, and protections against catastrophic risks.

1.2 Axioms (explicitly normative and structural)

We state the requirements as axioms. Some are structural (needed for a usable metric), others encode transparent normative choices. Axioms 2–4 in particular reflect welfarist and experientialist commitments that, while standard in health economics, are substantive ethical positions rather than purely structural requirements.

Axiom 1 (Well-posedness). *Policy evaluation must be finite for all admissible policies and must support stable marginal comparisons (e.g. cost per unit health) under arbitrarily long horizons.*

Axiom 2 (Horizon invariance for ongoing regimes). *The criterion should evaluate an ongoing health regime rather than depend on an exogenously fixed terminal time.*

Axiom 3 (Experienced welfare as a flow). *Health value accrues through an instantaneous quality-of-life quantity $q(t)$ (possibly reduced during downtime/repair), so the experienced path of health states matters.*

Remark 1. Axiom 3 reflects standard practice in health technology assessment, where QALYs serve as the primary outcome measure (Sanders et al., 2016; Brazier and Rowen, 2011).

Axiom 4 (Death as truncation of future experience). *Catastrophic failure matters because it ends future experienced welfare; the criterion should not introduce independent terminal utilities that dominate the analysis.*

Axiom 5 (Explicit normativity). *Distributional priorities, inequality aversion, unacceptable-quality thresholds, and any time preference (if used) must appear as explicit parameters rather than being hidden inside technical devices.*

Remark 2. This axiom contrasts with discounted approaches where time preference is embedded in the discount rate (Attema et al., 2018; Gravelle et al., 2007). Distributional cost-effectiveness analysis (Asaria et al., 2013) makes equity weights explicit; we adopt the same transparency principle throughout.

Axiom 6 (Policy-relevance as cross-sectional person-time). *Public-health objectives should be interpretable as welfare per unit of population time (person-time) under a stable institutional regime.*

Remark 3. Axiom 6 is the key bridge from individual life histories to public policy: governments repeatedly face a stream of individuals and person-time exposed to hazards and maintenance systems. A per-person-time objective matches what policy instruments actually control.

Remark 4 (On interpersonal aggregation). The person-time interpretation implies fungibility of welfare across individuals, treating one person’s quality-time as substitutable for another’s. This is not a novel commitment of the present framework but is inherited from standard QALY-based health economics, which already aggregates health gains across persons. In a world of unbounded lifespans, this assumption becomes *more* defensible: as individual life trajectories extend indefinitely, the probability that any two individuals will experience similar health states grows, and interpersonal comparisons become less problematic due to trajectory convergence over long horizons.

2 A controlled health process with repairability and catastrophe

2.1 State space, quality, and irreversibility

Let \mathcal{S} denote the set of *alive* health states. Let \dagger denote catastrophic failure (death/irreparable loss), which is absorbing. Define $\mathcal{X} := \mathcal{S} \cup \{\dagger\}$. This multi-state formulation follows the health economics tradition of modeling health trajectories as stochastic processes (Bauer et al., 2025; Song et al., 2023).

A measurable function $q : \mathcal{X} \rightarrow [0, 1]$ gives instantaneous quality, with $q(\dagger) = 0$. The quality function assigns health-related quality of life to each state, following established measurement frameworks (Brazier and Rowen, 2011).

We also designate a subset $\mathcal{I} \subseteq \mathcal{S}$ of *irreversible harm* states and $\mathcal{R} := \mathcal{S} \setminus \mathcal{I}$ of *reversible/repairable* states. This partition is conceptual and policy-relevant: interventions can reduce transitions into \mathcal{I} , increase repair success out of \mathcal{I} , or alter time spent in low-quality downtime states.

2.2 Actions and costs

For each $x \in \mathcal{S}$, let $\mathcal{A}(x)$ be a nonempty set of admissible actions (prevention intensity, monitoring, repair protocol, environment, replacement choice). A (possibly history-dependent) policy π selects actions over time.

Let $c : \mathcal{S} \times \mathcal{A} \rightarrow [0, \infty)$ be a measurable running cost; set $c(\dagger, \cdot) = 0$.

2.3 Dynamics

We model health dynamics as a controlled continuous-time process $(X_t)_{t \geq 0}$ on \mathcal{X} (e.g. a controlled CTMC or more general controlled jump process). Under action $a \in \mathcal{A}(x)$ at alive state x , transitions are governed by a rate kernel $Q(\cdot \mid x, a)$ with \dagger absorbing:

$$Q(\dagger \mid \dagger, a) = 0, \quad Q(y \mid \dagger, a) = 0 \quad \forall y \neq \dagger.$$

Define the catastrophic time

$$\tau := \inf\{t \geq 0 : X_t = \dagger\}.$$

Assumption 1 (Bounded quality and well-defined dynamics). $q(x) \in [0, 1]$ for all $x \in \mathcal{X}$ with $q(\dagger) = 0$. Under policies of interest, the controlled process is non-explosive (finitely many jumps on finite time intervals almost surely).

Remark 5 (Sufficient conditions for non-explosiveness). Non-explosiveness holds if transition rates are uniformly bounded: $\sup_{x \in \mathcal{S}, a \in \mathcal{A}(x)} Q(\mathcal{X} \setminus \{x\} \mid x, a) < \infty$. More generally, for countable \mathcal{S} , standard Foster–Lyapunov criteria apply: if there exists a function $V : \mathcal{S} \rightarrow [1, \infty)$ with $V(x) \rightarrow \infty$ as $x \rightarrow \infty$ (in some ordering) and constants $c, d > 0$ such that $\sum_y Q(y \mid x, a)(V(y) - V(x)) \leq c - d \cdot Q(\mathcal{X} \setminus \{x\} \mid x, a)$ for all x, a , then the process is non-explosive.

3 Regeneration and the steady QALY flow objective

3.1 The regenerative regime axiom (institutional replacement)

To interpret welfare per unit person-time, we work with a regenerative regime: when a catastrophic loss occurs, the regime continues with a new entrant. This matches population-level policy evaluation (birth, immigration, institutional replacement, workforce turnover).

Assumption 2 (Regeneration / replacement). Fix an initial distribution ν on \mathcal{S} . Each time a catastrophic event occurs, a new individual enters immediately with initial state distributed as ν , independent of the past, and is governed by the same policy π .

Remark 6. Assumption 2 is the formal expression of Axiom 6. It does not claim that any particular individual is replaced; it defines the unit of analysis for public policy: a continuing social process generating person-time under an ongoing regime.

Remark 7 (Large-population interpretation). The regeneration assumption is best understood as modeling a large stationary population where catastrophic failures and new entrants are rare and approximately uncorrelated. In this interpretation:

- The regenerative cycle represents the expected trajectory of a randomly sampled individual from the cross-section.
- The ratio $J(\pi)$ equals the cross-sectional average quality at any point in time under demographic steady-state.

- “Immediate replacement” reflects the continuous demographic flow in a large population, not a claim about literal individual replacement.
- “Independence” follows from population size: any single death is statistically uncorrelated with the vast pool of existing individuals.
- “Identical initial distribution” reflects the stationary assumption—we are modeling the steady-state regime, not the transition from bounded to unbounded lifespans.

This interpretation dissolves concerns about the literal plausibility of i.i.d. replacement by reframing the assumption as a consequence of the modeling target (cross-sectional welfare in a stationary population) rather than an empirical claim about individual-level dynamics.

3.2 Cycle reward and cycle cost

Under a policy π and initial distribution ν , define per-cycle quantities:

$$R^\pi := \int_0^\tau q(X_t) dt, \quad (1)$$

$$C^\pi := \int_0^\tau c(X_t, A_t) dt, \quad (2)$$

$$\tau^\pi := \tau. \quad (3)$$

By Assumption 1, $0 \leq R^\pi \leq \tau^\pi$ almost surely.

3.3 Definition: QALY flow and cost flow

The regenerative structure allows us to define a time-averaged objective that remains bounded and well-defined over infinite horizons. This addresses the fundamental challenge of evaluating policies when time horizons are unbounded (O’Mahony et al., 2015).

Definition 1 (Steady QALY flow and steady cost flow). Assume $\mathbb{E}_\nu[\tau^\pi] \in (0, \infty)$. Define

$$J(\pi) := \frac{\mathbb{E}_\nu[R^\pi]}{\mathbb{E}_\nu[\tau^\pi]} \in [0, 1], \quad (4)$$

and

$$K(\pi) := \frac{\mathbb{E}_\nu[C^\pi]}{\mathbb{E}_\nu[\tau^\pi]} \in [0, \infty). \quad (5)$$

Remark 8 (Risk neutrality in the base framework). The objective $J(\pi)$ depends only on expected cycle reward and expected cycle duration, not on their variances or higher moments. This embeds a *risk-neutral* preference: two policies with identical $J(\pi)$ but different cycle-to-cycle volatility in quality are treated as equally desirable.

When risk aversion is desired, this can be addressed via the extensions in Section 6: either by adding an explicit risk penalty (e.g., $J(\pi) - \lambda\sqrt{\text{Var}(\bar{q}^\pi)}$) or by applying coherent risk measures (e.g., CVaR) to cycle-level outcomes. The base framework is risk-neutral by design, leaving risk preferences as an explicit parameter to be chosen by the policy maker.

Proposition 1 (Basic boundedness). If $\mathbb{E}_\nu[\tau^\pi] \in (0, \infty)$ then $J(\pi) \in [0, 1]$.

Proof. From $0 \leq R^\pi \leq \tau^\pi$ a.s., taking expectations yields $0 \leq \mathbb{E}[R^\pi] \leq \mathbb{E}[\tau^\pi]$, hence $J(\pi) \in [0, 1]$. \square

3.4 Theorem: long-run person-time interpretation

Under Assumption 2, successive cycles are i.i.d. with cycle lengths τ_1, τ_2, \dots and cycle rewards R_1, R_2, \dots distributed as (τ^π, R^π) .

Let $Q(T) := \int_0^T q(X_t) dt$ be cumulative quality in the regenerative process.

Theorem 1 (Renewal-reward representation). *Assume $\mathbb{E}_\nu[\tau^\pi] \in (0, \infty)$. Then*

$$\frac{Q(T)}{T} \xrightarrow[T \rightarrow \infty]{a.s.} J(\pi), \quad \text{and} \quad \mathbb{E} \left[\frac{Q(T)}{T} \right] \rightarrow J(\pi).$$

Remark 9. Theorem 1 is the central justification: $J(\pi)$ is the asymptotic average quality per unit person-time sustained by policy π under a continuing regime. This directly satisfies Axioms 1–6.

3.5 Handling regimes with very long or infinite expected cycles

Unbounded lifespan allows policies for which $\mathbb{E}_\nu[\tau^\pi] = \infty$. Rather than impose a discount rate to force finiteness, we adopt an explicit truncation-based normalization that preserves Axiom 5.

Definition 2 (Truncated steady QALY flow). *For $T > 0$, define*

$$R_T^\pi := \int_0^{\tau \wedge T} q(X_t) dt, \quad \tau_T^\pi := \tau \wedge T,$$

and define

$$J^+(\pi) := \limsup_{T \rightarrow \infty} \frac{\mathbb{E}_\nu[R_T^\pi]}{\mathbb{E}_\nu[\tau_T^\pi]}, \quad J^-(\pi) := \liminf_{T \rightarrow \infty} \frac{\mathbb{E}_\nu[R_T^\pi]}{\mathbb{E}_\nu[\tau_T^\pi]}.$$

When $J^+(\pi) = J^-(\pi)$, denote the common value by $J(\pi)$.

Proposition 2 (Well-posedness of truncated flow). *For all $T > 0$ and all policies π , $\mathbb{E}_\nu[\tau_T^\pi] > 0$.*

Proof. Since $\tau_T^\pi = \tau \wedge T \geq \min(\tau, T)$ and $\mathbb{P}(\tau > 0) = 1$ (the process starts in an alive state), we have $\tau_T^\pi > 0$ a.s. for $T > 0$, hence $\mathbb{E}[\tau_T^\pi] > 0$. \square

Proposition 3 (Truncated flow is always bounded). *For all π , $J^+(\pi), J^-(\pi) \in [0, 1]$.*

Proof. As before, $0 \leq R_T^\pi \leq \tau_T^\pi$ a.s., hence $0 \leq \mathbb{E}[R_T^\pi]/\mathbb{E}[\tau_T^\pi] \leq 1$ for each T , so the lim sup and lim inf lie in $[0, 1]$. \square

Proposition 4 (Convergence of truncated flow). *For stationary Markov policies on finite state spaces with \dagger reachable from every state (i.e., for each $x \in \mathcal{S}$ and action $a \in \mathcal{A}(x)$, there exists a path to \dagger with positive probability), $J^+(\pi) = J^-(\pi)$, and this common value equals $J(\pi)$ as defined in (4).*

Proof. Under the reachability condition, $\mathbb{P}(\tau < \infty) = 1$ and $\mathbb{E}[\tau^\pi] < \infty$ (the expected hitting time of \dagger is finite for finite irreducible chains with an absorbing state). By monotone convergence, $\mathbb{E}[R_T^\pi] \rightarrow \mathbb{E}[R^\pi]$ and $\mathbb{E}[\tau_T^\pi] \rightarrow \mathbb{E}[\tau^\pi]$ as $T \rightarrow \infty$. Hence the ratio converges: $\mathbb{E}[R_T^\pi]/\mathbb{E}[\tau_T^\pi] \rightarrow \mathbb{E}[R^\pi]/\mathbb{E}[\tau^\pi] = J(\pi)$. \square

4 Optimization under stationary policies

4.1 Stationary Markov policies

Restrict attention to stationary Markov policies f choosing $a = f(x) \in \mathcal{A}(x)$ when in state x . Under such f , the process becomes time-homogeneous.

A policy objective can be scalarized as maximizing net steady welfare

$$W_\lambda(f) := J(f) - \lambda K(f),$$

with $\lambda > 0$ as an explicit willingness-to-pay parameter, or as a constrained problem maximizing $J(f)$ subject to $K(f) \leq \bar{K}$.

4.2 Finite-state existence and computation (clean baseline)

To make the existence claim fully concrete without measure-theoretic overhead, we give the finite-state baseline.

Assumption 3 (Finite controlled CTMC). *\mathcal{S} is finite. For each $x \in \mathcal{S}$, $\mathcal{A}(x)$ is finite. Under every stationary policy f , the regenerative cycle has $\mathbb{E}_\nu[\tau^f] \in (0, \infty)$.*

Theorem 2 (Optimal stationary policy exists in the finite model). *Under Assumption 3, for each $\lambda > 0$ there exists a stationary Markov policy f^* maximizing $W_\lambda(f) = J(f) - \lambda K(f)$ over stationary Markov policies.*

Proof. The set of stationary Markov policies is finite (since \mathcal{S} and each $\mathcal{A}(x)$ are finite), so it suffices to show that $W_\lambda(f)$ is well-defined for each policy f . By Assumption 3, $\mathbb{E}_\nu[\tau^f] \in (0, \infty)$, so $J(f)$ and $K(f)$ are well-defined by Definition 1. Since $q \in [0, 1]$ and $c \geq 0$, we have $J(f) \in [0, 1]$ and $K(f) \in [0, \infty)$, so $W_\lambda(f)$ is finite. The maximum over a finite set of finite values is attained. \square

Remark 10. In the finite model, $J(f)$ and $K(f)$ can be computed via standard linear equations for expected cycle reward and expected cycle duration, and optimization can be performed by enumeration, linear-fractional programming, or average-reward dynamic programming techniques.

4.3 General-state extensions (policy class conditions)

For general (countable or continuous) \mathcal{S} , standard average-reward CTMDP theory provides existence of optimal stationary policies under continuity/compactness and recurrence-type stability conditions. Those conditions are model-dependent; the core point for this foundation is that the repaired objective is an average-reward (reward-rate) criterion, so the established theory applies once stability assumptions are spelled out.

5 Perturbation stability (sensitivity) of the repaired metric

Practical policy evaluation requires understanding sensitivity to parameter uncertainty, which can be substantial in health economic models (Ultsch et al., 2015). A policy metric used for governance should vary continuously under small parameter changes (accident rate estimates, repair success probabilities, cost inputs).

Let θ index model parameters (transition rates, repair probabilities, etc.), and write $J_\theta(\pi)$ for the QALY flow computed in model θ .

Assumption 4 (Uniform lower bound on expected cycle length). *There exists $m > 0$ such that for all policies π in a policy class Π and parameters θ in a neighborhood of interest,*

$$\mathbb{E}_{\nu,\theta}[\tau^\pi] \geq m.$$

Assumption 5 (Lipschitz cycle-level expectations). *There exist constants $L_R, L_\tau \geq 0$ and a metric $d(\cdot, \cdot)$ on parameter space such that for all $\pi \in \Pi$,*

$$|\mathbb{E}_{\nu,\theta}[R^\pi] - \mathbb{E}_{\nu,\theta'}[R^\pi]| \leq L_R d(\theta, \theta'), \quad |\mathbb{E}_{\nu,\theta}[\tau^\pi] - \mathbb{E}_{\nu,\theta'}[\tau^\pi]| \leq L_\tau d(\theta, \theta').$$

Remark 11 (Sufficient conditions for Assumptions 4–5). Assumption 4 (a uniform lower bound $m > 0$ on expected cycle length) holds if there is a uniform *upper* bound on catastrophe rates, preventing cycles from ending arbitrarily quickly. Formally: if $\sup_{x \in \mathcal{S}, a \in \mathcal{A}(x)} Q(\dagger \mid x, a) \leq M < \infty$, then the process cannot reach \dagger faster than rate M , giving $\mathbb{E}[\tau^\pi] \geq 1/M > 0$. Alternatively, explicit modeling of minimum repair or decision times (a positive lower bound on sojourn durations in non-absorbing states) directly ensures $\mathbb{E}[\tau^\pi] \geq m > 0$. For Assumption 5, if transition rates $Q_\theta(y \mid x, a)$ are Lipschitz in θ uniformly over x, a, y , then standard perturbation bounds for Markov chain expectations (via Dynkin’s formula or coupling arguments) yield Lipschitz continuity of $\mathbb{E}_\theta[R^\pi]$ and $\mathbb{E}_\theta[\tau^\pi]$.

Theorem 3 (Lipschitz stability of QALY flow). *Under Assumptions 4–5,*

$$|J_\theta(\pi) - J_{\theta'}(\pi)| \leq \frac{L_R + L_\tau}{m} d(\theta, \theta') \quad \text{for all } \pi \in \Pi.$$

Proof. Write $J_\theta(\pi) = \frac{a}{b}$ and $J_{\theta'}(\pi) = \frac{a'}{b'}$ with $a = \mathbb{E}_\theta[R^\pi]$, $b = \mathbb{E}_\theta[\tau^\pi]$, and similarly for a', b' . We use the identity

$$\frac{a}{b} - \frac{a'}{b'} = \frac{ab' - a'b}{bb'} = \frac{(a - a')b' + a'(b' - b)}{bb'}.$$

Taking absolute values and applying the triangle inequality:

$$\left| \frac{a}{b} - \frac{a'}{b'} \right| \leq \frac{|a - a'| \cdot b' + |a'| \cdot |b' - b|}{b \cdot b'} = \frac{|a - a'|}{b} + \frac{a'}{b'} \cdot \frac{|b - b'|}{b}.$$

Since $0 \leq R^\pi \leq \tau^\pi$ a.s., we have $0 \leq a' \leq b'$, so $a'/b' \leq 1$. By Assumption 4, $b \geq m > 0$. Thus:

$$\left| \frac{a}{b} - \frac{a'}{b'} \right| \leq \frac{|a - a'|}{m} + \frac{|b - b'|}{m}.$$

Applying Assumption 5 yields the result. \square

Remark 12. The stability story is explicit: (i) expected cycle length cannot collapse toward 0, and (ii) the policy class should not create discontinuous jumps in expected cycle reward/duration under small parameter perturbations.

6 Irreversibility, risk, and volatility as explicit extensions

The steady flow $J(\pi)$ is the core foundation. In a maintenance world, two further dimensions commonly matter and can be added without breaking the framework: irreversibility and risk/volatility. Some health states represent irreversible conditions with distinct mortality profiles (Bauer et al., 2025). The distinction between healthspan and lifespan (Masny, 2023) is naturally captured by partitioning states into reversible and absorbing subsets.

6.1 Irreversibility as penalty or constraint

Let $\kappa : \mathcal{S} \rightarrow [0, \infty)$ encode additional disutility for irreversible states beyond their immediate quality decrement (option-value loss). Two transparent choices:

Penalty. Define adjusted quality $\tilde{q}(x) = q(x) - \kappa(x)$ (with optional clipping to keep bounds), and define $\tilde{J}(\pi)$ by replacing q with \tilde{q} in (1)–(4).

Constraint. Let ρ^π denote an irreversibility measure per cycle (e.g. expected time spent in \mathcal{I} , or expected number of entries into \mathcal{I}). Optimize $J(\pi)$ subject to $\rho^\pi \leq \bar{\rho}$.

Remark 13. Penalty asserts a commensurable tradeoff rate; constraint asserts an acceptability boundary. Axiom 5 demands choosing (and defending) one explicitly.

6.2 Volatility and risk sensitivity

Average flow can hide instability. We define risk measures that are always well-defined.

Assumption 6 (Minimum cycle length for risk measures). *There exists $\epsilon > 0$ such that $\tau^\pi \geq \epsilon$ almost surely.*

Under Assumption 6, the within-cycle average quality $\bar{q}^\pi := R^\pi / \tau^\pi$ is well-defined and bounded: $\bar{q}^\pi \in [0, 1]$ a.s. One can then evaluate risk-sensitive objectives such as:

$$J_{\text{MV},\lambda}(\pi) := J(\pi) - \lambda \sqrt{\text{Var}(\bar{q}^\pi)},$$

where the variance is finite since $\bar{q}^\pi \in [0, 1]$.

Alternatively, when Assumption 6 may not hold, use risk measures applied directly to the cycle reward R^π (which is always well-defined):

$$J_{\text{CVaR},\alpha}(\pi) := \frac{\text{CVaR}_\alpha(R^\pi)}{\mathbb{E}[\tau^\pi]},$$

where CVaR_α is the conditional value-at-risk at level $\alpha \in (0, 1)$.

The parameter λ (or α) is an explicit normative risk-aversion coefficient.

7 Cost-effectiveness in the steady-flow framework

Our flow-based ICER parallels the standard incremental cost-effectiveness ratio (Sanders et al., 2016), but replaces discounted sums with long-run averages. This avoids the well-documented issues with discount rate selection (Attema et al., 2018; Gravelle et al., 2007).

Definition 3 (Flow ICER). *For two policies π_1, π_2 with $J(\pi_2) \neq J(\pi_1)$, define*

$$\text{ICER}_{\text{flow}}(\pi_1 \rightarrow \pi_2) := \frac{K(\pi_2) - K(\pi_1)}{J(\pi_2) - J(\pi_1)}.$$

Remark 14. This answers a governance-relevant question: the ongoing resource cost per unit improvement in sustained quality per unit person-time.

8 Distributional aggregation (explicit ethics)

The distributional extension follows the framework of distributional cost-effectiveness analysis (Asaria et al., 2013), which assigns equity weights to different population subgroups. Song et al. (2023) show that the value of health improvements depends on access to insurance and retirement products, suggesting distributional weights should account for financial as well as health heterogeneity.

Let groups be indexed by i with repaired flows $J_i(\pi)$.

Weighted additive welfare.

$$SW(\pi) = \sum_i w_i J_i(\pi),$$

with explicit weights w_i encoding priority rules.

Inequality-averse welfare.

$$SW(\pi) = \sum_i u(J_i(\pi)),$$

with concave u encoding diminishing social marginal value.

Minimum-acceptable flow. Impose a hard constraint $J_i(\pi) \geq J_{\min}$ for all i (or a bound on time spent below a quality floor). This is a normative commitment that becomes unavoidable to state clearly when lives can be arbitrarily long.

9 Relation to the broader ensemble

Ensemble ID: c2f3de53-f086

This paper defines the QALY flow framework as a mathematical foundation for evaluating health policy when biological lifespan has no fixed upper bound. It provides the formal model—regenerative processes, renewal-reward objectives, cost-effectiveness ratios, perturbation stability, and distributional aggregation—while remaining deliberately agnostic about the broader civilizational, translational, and engineering contexts in which the framework would be deployed.

Three companion papers extend this foundation:

- **Longevity Civilizations: Life, Craft, and Depth After the Defeat of Senescence** (73997063-e1ed) explores what societies look like once senescence has been largely defeated: how institutions, identity, measurement, and safety culture reshape around open-ended horizons. It grounds the framework in the lived texture of a longevity civilization and shows how the sustained-present perspective emerges naturally from the conditions of indefinite life.
- **Sustaining Health Over Long Horizons: Integrated Care, Maintenance Burden, and Equity When Ageing Becomes Manageable** (80fbe599-356c) translates the QALY flow framework into public health practice. It applies the rate-based perspective to integrated care delivery, maintenance burden assessment, and equity in sustained access, drawing on WHO implementation guidance and existing health systems infrastructure.
- **Future-Building as Maintenance: Rate-Based Health Evaluation for Indefinite Horizons** (d7006442-c67e) connects aging biology, reliability engineering, existential-risk governance, and institutional measurement design under a unified maintenance framing. It

shows how the rate-based perspective unifies concerns across biological, social, and civilizational scales without requiring the formal apparatus developed here.

Together, the ensemble provides: (1) a rigorous mathematical foundation (this paper), (2) civilizational vision and context, (3) public health translation into existing delivery and equity frameworks, and (4) cross-scale synthesis connecting engineering, governance, and measurement. Each paper is self-contained but gains context from the others.

10 Conclusion

We proposed a foundation for health policy evaluation in an unbounded-lifespan, maintenance-driven world by taking *steady person-time value* as the primary object. Under a regenerative regime interpretation, QALY flow $J(\pi) = \mathbb{E}[R^\pi]/\mathbb{E}[\tau^\pi]$ is bounded, horizon-invariant, and has a direct long-run meaning via renewal-reward theory. The same construction yields steady cost flow and a natural cost-effectiveness ratio. Stability under parameter perturbations reduces to checkable cycle-level conditions. Irreversibility and risk/volatility enter cleanly as explicit penalties or constraints, keeping all ethical commitments exposed rather than embedded in discounting.

A Appendix: cross-sectional sampling interpretation

In the regenerative process, let U_T be uniform on $[0, T]$ independent of the process.

Proposition 5 (Cross-sectional interpretation). *Assume $\mathbb{E}_\nu[\tau^\pi] \in (0, \infty)$. Then*

$$\mathbb{E}[q(X_{U_T})] \rightarrow J(\pi) \quad \text{as } T \rightarrow \infty.$$

Proof. This is the “inspection paradox” form of the renewal-reward theorem. By the key renewal theorem, under $\mathbb{E}[\tau^\pi] < \infty$, the distribution of the state at a uniformly random time converges to the stationary distribution weighted by sojourn time, and the expected quality under this distribution equals $J(\pi)$. \square

Thus $J(\pi)$ can be read as the expected quality of a randomly sampled person-time under the regime.

B Appendix: relation to discounting

The health economics literature extensively debates discounting ([Attema et al., 2018](#)). [Gravelle et al. \(2007\)](#) analyze the decision-theoretic foundations, showing that different discount rates for costs and effects can be justified under certain conditions. [O’Mahony et al. \(2015\)](#) examine how time enters health evaluations more broadly. Our approach sidesteps the discount rate selection problem entirely by moving to ratio-form objectives. Rather than summing discounted utilities (which requires choosing a discount rate that becomes arbitrary over unbounded horizons), we define welfare as quality per unit time, which is inherently bounded and horizon-invariant.

References

Miqdad Asaria, Susan Griffin, and Richard Cookson. Distributional cost-effectiveness analysis: A tutorial. CHE Research Paper 92, Centre for Health Economics, University of York,

2013. URL https://eprints.whiterose.ac.uk/136239/1/CHERP92_distributional_CEA_tutorial.pdf.
- Arthur E. Attema, Werner B. F. Brouwer, and Karl Claxton. Discounting in economic evaluations. *Pharmacoeconomics*, 2018. doi: 10.1007/s40273-018-0672-z. URL https://repub.eur.nl/pub/107468/ABC_PE_2018.pdf.
- Daniel Bauer, Darius Lakdawalla, and Julian Reif. Health risk and the value of life. Technical report, 01 2025. URL <https://julianreif.com/research/reif.jpube.2025.healthrisk.pdf>. Working paper.
- John Brazier and Donna Rowen. Nice dsu technical support document 11: Alternatives to eq-5d for generating health state utility values. Technical report, Decision Support Unit, School of Health and Related Research (ScHARR), University of Sheffield, 03 2011. URL https://sheffield.ac.uk/sites/default/files/2022-02/TSD11-Alternatives-to-EQ-5D_final.pdf.
- Hugh Gravelle, Werner Brouwer, Louis Niessen, Maarten Postma, and Frans Rutten. Discounting in economic evaluations: Stepping forward towards optimal decision rules. *Health Economics*, 16(3):307–317, 2007. doi: 10.1002/hec.1168. URL https://pure.rug.nl/ws/files/6703930/Gravelle_2007_Health_Econ.pdf.
- Michal Masny. Healthspan extension, completeness of life and justice. *Bioethics*, 37: 239–245, 2023. doi: 10.1111/bioe.13129. URL <https://michalmasny.com/resources/Masny-HealthspanExtension.pdf>.
- James F. O’Mahony, Anthony T. Newall, and Joost van Rosmalen. Dealing with time in health economic evaluation: Methodological issues and recommendations for practice. *Pharmacoeconomics*, 2015. doi: 10.1007/s40273-015-0309-4. URL https://repub.eur.nl/pub/78761/10.1007s40273-015-0309-4_0A.pdf.
- Gillian D. Sanders, Peter J. Neumann, Anirban Basu, Dan W. Brock, David Feeny, et al. Recommendations for conduct, methodological practices, and reporting of cost-effectiveness analyses: Second panel on cost-effectiveness in health and medicine. *JAMA*, 316(10):1093–1103, 2016. doi: 10.1001/jama.2016.12195. URL https://eprints.whiterose.ac.uk/id/eprint/105455/1/jsc160017_1.pdf.
- Univa Song, Daniel Bauer, Darius Lakdawalla, and Julian Reif. The value of health and longevity with stochastic health risk and partial annuitization. Technical report, 12 2023. URL <https://tippie.uiowa.edu/sites/tippie.uiowa.edu/files/2024-03/Song-Bauer-Lakdawalla-Reif.pdf>. Preliminary draft.
- Bernhard Ultsch, Oliver Damm, Philippe Beutels, Joke Bilcke, Bernd Brüggengjürgen, et al. Methods for health economic evaluation of vaccines and immunization decision frameworks: A consensus framework from a european vaccine economics community. *Pharmacoeconomics*, 2015. doi: 10.1007/s40273-015-0335-2. URL <https://edoc.rki.de/bitstream/handle/176904/2152/21yHRUNVIxKw.pdf?isAllowed=y&sequence=1>.