trary, I will merely remark that if you, or any of your numerous readers who may feel interested in this subject, will favour me with a visit to my establishment, I shall be happy to give the fullest explanation as well as show the great difference existing between the two, will point out the cause of failure in their arrangement, and also the reason of the complete success of my own thermometer.

Though perhaps it is unfortunate for your correspondents that their reference to Dr. Miller was not made during his lifetime, yet, admitting that he said he was not aware of their arrangement, I must ask in all seriousness, What had their thermometer accomplished to make any one acquainted with it?

Facts speak for themselves. Their arrangement still remains without result, whilst my thermometer, which has solved the great problem of the true temperature of the sea even at its greatest depths, has been adopted not only by our own Government, but also by all the principal Governments and scientific authorities throughout the world.

LOUIS P. CASELLA

147 Holborn Bars, Nov. 3

Squalus spinosus

ON the 9th inst. the fishermen of Durgan, in Helford Harbour, sent for me to look at a fish new to them, which had been caught (with a $\frac{1}{2}$ d. hook) on the preceding night near its entrance. Congers had been numerous, but suddenly ceased to bite. The fish (a spinous shark) had been hooked in the corner of its mouth, out of the reach of its sharp teeth, had wound the line many times round its body, which was 7 ft. in length, and 30 in. in girth, being longer and more slender than one of which I sent a notice to the Royal Cornwall Institution 38 years ago. The back, sprinkled over with spines, was of a dark grey colour, the belly nearly white. It was a male fish. The lobes of the liver were 4 ft. in length. In the stomach was a partially digested dogfish, 2 ft. long. The upper lobe of the tail was muscular and long, perhaps to aid its ground feeding, the lower lobe more marked than in Dr. A. Smith's drawing, as given by Yarrel, and entirely unlike that of the Filey Bay specimen. Twelve hours or more after its capture, when all external signs of life had disappeared, I was surprised to observe the regular pulsations of the heart.

Prof. Huxley has not observed a correspondence between the mass and large convolutions of the brain of a porpoise and its intellectual power.

Several years ago a herd of porpoises was scattered by a net, which I had got made, to enclose some of them. It was strong enough to catch tigers if set in the straits of Singapore, across which they sometimes swim. The whole "sculle" was much alarmed, two were secured. I conclude that their companions retained a vivid remembrance of the sea-fight, as these cetacea, although frequent visitors in this harbour previously, and often watched for, were not seen in it again for two years or more.

Trebah, Falmouth, Oct. 27

C. Fox

Zodiacal Light

It is a matter for regret that with the magnificent opportunities of investigating the character of the Zodiacal Light afforded to Maxwell Hall by his elevated position in Jamaica, he does not seem to have brought the powers of either the spectroscopic or polariscope to bear on it.

I think the full importance of the inquiry is hardly appreciated by many. Taking the generally accepted theory of the light—that of a lens-shaped disc of luminous matter, with the sun for its centre and a diameter exceeding that of the earth's orbit—its matter, lying as it does in the plane of the elliptic, actually connects us with the sun, and may be the medium through which the solar magnetic forces act upon our own.

The intimate connection between solar outbursts, auroras, and terrestrial magnetism is an established fact.

To the aurora, the zodiacal light is by many conceived to be nearly allied, and I do not think the evidence hitherto adduced against this theory is at all conclusive. The remarkable wave of light seen by Maxwell Hall is strongly in favour of it; and though spectroscopic observations seem to point the other way, they are as yet so scanty in number that it would be as unfair to argue from them the want of connection between the two phenomena, as it would be to assert that the planets have no volcanic fires of their own because they only give us a reflected solar spectrum.

Assume the zodiacal light to consist of solid particles of matter—planet dust—shining by reflected light, and it is not difficult to imagine the aurora playing amongst these tiny worlds, each of which might have its own small magnetic system, swayed like our own by the master magnet, the sun.

So far as my own experience goes I can see no objections to this assumption. Though I have seen the light very brilliant in both its branches, I have never yet found it to have a decided outline. Nor have I been able to trace it either east or west to 180° from the sun. Granting that this can be done, however, the apparent vanishing point of the earth's shadow lies comparatively near us, and far within this again is the point at which the shadow would subtend only a degree or two of arc, and at which it would be very hard to discern mid the feeble light of this portion of the zodiacal light; so that a slight extension of the diameter of the disc would remove any objection that might be raised under this head.

Imagine one of Saturn's moons revolving in an orbit within his belts, and fairly embedded in the matter, which, for the sake of the argument, we must assume to be illuminated by the planet. To inhabitants of that satellite each night would bring a phenomenon closely resembling our zodiacal light, only far more brilliant. At midnight two cones of light would taper upwards east and west, and meet overhead. The brightest portion of each cone would be that along the axis and nearest the horizon. Towards the summit and on the borders, where the line of sight would lie through less depths of matter, the light would gradually fade away, but from the satellite being embedded in the belt, the entire sky would be more or less luminous.

Has it not been noticed on our earth that when the zodiacal light has been seen unusually bright, a "phosphorescence" of the sky was everywhere visible? May this not arise from our solar belt in a somewhat similar manner?

From my personal observations I see no reason to give a lenticular form to the disc. Parallel faces would afford a perspective such as the zodiacal light appears to me.

I would urge observers who may be fortunately situated, not to neglect opportunities. So far as I am able I shall do my best to aid the work of inquiry, and with the powerful instruments that Browning is forwarding me, placed at an elevation of more than 6,000 ft., under the clear skies of our Indian winter, I trust I shall be able to add something to our knowledge of the zodiacal light.

I should feel much indebted to any of your readers who would inform me which is the best adapted polariscope for such researches, and whose (amongst makers) speciality such instruments are.

E. H. PRINGLE

Camp Udapi, South Canara, Oct. 3

Cold Treatment of Gases

ALLOW me to submit to your readers the following sketch of an apparatus for producing extreme cold, by which it might perhaps be practicable to liquefy or even solidify the elementary gases which have hitherto resisted the efforts of chemists.

The gas to be operated on is compressed to any required degree by means of one cylinder, is cooled to the lowest convenient degree in the ordinary way, passes into an expansion cylinder with a properly arranged cut-off, where in expansion its temperature is still further lowered. From the expansion cylinder it returns back to the compression cylinder, extracting the heat from the counter current proceeding from the compression cylinder, so that the latter will be always arriving at the expansion cylinder with a continually decreasing temperature.

As out here I have no possible means of trying whether there is anything in this idea, I offer it to any of your readers who may feel disposed to try it.

Graaff Reinet College, Cape Colony,

T. GUTHRIE

July 19.

The Relation of Man to the Ice-sheet

MR. TIDDEMAN has shown for Yorkshire what I proved six years ago for the South of England in a paper in the *Geological Magazine* (vol. iv. p. 193), that glacial conditions have obtained in this country since its occupation by Palæolithic man. Unfortunately an attempt which I made to explain this coincidence between his result and mine in a letter to the same periodical in February last was rendered abortive by a clerical (or perhaps printer's) error. I would press upon geologists to consider