

Canada West Coast Stocks

v4.41 (Aug-21-2018)

Not present Present Preferred

Stock	Time Series Types			
	B/Bmsy	U/Umsy	B/Bmgt	U/Umgmt
1. BIGSKA3CD [Big skate West Coast Vancouver Island]	TB SSB	ER F	TB SSB	ER F
2. BIGSKA4B [Big skate Strait of Georgia]	TB SSB	ER F	TB SSB	ER F
3. BIGSKA5AB [Big skate Queen Charlotte Sound]	TB SSB	ER F	TB SSB	ER F
4. BIGSKA5CDE [Big skate Hecate Strait]	TB SSB	ER F	TB SSB	ER F
5. BOCACCBCW [Bocaccio British Columbia Waters]	TB SSB	ER F	TB SSB	ER F
6. CROCKWCVANISOGQCI [Canary rockfish West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands]	TB SSB	ER F	TB SSB	ER F
7. ESOLEHS [English sole Hecate Strait]	TB SSB	ER F	TB SSB	ER F
8. EULAPCOASTCCDU [Eulachon Pacific Coast of Canada Central Coast DU]	TB SSB	ER F	TB SSB	ER F
9. EULAPCOASTFRDU [Eulachon Pacific Coast of Canada Fraser River DU]	TB SSB	ER F	TB SSB	ER F
10. EULAPCOASTNSDU [Eulachon Pacific Coast of Canada Nass / Skeena DU]	TB SSB	ER F	TB SSB	ER F
11. HERRCC [Pacific herring Central Coast]	TB SSB	ER F	TB SSB	ER F
12. HERRPRD [Pacific herring Prince Rupert District]	TB SSB	ER F	TB SSB	ER F
13. HERRQCI [Pacific herring Haida Gwaii]	TB SSB	ER F	TB SSB	ER F
14. HERRSOG [Pacific herring Straight of Georgia]	TB SSB	ER F	TB SSB	ER F
15. HERRWCVANI [Pacific herring West Coast of Vancouver Island]	TB SSB	ER F	TB SSB	ER F
16. LINGCODSOG [Lingcod Strait of Georgia]	TB SSB	ER F	TB SSB	ER F
17. LNOSESKA3CD [Longnose skate West Coast Vancouver Island]	TB SSB	ER F	TB SSB	ER F
18. LNOSESKA4B [Longnose Skate Strait of Georgia]	TB SSB	ER F	TB SSB	ER F
19. LNOSESKA5AB [Longnose Skate Queen Charlotte Sound]	TB SSB	ER F	TB SSB	ER F
20. LNOSESKA5CDE [Longnose skate Hecate Strait]	TB SSB	ER F	TB SSB	ER F
21. PANDALSMA14 [Northern shrimp SMA 14]	TB SSB	ER F	TB SSB	ER F
22. PANDALSMA16 [Northern shrimp SMA 16]	TB SSB	ER F	TB SSB	ER F
23. PANDALSMA18-19 [Northern shrimp SMA 18-19]	TB SSB	ER F	TB SSB	ER F
24. PANDALSMARF [Northern shrimp SMA FR]	TB SSB	ER F	TB SSB	ER F
25. PANDALSMAGTSE [Northern shrimp SMA GTSE]	TB SSB	ER F	TB SSB	ER F
26. PANDALSMAPRD [Northern shrimp SMA PRD]	TB SSB	ER F	TB SSB	ER F
27. PCOD5AB [Pacific cod Queen Charlotte Sound]	TB SSB	ER F	TB SSB	ER F
28. PCODHS [Pacific cod Hecate Strait]	TB SSB	ER F	TB SSB	ER F
29. PCODWCVANI [Pacific cod West Coast of Vancouver Island]	TB SSB	ER F	TB SSB	ER F
30. PERCHQCI [Pacific Ocean perch Haida Gwaii]	TB SSB	ER F	TB SSB	ER F
31. PERCHWCVANI [Pacific Ocean perch West Coast of Vancouver Island]	TB SSB	ER F	TB SSB	ER F
32. QROCKPCOASTIN [Quillback rockfish Pacific Coast of Canada (Inside)]	TB SSB	ER F	TB SSB	ER F
33. QROCKPCOASTOUT [Quillback rockfish Pacific Coast of Canada (Outside)]	TB SSB	ER F	TB SSB	ER F

34. RSOLE5AB [Rock sole Queen Charlotte Sound]	TB SSB	ER F	TB SSB	ER F
35. RSOLEHSTR [Rock sole Hecate Strait]	TB SSB	ER F	TB SSB	ER F
36. SABLEFPCAN [Sablefish Pacific Coast of Canada]	TB SSB	ER F	TB SSB	ER F
37. SARDBC [Pacific sardine British Columbia]	TB SSB	ER F	TB SSB	ER F
38. SSHRIMPSMAGTSE [Sidestripe shrimp SMA GTSE]	TB SSB	ER F	TB SSB	ER F
39. SSHRIMPSMAPRD [Sidestripe shrimp SMA PRD]	TB SSB	ER F	TB SSB	ER F
40. SSSHRIMPSMA14 [Sidestripe shrimp SMA 14]	TB SSB	ER F	TB SSB	ER F
41. SSSHRIMPSMA16 [Sidestripe shrimp SMA 16]	TB SSB	ER F	TB SSB	ER F
42. SSSHRIMPSMA18-19 [Sidestripe shrimp SMA 18-19]	TB SSB	ER F	TB SSB	ER F
43. SSSHRIMPSMAFR [Sidestripe shrimp SMA FR]	TB SSB	ER F	TB SSB	ER F
44. YEYEROCKPCOASTIN [Yelloweye rockfish Pacific Coast of Canada (Inside)]	TB SSB	ER F	TB SSB	ER F

Big skate West Coast Vancouver Island [BIGSKA3CD]


Metadata	
Scientific Name	Raja binoculata
Current Assess ID	DFO-PAC-BIGSKA3CD-1954-2011-OSGOOD
Area	West Coast of Vancouver Island
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	37		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Big skate West Coast Vancouver Island [BIGSKA3CD]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Big skate West Coast Vancouver Island [BIGSKA3CD]


TB*




SSB*




TN *





F*



ER*





Recruits*



Big skate West Coast Vancouver Island [BIGSKA3CD]

TC-MT, TL*, RecC* (1954–2011–OSGOOD)

TAC*, Cpair*, Cadv*



CPUE*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Big skate Strait of Georgia [BIGSKA4B]


Metadata	
Scientific Name	Raja binoculata
Current Assess ID	DFO-PAC-BIGSKA4B-1996-2011-OSGOOD
Area	Straight of Georgia
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	10		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Big skate Strait of Georgia [BIGSKA4B]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Big skate Strait of Georgia [BIGSKA4B]

TB*



SSB*




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Big skate Strait of Georgia [BIGSKA4B]

TC-MT, TL*, RecC* (1996–2011–OSGOOD)

TAC*, Cpair*, Cadv*



survB*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |


Big skate Queen Charlotte Sound [BIGSKA5AB]

Metadata	
Scientific Name	Raja binoculata
Current Assess ID	DFO-PAC-BIGSKA5AB-1954-2011-OSGOOD
Area	Queen Charlotte Sound
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	299		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*



◆ Start Year ♦ End Year * No Data

Big skate Queen Charlotte Sound [BIGSKA5AB]

TB*



SSB*




TN *




F*



ER*



Recruits*





- | | | | | | |
|-------|--------------------|-------|------------|---|---------|
| ■ | Listed time series | - - - | Target BRP | — | Rec-Est |
| - - - | MSY-based BRP | - - - | Lim BRP | ■ | No Data |

Big skate Queen Charlotte Sound [BIGSKA5AB]

TC-MT, TL*, RecC* (1954–2011–OSGOOD)


TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Big skate Hecate Strait [BIGSKA5CDE]


Metadata	
Scientific Name	Raja binoculata
Current Assess ID	DFO-PAC-BIGSKA5CDE-1954-2011-OSGOOD
Area	Hecate Strait
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2011	351
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	628		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Big skate Hecate Strait [BIGSKA5CDE]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Big skate Hecate Strait [BIGSKA5CDE]

TB*



SSB*




TN *




F*



ER*



Recruits*





- | | | | | | |
|-------|--------------------|-------|------------|---|---------|
| ■ | Listed time series | - - - | Target BRP | — | Rec-Est |
| - - - | MSY-based BRP | - - - | Lim BRP | ■ | No Data |

Big skate Hecate Strait [BIGSKA5CDE]

TC-MT, TL*, RecC* (1954–2011–OSGOOD)

TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Bocaccio British Columbia Waters [BOCACCBCW]

Metadata	
Scientific Name	Sebastes paucispinis
Current Assess ID	DFO-PAC-BOCACCBCW-1935-2012-CHING
Area	British Columbia Waters
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TB_msy	TB _m sy-MT	2012	26,165
SSB_msy	-	-	-
F_msy	-	-	-
ER_msy	-	-	-
TB_mgt	-	-	-
SSB_mgt	-	-	-
F_mgt	-	-	-
ER_mgt	-	-	-
TB₀	-	-	-
SSB₀	-	-	-
MSY	-	-	-
M	-	-	-
TB_{lim}	-	-	-
SSB_{lim}	-	-	-
F_{lim}	-	-	-
ER_{lim}	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	1880	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2012	0.073	-	-	
TC	TC-MT	2012	138			
TL	-	-	-			
TB/TB_msy	TB-MT/TB _m sy-MT	2012	0.072			
SSB/SSB_msy	-	-	-			
F/F_msy	-	-	-			
ER/ER_msy	-	-	-			
TB/TB_mgt	-	-	-			
SSB/SSB_mgt	-	-	-			
F/F_mgt	-	-	-			
ER/ER_mgt	-	-	-			

Kobe MSY*

Kobe MGT*


Spawner Recruit*

Production (1935–2012–CHING)




Bocaccio British Columbia Waters [BOCACCBCW]


TB-MT (1935–2012-CHING)




SSB*




TN *



F*



ER-calc-ratio (1935–2012-CHING)



Recruits*




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | ··· Lim BRP | ■ No Data |

Bocaccio British Columbia Waters [BOCACCBCW]


TC-MT, TL*, RecC* (1935–2012–CHING)

TAC*, Cpair*, Cadv*




survB*


MSY*, MORAT*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Canary rockfish West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands [CROCKWCVANISOGQCI]


Metadata	
Scientific Name	Sebastes pinniger
Current Assess ID	DFO-CROCKWCVANISOGQCI-1945-2009-STANTON
Area	West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2009	5851
SSBmsy	SSBmsy-MT	2009	1988
Fmsy	-	-	-
ERrmsy	ERrmsy-ratio	2009	0.122
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2009	714
M	M-1/yr	2009	0.06
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2009	8890	-	14
SSB	SSB-MT	2009	2730	Females	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	ER-ratio	2009	0.09	-	-
TC	TC-MT	2009	800		
TL	-	-	-		
TB/TBmsy	TB-MT/TBmsy-calc-MT	2009	1.519		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2009	1.373		
F/Fmsy	-	-	-		
ER/ERrmsy	ER-ratio/ERrmsy-ratio	2009	0.738		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Canary rockfish West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands [CROCKWCVANISOGQCI]

Kobe MSYpref (1945–2009-STANTON)




Kobe MGTpref (1945–2009-STANTON)



Spawner Recruit*

Production (1945–2009-STANTON)





◆ Start Year ♦ End Year * No Data

Canary rockfish West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands [CROCKWCVANISOGQCI]



TB-MT (1945–2009-STANTON)

SSB-MT (1945–2009-STANTON)



ER-ratio (1945–2009-STANTON)

Recruits*




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | ··· Lim BRP | ■ No Data |


Canary rockfish West Coast of Vancouver Island and Straight of Georgia and Queen Charlotte Islands [CROCKWCVANISOGQCI]

TC-MT, TL*, RecC* (1945–2009-STANTON)


TAC*, Cpair*, Cadv*




survB*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

English sole Hecate Strait [ESOLEHS]

Metadata	
Scientific Name	Parophrys vetulus
Current Assess ID	DFO-PAC-ESOLEHS-1944-2001-COLLIE
Area	Hecate Strait
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2001

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2001	0.2
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2001	3410	-	4+	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	R-E00	2001	2,040,000	-	4	
F	F-1/yr	2001	0.16	-	-	
ER	ER-ratio	2001	0.122	-	-	
TC	-	-	-			
TL	TL-MT	2001	414			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


English sole Hecate Strait [ESOLEHS]

Kobe MSY*

Kobe MGT*

Spawner Recruit*

Production (1944–2001–COLLIE)




◆ Start Year ◆ End Year * No Data

English sole Hecate Strait [ESOLEHS]


TB-MT (1944–2001–COLLIE)

SSB*





TN *

F-1/yr (1944–2001–COLLIE)



ER-ratio (1944–2001–COLLIE)

R-E00 (1944–2001–COLLIE)




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ··· Lim BRP | ■ No Data |

English sole Hecate Strait [ESOLEHS]


TL-MT, TC*, RecC* (1944–2001-COLLIE)

TAC*, Cpair*, Cadv*




MSY*, MORAT*


survB*



CPUE*



EFFORT*



Eulachon Pacific Coast of Canada Central Coast DU [EULAPCOASTCCDU]


Metadata	
Scientific Name	Thaleichthys pacificus
Current Assess ID	DFO-EULAPCOASTCCDU-1951-2012-WATSON
Area	Pacific Coast of Canada Central Coast Designatable Unit
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	76	-	-	
SSB	-	-	-	-	-	
TN	TN-index	2012	14	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	-	-	-	-	-	
TC	-	-	-			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Eulachon Pacific Coast of Canada Central Coast DU [EULAPCOASTCCDU]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*



◆ Start Year ◆ End Year * No Data

Eulachon Pacific Coast of Canada Central Coast DU [EULAPCOASTCCDU]


TB-MT (1951–2012–WATSON)




SSB*




TN-index (1951–2012–WATSON)




F*



ER*



Recruits*



- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | ■ No Data |

TC*, TL*, RecC*

TAC*, Cpair*, Cadv*





survB*



CPUE*



EFFORT*



Eulachon Pacific Coast of Canada Fraser River DU [EULAPCOASTFRDU]

Metadata	
Scientific Name	Thaleichthys pacificus
Current Assess ID	DFO-EULAPCOASTFRDU-1900-2012-WATSON
Area	Pacific Coast of Canada Fraser River Designatable Unit
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2012	112
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	48	-	-	
SSB	-	-	-	-	-	
TN	TN-index	2012	6	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2012	0.002	-	-	
TC	TC-MT	2012	0.1			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Eulachon Pacific Coast of Canada Fraser River DU [EULAPCOASTFRDU]

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1900–2012–WATSON)




◆ Start Year ♦ End Year * No Data

Eulachon Pacific Coast of Canada Fraser River DU [EULAPCOASTFRDU]


TB-MT (1900–2012–WATSON)




SSB*




TN-index (1900–2012–WATSON)



F*



ER-calc-ratio (1900–2012–WATSON)



Recruits*




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |


Eulachon Pacific Coast of Canada Fraser River DU [EULAPCOASTFRDU]

TC-MT, TL*, RecC* (1900–2012-WATSON)


TAC*, Cpair*, Cadv*




survB*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Eulachon Pacific Coast of Canada Nass / Skeena DU [EULAPCOASTNSDU]

Metadata	
Scientific Name	Thaleichthys pacificus
Current Assess ID	DFO-EULAPCOASTNSDU-1951-2012-WATSON
Area	Pacific Coast of Canada Nass / Skeena Designatable Unit
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	71	-	-	
SSB	-	-	-	-	-	
TN	TN-index	2012	36	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	-	-	-	-	-	
TC	-	-	-			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*


Spawner Recruit*

Production*

◆ Start Year ♦ End Year * No Data

Eulachon Pacific Coast of Canada Nass / Skeena DU [EULAPCOASTNSDU]


TB-MT (1951–2012–WATSON)




SSB*




TN-index (1951–2012–WATSON)




F*



ER*



Recruits*



- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | ■ No Data |

TC*, TL*, RecC*

TAC*, Cpair*, Cadv*




survB*



CPUE*



EFFORT*




- | | | | | | |
|---|------------------------|-------|------------------------|---|---------|
| ■ | 1st listed time series | ▲ | 3rd listed time series | — | MORAT |
| ● | 2nd listed time series | - - - | MSY | * | No Data |

Pacific herring Central Coast [HERRCC]

Metadata	
Scientific Name	Clupea pallasi
Current Assess ID	DFO-HERRCC-1951-2015-WATSON
Area	Central Coast
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2015, 2007


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	48,900	-	-	
SSB	SSB-MT	2015	24,400	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	2.78×10^8	-	-	
F	F-1/yr	2007	0.033	-	-	
ER	ER-calc-ratio	2015	0.013	-	-	
TC	TC-MT	2015	626			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Kobe MSY***Kobe MGT***

Pacific herring Central Coast [HERRCC]

TB-MT (1951–2015–WATSON)



SSB-MT (1951–2015–WATSON)




TN *

SSBm_sy*, SSBm_{gt}*, SSBlim*

F-1/yr (1951–2007–COLLIE)


Fm_sy*, Fm_{gt}*, Film*

ER-calc-ratio (1951–2015–WATSON)



ERm_sy*, ERm_{gt}*, ERlim*

R-E00 (1951–2015–WATSON)







REC-EST*

- | | | | | | |
|---------------------------------------|--------------------|--------------------------------------|------------|--------------------------------------|---------|
| ■ | Listed time series | — | Target BRP | — | Rec-Est |
| — | MSY-based BRP | — | Lim BRP | ■ | No Data |


Pacific herring Central Coast [HERRCC]

TC-MT, TL*, RecC* (1951–2015–WATSON)

TAC*, Cpair*, Cadv*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Pacific herring Prince Rupert District [HERRPRD]


Metadata	
Scientific Name	Clupea pallasi
Current Assess ID	DFO-HERRPRD-1951-2015-WATSON
Area	Prince Rupert District
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2015, 2007

Reference Points			
Type	ID	Asmt Year	Value
TBm sy	-	-	-
SSBm sy	-	-	-
Fm sy	-	-	-
ERm sy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	56,300	-	-	
SSB	SSB-MT	2015	17,500	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	5.23×10^8	-	-	
F	F-1/yr	2007	0.04	-	-	
ER	ER-calc-ratio	2015	0.038	-	-	
TC	TC-MT	2015	2160			
TL	-	-	-			
TB/TBm sy	-	-	-			
SSB/SSBm sy	-	-	-			
F/Fm sy	-	-	-			
ER/ERm sy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*




Kobe MGT*





Pacific herring Prince Rupert District [HERRPRD]

TB-MT (1951–2015–WATSON)

SSB-MT (1951–2015–WATSON)



ER-calc-ratio (1951–2015–WATSON)








- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |

Pacific herring Prince Rupert District [HERRPRD]

TC-MT, TL*, RecC* (1951–2015—WATSON)

TAC*, Cpair*, Cadv*




- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Pacific herring Haida Gwaii [HERRQCI]

Metadata	
Scientific Name	Clupea pallasii
Current Assess ID	DFO-HERRQCI-1951-2015-WATSON
Area	Queen Charlotte Islands
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2015, 2007


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	27,200	-	-	
SSB	SSB-MT	2015	11,100	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	1.03×10^8	-	-	
F	F-1/yr	2007	0	-	-	
ER	ER-calc-ratio	2015	0	-	-	
TC	TC-MT	2015	0			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			



Kobe MSY***Kobe MGT***

Pacific herring Haida Gwaii [HERRQCI]


TB-MT (1951–2015–WATSON)




SSB-MT (1951–2015–WATSON)



ER-calc-ratio (1951–2015–WATSON)



R-E00 (1951–2015–WATSON)






- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |


Pacific herring Haida Gwaii [HERRQCI]

TC-MT, TL*, RecC* (1951–2015–WATSON)

TAC*, Cpair*, Cadv*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Pacific herring Straight of Georgia [HERRSOG]


Metadata	
Scientific Name	Clupea pallasi
Current Assess ID	DFO-HERRSOG-1951-2015-WATSON
Area	Straight of Georgia
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2015, 2007

Reference Points			
Type	ID	Asmt Year	Value
TBm sy	-	-	-
SSBm sy	-	-	-
Fm sy	-	-	-
ERm sy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	232,000	-	-	
SSB	SSB-MT	2015	92,700	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	1.88×10^9	-	-	
F	F-1/yr	2007	0.113	-	-	
ER	ER-calc-ratio	2015	0.086	-	-	
TC	TC-MT	2015	20,000			
TL	-	-	-			
TB/TBm sy	-	-	-			
SSB/SSBm sy	-	-	-			
F/Fm sy	-	-	-			
ER/ERm sy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*





Kobe MGT*



Pacific herring Strait of Georgia [HERRSOG]



TB-MT (1951–2015–WATSON)

SSB-MT (1951–2015–WATSON)



ER-calc-ratio (1951–2015–WATSON)

ERmsy*, ERmg*, ERlim*









- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ··· Lim BRP | ■ No Data |

Pacific herring Straight of Georgia [HERRSOG]

TC-MT, TL*, RecC* (1951–2015–WATSON)

TAC*, Cpair*, Cadv*



Pacific herring West Coast of Vancouver Island [HERRWCVANI]

Metadata	
Scientific Name	Clupea pallasi
Current Assess ID	DFO-HERRWCVANI-1951-2015-WATSON
Area	West Coast of Vancouver Island
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2015, 2007


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2015	56,400	-	-	
SSB	SSB-MT	2015	12,100	-	-	
TN	-	-	-	-	-	
R	R-E00	2015	6.39×10^8	-	-	
F	F-1/yr	2007	0	-	-	
ER	ER-calc-ratio	2015	0	-	-	
TC	TC-MT	2015	0			
TL	-	-	-			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific herring West Coast of Vancouver Island [HERRWCVANI]

Kobe MSY*




Kobe MGT*



Pacific herring West Coast of Vancouver Island [HERRWCVANI]



TB-MT (1951–2015–WATSON)

SSB-MT (1951–2015–WATSON)



ER-calc-ratio (1951–2015–WATSON)

R-E00 (1951–2015–WATSON)






■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	··· Lim BRP	■ No Data

Pacific herring West Coast of Vancouver Island [HERRWCVANI]

TC-MT, TL*, RecC* (1951–2015-WATSON)

TAC*, Cpair*, Cadv*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Lingcod Strait of Georgia [LINGCODSOG]


Metadata	
Scientific Name	Ophiodon elongatus
Current Assess ID	DFO-PAC-LINGCODSOG-1927-2014-OSGOOD
Area	Straight of Georgia
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2014	15,924
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2014	12,739
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2014	763
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	SSB-MT	2014	7120	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2014	44		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2014	0.447		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2014	0.559		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Lingcod Strait of Georgia [LINGCODSOG]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Lingcod Strait of Georgia [LINGCODSOG]

TB*



SSB-MT (1927–2014–OSGOOD)




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | — Lim BRP | ■ No Data |

Lingcod Strait of Georgia [LINGCODSOG]

TC-MT, TL*, RecC* (1927–2014–OSGOOD)

TAC*, Cpair*, Cadv*



survB*

CPUE*

EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Longnose skate West Coast Vancouver Island [LNOSESKA3CD]


Metadata	
Scientific Name	Raja rhina
Current Assess ID	DFO-PAC-LNOSESKA3CD-1954-2011-OSGOOD
Area	West Coast of Vancouver Island
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	286		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Longnose skate West Coast Vancouver Island [LNOSESKA3CD]


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*



◆ Start Year ♦ End Year * No Data

Longnose skate West Coast Vancouver Island [LNOSESKA3CD]

TB*



SSB*




TN *




F*



ER*



Recruits*





- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Longnose skate West Coast Vancouver Island [LNOSESKA3CD]

TC-MT, TL*, RecC* (1954–2011–OSGOOD)


TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |


Longnose Skate Strait of Georgia [LNOSESKA4B]

Metadata	
Scientific Name	Raja rhina
Current Assess ID	DFO-PAC-LNOSESKA4B-1996-2011-OSGOOD
Area	Straight of Georgia
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	1.5		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*



◆ Start Year ♦ End Year * No Data

Longnose Skate Strait of Georgia [LNOSESKA4B]

TB*



SSB*




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Longnose Skate Strait of Georgia [LNOSESKA4B]

TC-MT, TL*, RecC* (1996–2011–OSGOOD)

TAC*, Cpair*, Cadv*



survB*

MSY*, MORAT*

CPUE*

EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Longnose Skate Queen Charlotte Sound [LNOSESKA5AB]

Metadata	
Scientific Name	Raja rhina
Current Assess ID	DFO-PAC-LNOSESKA5AB-1954-2012-OSGOOD
Area	Queen Charlotte Sound
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2012	115		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Longnose Skate Queen Charlotte Sound [LNOSESKA5AB]

Kobe MSY*

Kobe MGT*

Spawner Recruit*

Production*

◆ Start Year ♦ End Year * No Data

Longnose Skate Queen Charlotte Sound [LNOSESKA5AB]

TB*



SSB*




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Longnose Skate Queen Charlotte Sound [LNOSESKA5AB]


TC-MT, TL*, RecC* (1954–2012–OSGOOD)

TAC*, Cpair*, Cadv*



survB–fishperE02hooks (1954–2012–OSGOOD)

CPUE*



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Longnose skate Hecate Strait [LNOSESKA5CDE]


Metadata	
Scientific Name	Raja rhina
Current Assess ID	DFO-PAC-LNOSESKA5CDE-1954-2011-OSGOOD
Area	Hecate Strait
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2011	73		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Longnose skate Hecate Strait [LNOSESKA5CDE]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Longnose skate Hecate Strait [LNOSESKA5CDE]


TB*




SSB*




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |


Longnose skate Hecate Strait [LNOSESKA5CDE]

TC-MT, TL*, RecC* (1954–2011–OSGOOD)

TAC*, Cpair*, Cadv*



MSY*, MORAT*



EFFORT*

CPUE*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Northern shrimp SMA 14 [PANDALSMA14]

Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMA14-1987-2011-WATSON
Area	Shrimp Management Area 14
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	130	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.142	-	-	
TC	-	-	-			
TL	TL-MT	2011	60			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1987–2011–WATSON)




◆ Start Year ♦ End Year * No Data

Northern shrimp SMA 14 [PANDALSMA14]


TB-MT (1987–2011–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*








- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |

Northern shrimp SMA 14 [PANDALSMA14]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data


Northern shrimp SMA 16 [PANDALSMA16]

Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMA16-1987-2011-WATSON
Area	Shrimp Management Area 16
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	94	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.318	-	-	
TC	-	-	-			
TL	TL-MT	2011	36			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*



◆ Start Year ◆ End Year * No Data

Northern shrimp SMA 16 [PANDALSMA16]


TB-MT (1987–2011–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*








- Listed time series - - - Target BRP — Rec-Est
- - MSY-based BRP - - Lim BRP ■ No Data

Northern shrimp SMA 16 [PANDALSMA16]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data


Northern shrimp SMA 18-19 [PANDALSMA18-19]

Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMA18-19-1987-2011-WATSON
Area	Shrimp Management Areas 18 and 19
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	56	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0	-	-	
TC	-	-	-			
TL	TL-MT	2011	0			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Northern shrimp SMA 18–19 [PANDALSMA18–19]


TB-MT (1987–2011–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | ··· Lim BRP | ■ No Data |

Northern shrimp SMA 18–19 [PANDALSMA18–19]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Northern shrimp SMA FR [PANDALSMAR]

Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMAR-1987-2011-WATSON
Area	Shrimp Management Area FR
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	216	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.25	-	-	
TC	-	-	-			
TL	TL-MT	2011	72			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Northern shrimp SMA FR [PANDALSMAFR]

Kobe MSY*


Kobe MGT*



Spawner Recruit*




Production (1987–2011–WATSON)



◆ Start Year ◆ End Year * No Data

Northern shrimp SMA FR [PANDALSMAFR]

TB-MT (1987–2011–WATSON)



SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*





- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |

Northern shrimp SMA FR [PANDALSMAFR]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Northern shrimp SMA GTSE [PANDALSMAGTSE]


Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMAGTSE-1990-2012-WATSON
Area	Shrimp Management Area GTSE
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2012	243	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2012	0.147	-	-	
TC	-	-	-			
TL	TL-MT	2012	55			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Northern shrimp SMA GTSE [PANDALSMAGTSE]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Northern shrimp SMA GTSE [PANDALSMAGTSE]


TB-MT (1990–2012–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1990–2012–WATSON)



Recruits*








- Listed time series - - - Target BRP — Rec-Est
- - MSY-based BRP - - Lim BRP ■ No Data

Northern shrimp SMA GTSE [PANDALSMAGTSE]

TL-MT, TC*, RecC* (1990–2012-WATSON)

TAC-MT, Cpair-MT, Cadv* (1990–2012-WATSON)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Northern shrimp SMA PRD [PANDALSMAPRD]

Metadata	
Scientific Name	Pandalus borealis
Current Assess ID	DFO-PANDALSMAPRD-1987-2011-WATSON
Area	Shrimp Management Area PRD
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	1210	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.023	-	-	
TC	-	-	-			
TL	TL-MT	2011	26			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1987–2011–WATSON)



◆ Start Year ◆ End Year * No Data

Northern shrimp SMA PRD [PANDALSMAPRD]


TB-MT (1987–2011–WATSON)




SSB*




TN *





F*



ER-calc-ratio (1987–2011–WATSON)





Recruits*



Northern shrimp SMA PRD [PANDALSMAPRD]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Pacific cod Queen Charlotte Sound [PCOD5AB]

Metadata	
Scientific Name	Gadus macrocephalus
Current Assess ID	DFO-PAC-PCOD5AB-1945-2014-OSGOOD
Area	Queen Charlotte Sound
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	TB0-MT	2014	9416
SSB0	-	-	-
MSY	MSY-MT	2014	763
M	M-1/yr	2014	0.426
TBlim	-	-	-
SSBlim	-	-	-
Flim	Flim-1/yr	2014	0.21
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	1340	Both	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	R-E00	2014	459,000	Both	-
F	F-1/yr	2014	0.334	-	-
ER	ER-calc-ratio	2014	0.186	-	-
TC	TC-MT	2014	178		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1945–2014–OSGOOD)




◆ Start Year ◆ End Year * No Data

Pacific cod Queen Charlotte Sound [PCOD5AB]


TB-MT (1945–2014–OSGOOD)




SSB*



ER-calc-ratio (1945–2014–OSGOOD)



R-E00 (1945–2014–OSGOOD)






■ Listed time series	— Target BRP	— Rec-Est
- - MSY-based BRP	--- Lim BRP	■ No Data

Pacific cod Queen Charlotte Sound [PCOD5AB]

TC-MT, TL*, RecC* (1945–2014–OSGOOD)

TAC-MT, Cpair-MT, Cadv* (1945–2014–OSGOOD)



EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific cod Hecate Strait [PCODHS]


Metadata	
Scientific Name	Gadus macrocephalus
Current Assess ID	DFO-PAC-PCODHS-1944-2014-OSGOOD
Area	Hecate Strait
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2014, 2005

Reference Points			
Type	ID	Asmt Year	Value
TB_ms_y	TB _m s _y -MT	2005	8861
SSB_ms_y	-	-	-
F_ms_y	F _m s _y -1/yr	2005	0.354
ER_ms_y	-	-	-
TB_mgt	TB _m gt-MT	2014	19,258
SSB_mgt	-	-	-
F_mgt	-	-	-
ER_mgt	-	-	-
TB₀	TB ₀ -MT	2014	41,949
SSB₀	-	-	-
MSY	MSY-MT	2014	3313
M	M-1/yr	2014	0.393
TB_{lim}	TB _{lim} -MT	2014	12,182
SSB_{lim}	-	-	-
Flim	Flim-1/yr	2014	0.22
ER_{lim}	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	16,800	Both	-
SSB	-	-	-	-	-
TN	TN-E00	2005	5,550,000	-	-
R	R-E00	2014	0	Both	-
F	F-1/yr	2014	0.053	-	-
ER	ER-calc-ratio	2014	0.055	-	-
TC	TC-MT	2014	701		
TL	TL-MT	2005	400		
TB/TB_ms_y	TB-MT/TB _m s _y -MT	2005	1.196		
SSB/SSB_ms_y	-	-	-		
F/F_ms_y	F-1/yr/F _m s _y -1/yr	2005	0.219		
ER/ER_ms_y	-	-	-		
TB/TB_mgt	TB-MT/TB _m gt-MT	2014	0.872		
SSB/SSB_mgt	-	-	-		
F/F_mgt	-	-	-		
ER/ER_mgt	-	-	-		

Pacific cod Hecate Strait [PCODHS]


Kobe MSYpref (1956–2005–COLLIE)




Kobe MGTPref (1956–2005–COLLIE)



Spawner Recruit*




Production (1944–2014–OSGOOD)




◆ Start Year ♦ End Year * No Data

Pacific cod Hecate Strait [PCODHS]


TB-MT (1944–2014–OSGOOD)




SSB*




TN-E00 (1956–2005–COLLIE)




F-1/yr (1956–2005–COLLIE)



ER-calc-ratio (1944–2014–OSGOOD)



R-E00 (1944–2014–OSGOOD)







- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | ■ No Data |

Pacific cod Hecate Strait [PCODHS]

TC-MT, TL*, RecC* (1944–2014–OSGOOD)

TAC-MT, Cpair-MT, Cadv* (1944–2014–OSGOOD)



EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Pacific cod West Coast of Vancouver Island [PCODWCVANI]


Metadata	
Scientific Name	Gadus macrocephalus
Current Assess ID	DFO-PAC-PCODWCVANI-1956-2002-COLLIE
Area	West Coast of Vancouver Island
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2002

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2002	6731
SSBmsy	-	-	-
Fmsy	Fmsy-1/yr	2002	0.226
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2002	0.579
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2002	6980	-	2+	
SSB	-	-	-	-	-	
TN	TN-E00	2002	5,140,000	-	-	
R	R-E00	2002	2,190,000	-	2	
F	F-1/yr	2002	0.106	Both	2+	
ER	ER-ratio	2002	0.075	-	-	
TC	-	-	-			
TL	TL-MT	2002	339			
TB/TBmsy	TB-MT/TBmsy-MT	2002	1.037			
SSB/SSBmsy	-	-	-			
F/Fmsy	F-1/yr/Fmsy-1/yr	2002	0.469			
ER/ERmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Pacific cod West Coast of Vancouver Island [PCODWCVANI]

Kobe MSYpref (1956–2002–COLLIE)





Kobe MGTPref (1956–2002–COLLIE)



Spawner Recruit*


Production (1956–2002–COLLIE)




◆ Start Year ♦ End Year * No Data

Pacific cod West Coast of Vancouver Island [PCODWCVANI]


TB-MT (1956–2002–COLLIE)




SSB*




TN-E00 (1956–2002–COLLIE)





F-1/yr (1956–2002–COLLIE)



ER-ratio (1956–2002–COLLIE)





R-E00 (1956–2002–COLLIE)



Pacific cod West Coast of Vancouver Island [PCODWCVANI]

TL-MT, TC*, RecC* (1956–2002-COLLIE)

TAC*, Cpair*, Cadv*



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Pacific Ocean perch Haida Gwaii [PERCHQCI]


Metadata	
Scientific Name	Sebastodes alutus
Current Assess ID	DFO-PERCHQCI-1939-2013-WATSON
Area	Queen Charlotte Islands
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2013

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2013	14,056
SSBmsy	SSBmsy-MT	2013	7304
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2013	0.109
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2013	31,242
MSY	MSY-MT	2013	1488
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2013	19,300	Both	-
SSB	SSB-MT	2013	11,300	Females	10 to 20
TN	-	-	-	-	-
R	R-E00	2013	4,020,000	-	1
F	-	-	-	-	-
ER	ER-ratio	2013	0.053	-	-
TC	TC-MT	2013	584		
TL	-	-	-		
TB/TBmsy	TBdivTBmsy-dimensionless	2013	1.53		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2013	1.547		
F/Fmsy	-	-	-		
ER/ERmsy	ERdivERmsy-dimensionless	2013	0.482		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pacific Ocean perch Haida Gwaii [PERCHQCI]


Kobe MSYpref (1939–2013–WATSON)




Kobe MGTpref (1939–2013–WATSON)



Spawner Recruit (1939–2013–WATSON)



Production (1939–2013–WATSON)






◆ Start Year ◆ End Year * No Data

Pacific Ocean perch Haida Gwaii [PERCHQCI]



TB-MT (1939–2013–WATSON)

SSB-MT (1939–2013–WATSON)



ER-ratio (1939–2013–WATSON)

R-E00 (1939–2013–WATSON)







- | | | |
|----------------------|---------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |


Pacific Ocean perch Haida Gwaii [PERCHQCI]

TC-MT, TL*, RecC* (1939–2013-WATSON)

TAC-MT, Cpair*, Cadv* (1939–2013-WATSON)



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Pacific Ocean perch West Coast of Vancouver Island [PERCHWCVANI]


Metadata	
Scientific Name	Sebastodes alutus
Current Assess ID	DFO-PERCHWCVANI-1939-2013-WATSON
Area	West Coast of Vancouver Island
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2013

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2013	11,729
SSBmsy	SSBmsy-MT	2013	5809
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2013	0.091
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2013	21,442
MSY	MSY-MT	2013	1048
M	-	-	-
TBlim	-	-	-
SSBlim	SSBlim-MT	2013	2324
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2013	16,400	Both	-
SSB	SSB-MT	2013	8740	Females	10 to 20
TN	-	-	-	-	-
R	R-E00	2013	3,160,000	-	1
F	-	-	-	-	-
ER	ER-ratio	2013	0.035	-	-
TC	TC-MT	2013	382		
TL	-	-	-		
TB/TBmsy	TBdivTBmsy-dimensionless	2013	1.53		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2013	1.505		
F/Fmsy	-	-	-		
ER/ERmsy	ERdivERmsy-dimensionless	2013	0.384		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pacific Ocean perch West Coast of Vancouver Island [PERCHWCVANI]


Kobe MSYpref (1939–2013–WATSON)




Kobe MGTpref (1939–2013–WATSON)



Spawner Recruit (1939–2013–WATSON)



Production (1939–2013–WATSON)







- ◆ Start Year
- ◆ End Year
- * No Data

Pacific Ocean perch West Coast of Vancouver Island [PERCHWCVANI]



TB-MT (1939–2013–WATSON)

SSB-MT (1939–2013–WATSON)



ER-ratio (1939–2013–WATSON)

R-E00 (1939–2013–WATSON)






- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | - - Lim BRP | ■ No Data |

Pacific Ocean perch West Coast of Vancouver Island [PERCHWCVANI]

TC-MT, TL*, RecC* (1939–2013-WATSON)

TAC-MT, Cpair*, Cadv* (1939–2013-WATSON)



EFFORT*



- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |

Quillback rockfish Pacific Coast of Canada (Inside) [QROCKPCOASTIN]

Metadata	
Scientific Name	Sebastodes maliger
Current Assess ID	DFO-QROCKPCOASTIN-1918-2010-WATSON
Area	Pacific Coast of Canada (Inside)
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2010	144
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2010	34		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Quillback rockfish Pacific Coast of Canada (Inside) [QROCKPCOASTIN]

Kobe MSY*

Kobe MGT*


Spawner Recruit*

Production*


◆ Start Year ♦ End Year * No Data

Quillback rockfish Pacific Coast of Canada (Inside) [QROCKPCOASTIN]


TB*




SSB*




TN *




F*



ER*



Recruits*







- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Quillback rockfish Pacific Coast of Canada (Inside) [QROCKPCOASTIN]

TC-MT, TL*, RecC* (1918–2010-WATSON)

TAC*, Cpair*, Cadv*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Quillback rockfish Pacific Coast of Canada (Outside) [QROCKPCOASTOUT]


Metadata	
Scientific Name	Sebastodes maliger
Current Assess ID	DFO-QROCKPCOASTOUT-1918-2010-WATSON
Area	Pacific Coast of Canada (Outside)
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2010	462
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2010	159		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Quillback rockfish Pacific Coast of Canada (Outside) [QROCKPCOASTOUT]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Quillback rockfish Pacific Coast of Canada (Outside) [QROCKPCOASTOUT]


TB*




SSB*




TN *




F*



ER*



Recruits*




- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Quillback rockfish Pacific Coast of Canada (Outside) [QROCKPCOASTOUT]

TC-MT, TL*, RecC* (1918–2010-WATSON)

TAC*, Cpair*, Cadv*



survB*

MSY-MT, MORAT*

CPUE*

EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Rock sole Queen Charlotte Sound [RSOLE5AB]


Metadata	
Scientific Name	Lepidopsetta bilineata
Current Assess ID	DFO-PAC-RSOLE5AB-1944-2014-OSGOOD
Area	Queen Charlotte Sound
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2014	2192
SSBmsy	SSBmsy-MT	2014	1833
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2014	0.239
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2014	1467
Fmgt	-	-	-
ERmgt	ERmgt-ratio	2014	0.188
TB0	-	-	-
SSB0	SSB0-MT	2014	7479
MSY	MSY-MT	2014	524
M	M-1/yr	2014	0.251
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	-	-	-	-	-	
SSB	SSB-MT	2014	2780	Females	5.6	
TN	-	-	-	-	-	
R	R-E00	2014	2,630,000	Females	-	
F	-	-	-	-	-	
ER	ER-ratio	2014	0.11	Females	-	
TC	TC-MT	2014	362			
TL	TL-MT	2014	337			
TB/TBmsy	-	-	-			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2014	1.517			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2014	0.46			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2014	1.895			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Rock sole Queen Charlotte Sound [RSOLE5AB]


Kobe MSYpref (1944–2014–OSGOOD)



Kobe MGTpref (1944–2014–OSGOOD)



Spawner Recruit (1944–2014–OSGOOD)



Production*




◆ Start Year ◆ End Year * No Data

Rock sole Queen Charlotte Sound [RSOLE5AB]

TB*



SSB-MT (1944–2014–OSGOOD)




TN *





F*



ER-ratio (1944–2014–OSGOOD)







R-E00 (1944–2014–OSGOOD)



Rock sole Queen Charlotte Sound [RSOLE5AB]

TC-MT, TL-MT, RecC* (1944–2014–OSGOOD)

TAC-MT, Cpair-MT, Cadv* (1944–2014–OSGOOD)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data


Rock sole Hecate Strait [RSOLEHSTR]

Metadata	
Scientific Name	Lepidopsetta bilineata
Current Assess ID	DFO-PAC-RSOLEHSTR-1945-2014-OSGOOD
Area	Hecate Strait
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2001, 2014


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2014	3738
SSBmsy	SSBmsy-MT	2014	4853
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2014	0.507
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2014	3883
Fmgt	-	-	-
ERmgt	ERmgt-ratio	2014	0.122
TB0	-	-	-
SSB0	SSB0-MT	2014	19,329
MSY	MSY-MT	2014	1895
M	M-1/yr	2014	0.251
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2001	4850	-	4+	
SSB	SSB-MT	2014	15,400	Females	5.6	
TN	-	-	-	-	-	
R	R-E00	2014	17,000	-	-	
F	F-1/yr	2001	0.126	-	-	
ER	ER-ratio	2014	0.039	Females	-	
TC	TC-MT	2014	594			
TL	TL-MT	2014	500			
TB/TBmsy	-	-	-			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2014	3.173			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2014	0.077			
TB/TBmgt	-	-	-			
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2014	3.966			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Rock sole Hecate Strait [RSOLEHSTR]




Kobe MGTpref (1945–2014–OSGOOD)



Spawner Recruit (1945–2014–OSGOOD)



Production (1945–2001–COLLIE)








◆ Start Year ◆ End Year * No Data

Rock sole Hecate Strait [RSOLEHSTR]

TB-MT (1945–2001–COLLIE)

SSB-MT (1945–2014–OSGOOD)







■ Listed time series	— Target BRP	— Rec-Est
- - - MSY-based BRP	- - Lim BRP	■ No Data

Rock sole Hecate Strait [RSOLEHSTR]

TC-MT, TL-MT, RecC* (1945–2014–OSGOOD)

TAC-MT, Cpair-MT, Cadv* (1945–2014–OSGOOD)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Sablefish Pacific Coast of Canada [SABLEFPCAN]


Metadata	
Scientific Name	Anoplopoma fimbria
Current Assess ID	DFO-PAC-SABLEFPCAN-1913-2010-HIVELY
Area	Pacific Coast of Canada
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2010

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-calc-MT	2010	29,364
SSBmsy	SSBmsy-MT	2010	27,680
Fmsy	-	-	-
ERmsy	ERmsy-ratio	2010	0.11
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2010	114,770
MSY	MSY-MT	2010	3230
M	M-1/yr	2010	0.06
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2010	28,500	-	-	
SSB	SSB-MT	2010	21,700	-	-	
TN	-	-	-	-	-	
R	R-E00	2010	1,770,000	-	-	
F	-	-	-	-	-	
ER	ER-ratio	2010	0.126	-	-	
TC	-	-	-			
TL	TL-MT	2010	2080			
TB/TBmsy	TB-MT/TBmsy-calc-MT	2010	0.971			
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2010	0.784			
F/Fmsy	-	-	-			
ER/ERmsy	ER-ratio/ERmsy-ratio	2010	1.145			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Sablefish Pacific Coast of Canada [SABLEFPCAN]


Kobe MSYpref (1913–2010–HIVELY)




Kobe MGTPref (1913–2010–HIVELY)



Spawner Recruit (1913–2010–HIVELY)



Production (1913–2010–HIVELY)





◆ Start Year ♦ End Year * No Data

Sablefish Pacific Coast of Canada [SABLEFPCAN]

TB-MT (1913–2010–HIVELY)

SSB-MT (1913–2010–HIVELY)






TN *

F*



ER-ratio (1913–2010–HIVELY)



R-E00 (1913–2010–HIVELY)



Sablefish Pacific Coast of Canada [SABLEFPCAN]

TL-MT, TC*, RecC* (1913–2010–HIVELY)

TAC*, Cpair*, Cadv*



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Pacific sardine British Columbia [SARDBC]

Metadata	
Scientific Name	Sardinops sagax
Current Assess ID	DFO-PAC-SARDBC-2002-2012-OSGOOD
Area	Pacific Coast of Canada
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans - Pacific Region
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	-	-	-		
TL	TL-MT	2012	19,100		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Kobe MSY*

Kobe MGT*

Spawner Recruit*

Production*

◆ Start Year ♦ End Year * No Data

Pacific sardine British Columbia [SARDBC]

TB*



SSB*




TN *




F*



ER*



Recruits*








- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |

Pacific sardine British Columbia [SARDBC]

TL-MT, TC*, RecC* (2002–2012–OSGOOD)

TAC-MT, Cpair-MT, Cadv* (2002–2012–OSGOOD)



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	— MSY	* No Data

Sidestripe shrimp SMA GTSE [SSHRIMPSMAGTSE]


Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSHRIMPSMAGTSE-1992-2011-WATSON
Area	Shrimp Management Area GTSE
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	177	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.051	-	-	
TC	-	-	-			
TL	TL-MT	2011	16			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Sidestripe shrimp SMA GTSE [SSHRIMPSMAGTSE]


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*




◆ Start Year ♦ End Year * No Data


Sidestripe shrimp SMA GTSE [SSHRIMPSMAGTSE]

TB-MT (1992–2011–WATSON)


SSB*



TN *




F*



ER-calc-ratio (1992–2011–WATSON)

Recruits*





ER_{msy}* , ER_{mgt}* , ER_{lim}*

- Listed time series
- - - Target BRP
- - MSY-based BRP
- - Lim BRP
- Rec-Est
- No Data

Sidestripe shrimp SMA GTSE [SSHRIMPSMAGTSE]

TL-MT, TC*, RecC* (1992–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1992–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Sidestripe shrimp SMA PRD [SSHRIMPSMAPRD]

Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSHRIMPSMAPRD-1987-2011-WATSON
Area	Shrimp Management Area PRD
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	970	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.044	-	-	
TC	-	-	-			
TL	TL-MT	2011	53			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1987–2011–WATSON)



◆ Start Year ◆ End Year * No Data

Sidestripe shrimp SMA PRD [SSHRIMPSMAPRD]


TB-MT (1987–2011–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*





- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | ··· Lim BRP | ■ No Data |

Sidestripe shrimp SMA PRD [SSHRIMPSMAPRD]

TL-MT, TC*, RecC* (1987–2011–WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011–WATSON)



EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Sidestripe shrimp SMA 14 [SSSHRIMPSMA14]

Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSSHRIMPSMA14-1987-2011-WATSON
Area	Shrimp Management Area 14
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	125	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.044	-	-	
TC	-	-	-			
TL	TL-MT	2011	10			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*

Spawner Recruit*

Production (1987–2011–WATSON)




◆ Start Year ◆ End Year * No Data


Sidestripe shrimp SMA 14 [SSSHRIMPSMA14]

TB-MT (1987–2011–WATSON)

SSB*



TN *




F*



ER-calc-ratio (1987–2011–WATSON)

Recruits*







ERmsy*, ERmg*, ERlim*

- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |

Sidestripe shrimp SMA 14 [SSSHRIMPSMA14]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

Sidestripe shrimp SMA 16 [SSSHRIMPSMA16]

Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSSHRIMPSMA16-1987-2011-WATSON
Area	Shrimp Management Area 16
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	34	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.062	-	-	
TC	-	-	-			
TL	TL-MT	2011	6			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production*

◆ Start Year ♦ End Year * No Data

Sidestripe shrimp SMA 16 [SSSHRIMPSMA16]

TB-MT (1987–2011–WATSON)

SSB*



TN *




F*



ER-calc-ratio (1987–2011–WATSON)

Recruits*





- Listed time series
- - - Target BRP
- - MSY-based BRP
- - Lim BRP
- Rec-Est
- No Data

Sidestripe shrimp SMA 16 [SSSHRIMPSMA16]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - MSY | * No Data |


Sidestripe shrimp SMA 18-19 [SSSHRIMPSMA18-19]

Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSSHRIMPSMA18-19-1987-2011-WATSON
Area	Shrimp Management Areas 18 and 19
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011


Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	22	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0	-	-	
TC	-	-	-			
TL	TL-MT	2011	0			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Kobe MSY*




Kobe MGT*



Spawner Recruit*



Production*




◆ Start Year ♦ End Year * No Data


Sidestripe shrimp SMA 18–19 [SSSHRIMPSMA18–19]

TB-MT (1987–2011–WATSON)


SSB*



TN *




F*



ER-calc-ratio (1987–2011–WATSON)

Recruits*







ERmsy*, ERmg*, ERlim*

- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP | ·· Lim BRP | ■ No Data |


Sidestripe shrimp SMA 18–19 [SSSHRIMPSMA18–19]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

Sidestripe shrimp SMA FR [SSSHRIMPSMAFR]

Metadata	
Scientific Name	Pandalopsis dispar
Current Assess ID	DFO-SSSHRIMPSMAFR-1987-2011-WATSON
Area	Shrimp Management Area FR
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERrmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
TB	TB-MT	2011	520	-	-	
SSB	-	-	-	-	-	
TN	-	-	-	-	-	
R	-	-	-	-	-	
F	-	-	-	-	-	
ER	ER-calc-ratio	2011	0.077	-	-	
TC	-	-	-			
TL	TL-MT	2011	38			
TB/TBmsy	-	-	-			
SSB/SSBmsy	-	-	-			
F/Fmsy	-	-	-			
ER/ERrmsy	-	-	-			
TB/TBmgt	-	-	-			
SSB/SSBmgt	-	-	-			
F/Fmgt	-	-	-			
ER/ERmgt	-	-	-			


Sidestripe shrimp SMA FR [SSSHRIMPSMAFR]

Kobe MSY*

Kobe MGT*

Spawner Recruit*


Production (1987–2011–WATSON)




◆ Start Year ◆ End Year * No Data

Sidestripe shrimp SMA FR [SSSHRIMPSMAFR]


TB-MT (1987–2011–WATSON)




SSB*




TN *




F*



ER-calc-ratio (1987–2011–WATSON)



Recruits*





- | | | |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP | ··· Lim BRP | ■ No Data |

Sidestripe shrimp SMA FR [SSSHRIMPSMAFR]

TL-MT, TC*, RecC* (1987–2011-WATSON)

TAC-MT, Cpair-MT, Cadv* (1987–2011-WATSON)



EFFORT*

- | | | |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT |
| ● 2nd listed time series | - - - MSY | * No Data |

Yelloweye rockfish Pacific Coast of Canada (Inside) [YEYEROCKPCOASTIN]


Metadata	
Scientific Name	Sebastodes ruberrimus
Current Assess ID	DFO-YEYEROCKPCOASTIN-1918-2009-WATSON
Area	Pacific Coast of Canada (Inside)
Management Authority	Department of Fisheries and Oceans, Canada national management
Assessor	Department of Fisheries and Oceans
Asmts in RAM	2009

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	-	-	-	-	-
SSB	-	-	-	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	-	-	-	-	-
ER	-	-	-	-	-
TC	TC-MT	2009	8		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Yelloweye rockfish Pacific Coast of Canada (Inside) [YEYEROCKPCOASTIN]


Kobe MSY*




Kobe MGT*



Spawner Recruit*




Production*




◆ Start Year ♦ End Year * No Data

Yelloweye rockfish Pacific Coast of Canada (Inside) [YEYEROCKPCOASTIN]


TB*




SSB*




TN *




F*



ER*



Recruits*







- | | | |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP | - - - Lim BRP | ■ No Data |


Yelloweye rockfish Pacific Coast of Canada (Inside) [YEYEROCKPCOASTIN]

TC-MT, TL*, RecC-MT (1918–2009-WATSON)

TAC*, Cpair*, Cadv*



EFFORT*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data