

# West Africa Stocks

## v4.41 (Aug-21-2018)

Not present Present Preferred

Stock	Time Series Types			
	B/Bmsy	U/Umsy	B/Bmgt	U/Umgmt
1. ANCHOWA [Anchovy West Africa]	TB SSB	ER F	TB SSB	ER F
2. BCROAKWASG1 [Bobo croaker West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
3. BGRUNTWASG2 [Bigeye Grunt West Africa Subgroup 2]	TB SSB	ER F	TB SSB	ER F
4. BGRUNTWASG3 [Bigeye Grunt West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
5. BHAKEWASG3 [Benguela Hake West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
6. BONGAWA [Bonga West Africa]	TB SSB	ER F	TB SSB	ER F
7. BRMSPPWASG1 [Seabream West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
8. BRMSPPWASG2 [Seabream West Africa Subgroup 2]	TB SSB	ER F	TB SSB	ER F
9. BRMSPPWASG3 [Seabream West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
10. CATWASG1 [Catfish West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
11. CATWASG3 [Catfish West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
12. CHMACKWA [Cunene Horse Mackerel West Africa]	TB SSB	ER F	TB SSB	ER F
13. CMACKWA [Chub Mackerel West Africa]	TB SSB	ER F	TB SSB	ER F
14. CROAKSPPWASG1 [Croaker West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
15. CROAKSPPWASG2 [Croaker West Africa Subgroup 2]	TB SSB	ER F	TB SSB	ER F
16. CROAKSPPWASG3 [Croaker West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
17. CSHRIMPWA [Coastal Shrimp West Africa]	TB SSB	ER F	TB SSB	ER F
18. CUTTLEWA [Cuttlefish West Africa]	TB SSB	ER F	TB SSB	ER F
19. DRSHRIMPWA [Deepwater Rose Shrimp West Africa]	TB SSB	ER F	TB SSB	ER F
20. FSCADWA [False Scad West Africa]	TB SSB	ER F	TB SSB	ER F
21. GGRUNTWASG1 [Grey Grunt West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
22. GGRUNTWASG3 [Grey Grunt West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
23. HMACKWA [Horse Mackerel West Africa]	TB SSB	ER F	TB SSB	ER F
24. LDENTWASG3 [Large-eye Dentex West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
25. OCTOWA [Octopus West Africa]	TB SSB	ER F	TB SSB	ER F
26. RPANDWASG2 [Red Pandora West Africa Subgroup 2]	TB SSB	ER F	TB SSB	ER F
27. RSARDINWA [Round Sardinella West Africa]	TB SSB	ER F	TB SSB	ER F
28. SARDINWA [Sardinella West Africa]	TB SSB	ER F	TB SSB	ER F
29. SARDWAZAB [Sardine West Africa Zone A+B]	TB SSB	ER F	TB SSB	ER F
30. SARDWAZC [Sardine West Africa Zone C]	TB SSB	ER F	TB SSB	ER F
31. SOLEWASG1 [Sole West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
32. SOLEWASG3 [Sole West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F
33. SPSHRIMPWA [Southern Pink Shrimp West Africa]	TB SSB	ER F	TB SSB	ER F
34. THREADWASG1 [Threadfin West Africa Subgroup 1]	TB SSB	ER F	TB SSB	ER F
35. THREADWASG2 [Threadfin West Africa Subgroup 2]	TB SSB	ER F	TB SSB	ER F
36. THREADWASG3 [Threadfin West Africa Subgroup 3]	TB SSB	ER F	TB SSB	ER F

## Anchovy West Africa [ANCHOWA]

Metadata	
<b>Scientific Name</b>	Engraulis encrasiculus
<b>Current Assess ID</b>	FAO-SPNWA-ANCHOWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
<b>TB</b>	TB-MT	2010	143,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.84	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.839	-	-	
<b>TC</b>	TC-MT	2010	120,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			


Anchovy West Africa [ANCHOWA]

Kobe MSY\*

Kobe MGT\*

Spawner Recruit\*


Production (1990–2010–CHING)



◆ Start Year   ◆ End Year   \* No Data

### Anchovy West Africa [ANCHOWA]

TB-MT (1990–2010–CHING)




SSB\*




TN \*




F-1/yr (1990–2010–CHING)



ER-calc-ratio (1990–2010–CHING)



Recruits\*




- |                      |                |           |
|----------------------|----------------|-----------|
| ■ Listed time series | --- Target BRP | — Rec-Est |
| - - MSY-based BRP    | ·· Lim BRP     | ■ No Data |

### Anchovy West Africa [ANCHOWA]

TC-MT, TL\*, RecC\* (1990–2010–CHING)

TAC\*, Cpair\*, Cadv\*




survB\*

MSY\*, MORAT\*

CPUE\*

EFFORT\*



## Bobo croaker West Africa Subgroup 1 [BCROAKWASG1]


<b>Metadata</b>	
<b>Scientific Name</b>	Pseudotolithus elongatus
<b>Current Assess ID</b>	FAO-DRSS-BCROAKWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	9070		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Bobo croaker West Africa Subgroup 1 [BCROAKWASG1]**


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***




**Production\***




◆ Start Year ♦ End Year \* No Data

**Bobo croaker West Africa Subgroup 1 [BCROAKWASG1]**

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***





- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |


**Bobo croaker West Africa Subgroup 1 [BCROAKWASG1]**

TC-MT, TL\*, RecC\* (1994–2007-CHING)

TAC\*, Cpair\*, Cadv\*



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Bigeye Grunt West Africa Subgroup 2 [BGRUNTWASG2]


<b>Metadata</b>	
<b>Scientific Name</b>	Brachydeuterus auritus
<b>Current Assess ID</b>	FAO-DRSS-BGRUNTWASG2-1990-2006-CHING
<b>Area</b>	West Africa Subgroup 2
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2006

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2006	21,400		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Bigeye Grunt West Africa Subgroup 2 [BGRUNTWASG2]**

**Kobe MSY\***



**Kobe MGT\***



**Spawner Recruit\***



**Production\***



◆ Start Year ♦ End Year \* No Data

**Bigeye Grunt West Africa Subgroup 2 [BGRUNTWASG2]**

**TB\***



**SSB\***



**TN \***



**F\***



**ER\***



**Recruits\***




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |

**Bigeye Grunt West Africa Subgroup 2 [BGRUNTWASG2]**

TC-MT, TL\*, RecC\* (1990–2006–CHING)


TAC\*, Cpair\*, Cadv\*




**survB\***



CPUE–kg/day (1990–2006–CHING)



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Bigeye Grunt West Africa Subgroup 3 [BGRUNTWASG3]


<b>Metadata</b>	
<b>Scientific Name</b>	Brachydeuterus auritus
<b>Current Assess ID</b>	FAO-DRSS-BGRUNTWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>
<b>TB</b>	TB-index	2007	144	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	4790		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Bigeye Grunt West Africa Subgroup 3 [BGRUNTWASG3]**

**Kobe MSY\***



**Kobe MGT\***



**Spawner Recruit\***




**Production\***



◆ Start Year ♦ End Year \* No Data

**Bigeye Grunt West Africa Subgroup 3 [BGRUNTWASG3]**


TB-index (1995–2007–CHING)



**SSB\***



**TN \***



**F\***



**ER\***



**Recruits\***




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |


**Bigeye Grunt West Africa Subgroup 3 [BGRUNTWASG3]**

TC-MT, TL\*, RecC\* (1995–2007-CHING)


TAC\*, Cpair\*, Cadv\*




MSY\*, MORAT\*



CPUE-kg/day (1995–2007-CHING)



EFFORT\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

## Benguela Hake West Africa Subgroup 3 [BHAKEWASG3]

Metadata	
<b>Scientific Name</b>	Merluccius polli
<b>Current Assess ID</b>	FAO-DRSS-BHAKEWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	4180		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

Benguela Hake West Africa Subgroup 3 [BHAKEWASG3]

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***

**Production\***

◆ Start Year   ◆ End Year   \* No Data

Benguela Hake West Africa Subgroup 3 [BHAKEWASG3]

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |


Benguela Hake West Africa Subgroup 3 [BHAKEWASG3]

TC-MT, TL\*, RecC\* (1995–2007-CHING)


TAC\*, Cpair\*, Cadv\*




survB\*



CPUE-kg/day (1995–2007-CHING)



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |


## Bonga West Africa [BONGAWA]

Metadata	
<b>Scientific Name</b>	Ethmalosa fimbriata
<b>Current Assess ID</b>	FAO-SPNWA-BONGAWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010


Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2010	23,400		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***




**Production\***




◆ Start Year ♦ End Year \* No Data

Bonga West Africa [BONGAWA]

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |


Bonga West Africa [BONGAWA]

TC-MT, TL\*, RecC\* (1990–2010–CHING)


TAC\*, Cpair\*, Cadv\*




survB\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Seabream West Africa Subgroup 1 [BRMSPPWASG1]

<b>Metadata</b>	
<b>Scientific Name</b>	Dentex spp
<b>Current Assess ID</b>	FAO-DRSS-BRMSPPWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	4910		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***

**Production\***

◆ Start Year ◆ End Year \* No Data

**Seabream West Africa Subgroup 1 [BRMSPPWASG1]**

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |



Seabream West Africa Subgroup 1 [BRMSPPWASG1]

TC-MT, TL\*, RecC\* (1994–2007-CHING)

TAC\*, Cpair\*, Cadv\*



MSY\*, MORAT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Seabream West Africa Subgroup 2 [BRMSPPWASG2]

<b>Metadata</b>	
<b>Scientific Name</b>	Dentex spp
<b>Current Assess ID</b>	FAO-DRSS-BRMSPPWASG2-1990-2007-CHING
<b>Area</b>	West Africa Subgroup 2
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2007	24	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	9450			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***


**Production\***

◆ Start Year ◆ End Year \* No Data

**Seabream West Africa Subgroup 2 [BRMSPPWASG2]**

TB-index (1990–2007–CHING)

**SSB\***



**TN \***

**F\***

**ER\***




**Recruits\***

- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |

**Seabream West Africa Subgroup 2 [BRMSPPWASG2]**

TC-MT, TL\*, RecC\* (1990–2007–CHING)

TAC\*, Cpair\*, Cadv\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Seabream West Africa Subgroup 3 [BRMSPPWASG3]

<b>Metadata</b>	
<b>Scientific Name</b>	Dentex spp
<b>Current Assess ID</b>	FAO-DRSS-BRMSPPWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>
<b>TB</b>	TB-index	2007	154	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	13,300		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***


**Production\***

◆ Start Year   ◆ End Year   \* No Data

**Seabream West Africa Subgroup 3 [BRMSPPWASG3]**

TB-index (1995–2007–CHING)

**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***





- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - MSY-based BRP    | - - Lim BRP      | ■ No Data |


**Seabream West Africa Subgroup 3 [BRMSPPWASG3]**

TC-MT, TL\*, RecC\* (1995–2007-CHING)

TAC\*, Cpair\*, Cadv\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |


## Catfish West Africa Subgroup 1 [CATWASG1]

<b>Metadata</b>	
<b>Scientific Name</b>	Arius spp
<b>Current Assess ID</b>	FAO-DRSS-CATWASG1-1994-2008-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2008


<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2008	2470		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***




**Production\***




◆ Start Year ♦ End Year \* No Data

Catfish West Africa Subgroup 1 [CATWASG1]


**TB\***




**SSB\***




**TN \***



**F\***



**ER\***



**Recruits\***






- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |

Catfish West Africa Subgroup 1 [CATWASG1]

TC-MT, TL\*, RecC\* (1994–2008–CHING)

TAC\*, Cpair\*, Cadv\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

### Catfish West Africa Subgroup 3 [CATWASG3]


Metadata	
<b>Scientific Name</b>	Arius spp
<b>Current Assess ID</b>	FAO-DRSS-CATWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	TB-index	2007	11	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	547		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

Catfish West Africa Subgroup 3 [CATWASG3]


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***




**Production\***




◆ Start Year ♦ End Year \* No Data

Catfish West Africa Subgroup 3 [CATWASG3]


TB-index (1995–2007–CHING)




SSB\*




TN \*




F\*



ER\*



Recruits\*





- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |

Catfish West Africa Subgroup 3 [CATWASG3]

TC-MT, TL\*, RecC\* (1995–2007-CHING)

TAC\*, Cpair\*, Cadv\*



EFFORT\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

## Cunene Horse Mackerel West Africa [CHMACKWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Trachurus trecae
<b>Current Assess ID</b>	FAO-SPNWA-CHMACKWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.53
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	253,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	1.39	-	-	
<b>ER</b>	ER-calc-ratio	2010	1.391	-	-	
<b>TC</b>	TC-MT	2010	352,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	2.623			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			


Cunene Horse Mackerel West Africa [CHMACKWA]

Kobe MSY\*

Kobe MGT\*

Spawner Recruit\*


Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

Cunene Horse Mackerel West Africa [CHMACKWA]


TB-MT (1990–2010-CHING)




SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP    | ·· Lim BRP   | ■ No Data |

Cunene Horse Mackerel West Africa [CHMACKWA]

TC-MT, TL\*, RecC\* (1990–2010–CHING)

TAC\*, Cpair\*, Cadv\*




survB\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Chub Mackerel West Africa [CMACKWA]


<b>Metadata</b>	
<b>Scientific Name</b>	Scomber japonicus
<b>Current Assess ID</b>	FAO-SPNWA-CMACKWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.67
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	262,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.79	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.786	-	-	
<b>TC</b>	TC-MT	2010	206,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	1.179			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\*****Kobe MGT\*****Spawner Recruit\***


Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

**Chub Mackerel West Africa [CMACKWA]**

TB-MT (1990–2010-CHING)




SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP    | ·· Lim BRP   | ■ No Data |

**Chub Mackerel West Africa [CMACKWA]**

TC-MT, TL\*, RecC\* (1990–2010–CHING)

TAC\*, Cpair\*, Cadv\*




**survB\***



**CPUE\***



**EFFORT\***



- |  |   |  |
|--|---|--|
| <ul style="list-style-type: none"> <li>■ 1st listed time series</li> <li>● 2nd listed time series</li> </ul> | <ul style="list-style-type: none"> <li>▲ 3rd listed time series</li> <li>- - MSY</li> </ul> | <ul style="list-style-type: none"> <li>— MORAT</li> <li>* No Data</li> </ul> |
|--|---|--|

## Croaker West Africa Subgroup 1 [CROAKSPPWASG1]


Metadata	
<b>Scientific Name</b>	Pseudotolithus spp
<b>Current Assess ID</b>	FAO-DRSS-CROAKSPPWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
<b>TB</b>	TB-index	2007	40	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	4730			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

Croaker West Africa Subgroup 1 [CROAKSPPWASG1]


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***




◆ Start Year ♦ End Year \* No Data


Croaker West Africa Subgroup 1 [CROAKSPPWASG1]

TB-index (1994–2007–CHING)


**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***







- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |


Croaker West Africa Subgroup 1 [CROAKSPPWASG1]

TC-MT, TL\*, RecC\* (1994–2007-CHING)

TAC\*, Cpair\*, Cadv\*



EFFORT\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

## Croaker West Africa Subgroup 2 [CROAKSPPWASG2]

Metadata	
<b>Scientific Name</b>	Pseudotolithus spp
<b>Current Assess ID</b>	FAO-DRSS-CROAKSPPWASG2-1990-2006-CHING
<b>Area</b>	West Africa Subgroup 2
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2006

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2006	2790		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***


**Spawner Recruit\***

**Production\***


◆ Start Year   ◆ End Year   \* No Data

Croaker West Africa Subgroup 2 [CROAKSPPWASG2]


**TB\***




**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |       |                    |       |            |   |         |
|-------|--------------------|-------|------------|---|---------|
| ■     | Listed time series | - - - | Target BRP | — | Rec-Est |
| - - - | MSY-based BRP      | - - - | Lim BRP    | ■ | No Data |

Croaker West Africa Subgroup 2 [CROAKSPPWASG2]

TC-MT, TL\*, RecC\* (1990–2006–CHING)


TAC\*, Cpair\*, Cadv\*




survB\*



CPUE–kg/day (1990–2006–CHING)



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Croaker West Africa Subgroup 3 [CROAKSPPWASG3]

Metadata	
<b>Scientific Name</b>	Pseudotolithus spp
<b>Current Assess ID</b>	FAO-DRSS-CROAKSPPWASG3-1990-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
<b>TB</b>	TB-index	2007	351	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	38,700			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***


**Production\***

◆ Start Year   ◆ End Year   \* No Data


Croaker West Africa Subgroup 3 [CROAKSPPWASG3]

TB-index (1990–2007–CHING)


**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***






- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |

Croaker West Africa Subgroup 3 [CROAKSPPWASG3]

TC-MT, TL\*, RecC\* (1990–2007-CHING)

TAC\*, Cpair\*, Cadv\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Coastal Shrimp West Africa [CSHRIMPWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Penaeus spp
<b>Current Assess ID</b>	FAO-DRSS-CSHRIMPWA-1990-2007-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	6580		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***


**Spawner Recruit\***

**Production\***


◆ Start Year ♦ End Year \* No Data

**Coastal Shrimp West Africa [CSHRIMPWA]**


**TB\***




**SSB\***




**TN \***





**F\***



**ER\***




**Recruits\***



**Coastal Shrimp West Africa [CSHRIMPWA]**

TC-MT, TL\*, RecC\* (1990–2007-CHING)



TAC\*, Cpair\*, Cadv\*




**survB\***

MSY\*, MORAT\*

CPUE-kg/day (1990–2007-CHING)



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Cuttlefish West Africa [CUTTLEWA]


<b>Metadata</b>	
<b>Scientific Name</b>	Sepia spp
<b>Current Assess ID</b>	FAO-DRSS-CUTTLEWA-1990-2007-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2007	242	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	3780			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

Cuttlefish West Africa [CUTTLEWA]


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***




◆ Start Year ♦ End Year \* No Data

Cuttlefish West Africa [CUTTLEWA]

TB-index (1990–2007–CHING)

**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |


Cuttlefish West Africa [CUTTLEWA]

TC-MT, TL\*, RecC\* (1990–2007-CHING)


TAC\*, Cpair\*, Cadv\*



survB\*



CPUE-kg/day (1990–2007-CHING)



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Deepwater Rose Shrimp West Africa [DRSHRIMPWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Parapenaeus longirostris
<b>Current Assess ID</b>	FAO-DRSS-DRSHRIMPWA-1990-2007-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	1320		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***

**Production\***

◆ Start Year ♦ End Year \* No Data

**Deepwater Rose Shrimp West Africa [DRSHRIMPWA]**

**TB\***



**SSB\***



**TN \***



**F\***



**ER\***



**Recruits\***




- |       |                    |       |            |   |         |
|-------|--------------------|-------|------------|---|---------|
| ■     | Listed time series | - - - | Target BRP | — | Rec-Est |
| - - - | MSY-based BRP      | - - - | Lim BRP    | ■ | No Data |

**Deepwater Rose Shrimp West Africa [DRSHRIMPWA]**

TC-MT, TL\*, RecC\* (1990–2007-CHING)


TAC\*, Cpair\*, Cadv\*




**survB\***

MSY\*, MORAT\*

CPUE-kg/day (1990–2007-CHING)



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |


## False Scad West Africa [FSCADWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Caranx rhonchus
<b>Current Assess ID</b>	FAO-SPNWA-FSCADWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010


<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	99,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.63	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.626	-	-	
<b>TC</b>	TC-MT	2010	62,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***




**Production\***



◆ Start Year ♦ End Year \* No Data

### False Scad West Africa [FSCADWA]

TB-MT (1990–2010-CHING)



SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- Listed time series
- Target BRP
- MSY-based BRP
- Lim BRP
- Rec-Est
- No Data


**False Scad West Africa [FSCADWA]**

TC-MT, TL\*, RecC\* (1990–2010-CHING)


TAC\*, Cpair\*, Cadv\*




**survB\***



**CPUE\***



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Grey Grunt West Africa Subgroup 1 [GGRUNTWASG1]


<b>Metadata</b>	
<b>Scientific Name</b>	Pomadasys spp
<b>Current Assess ID</b>	FAO-DRSS-GGRUNTWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>
<b>TB</b>	TB-index	2007	1150	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	2020		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Grey Grunt West Africa Subgroup 1 [GGRUNTWASG1]**


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***




◆ Start Year ♦ End Year \* No Data


**Grey Grunt West Africa Subgroup 1 [GGRUNTWASG1]**

TB-index (1994–2007–CHING)


**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***





- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - MSY-based BRP    | - - Lim BRP      | ■ No Data |

**Grey Grunt West Africa Subgroup 1 [GGRUNTWASG1]**

TC-MT, TL\*, RecC\* (1994–2007-CHING)


TAC\*, Cpair\*, Cadv\*




**survB\***



CPUE-MT/day (1994–2007-CHING)



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Grey Grunt West Africa Subgroup 3 [GGRUNTWASG3]


<b>Metadata</b>	
<b>Scientific Name</b>	Pomadasys spp
<b>Current Assess ID</b>	FAO-DRSS-GGRUNTWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2007	19	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	912			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Grey Grunt West Africa Subgroup 3 [GGRUNTWASG3]**


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***




◆ Start Year ♦ End Year \* No Data

**Grey Grunt West Africa Subgroup 3 [GGRUNTWASG3]**

TB-index (1995–2007–CHING)

**SSB\***



**TN \***

TB<sub>m</sub>sy\*, TB<sub>mg</sub>\*, TB<sub>lim</sub>\*

**F\***

**ER\***


**Recruits\***

- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |


**Grey Grunt West Africa Subgroup 3 [GGRUNTWASG3]**

TC-MT, TL\*, RecC\* (1995–2007–CHING)


TAC\*, Cpair\*, Cadv\*




MSY\*, MORAT\*



CPUE–kg/day (1995–2007–CHING)



EFFORT\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

## Horse Mackerel West Africa [HMACKWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Trachurus trachurus
<b>Current Assess ID</b>	FAO-SPNWA-HMACKWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.31
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	153,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.72	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.719	-	-	
<b>TC</b>	TC-MT	2010	110,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	2.323			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			


Horse Mackerel West Africa [HMACKWA]

Kobe MSY\*

Kobe MGT\*

Spawner Recruit\*


Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

**Horse Mackerel West Africa [HMACKWA]**


TB-MT (1990–2010-CHING)




SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- Listed time series
- - - Target BRP
- - - MSY-based BRP
- - - Lim BRP
- Rec-Est
- No Data

Horse Mackerel West Africa [HMACKWA]


TC-MT, TL\*, RecC\* (1990–2010-CHING)

TAC\*, Cpair\*, Cadv\*




MSY\*, MORAT\*


survB\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Large-eye Dentex West Africa Subgroup 3 [LDENTWASG3]

<b>Metadata</b>	
<b>Scientific Name</b>	Dentex macrophthalmus
<b>Current Assess ID</b>	FAO-DRSS-LDENTWASG3-1995-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>
<b>TB</b>	TB-index	2007	155	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	19,100		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***


**Production\***

◆ Start Year   ◆ End Year   \* No Data


Large-eye Dentex West Africa Subgroup 3 [LDENTWASG3]

TB-index (1995–2007–CHING)


**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***





- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |

Large-eye Dentex West Africa Subgroup 3 [LDENTWASG3]

TC-MT, TL\*, RecC\* (1995–2007-CHING)

TAC\*, Cpair\*, Cadv\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - - MSY	* No Data

## Octopus West Africa [OCTOWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Octopus vulgaris
<b>Current Assess ID</b>	FAO-DRSS-OCTOWA-1990-2007-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	1160		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***

**Production\***

◆ Start Year ♦ End Year \* No Data

**TB\***



**SSB\***




**TN \***





**F\***



**ER\***




**Recruits\***



Octopus West Africa [OCTOWA]

TC-MT, TL\*, RecC\* (1990–2007-CHING)

TAC\*, Cpair\*, Cadv\*



survB\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Red Pandora West Africa Subgroup 2 [RPANDWASG2]

<b>Metadata</b>	
<b>Scientific Name</b>	Pagellus bellottii
<b>Current Assess ID</b>	FAO-DRSS-RPANDWASG2-1990-2007-CHING
<b>Area</b>	West Africa Subgroup 2
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2007	16	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	8170			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\***

**Kobe MGT\***


**Spawner Recruit\***

**Production\***

◆ Start Year ♦ End Year \* No Data

**Red Panda West Africa Subgroup 2 [RPANDWASG2]**

TB-index (1990–2007–CHING)




**SSB\***



**TN \***



**F\***



**ER\***



**Recruits\***




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |

**Red Panda West Africa Subgroup 2 [RPANDWASG2]**



TC-MT, TL\*, RecC\* (1990–2007-CHING)

TAC\*, Cpair\*, Cadv\*




**survB\***

CPUE-kg/day (1990–2007-CHING)



**EFFORT\***



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Round Sardinella West Africa [RSARDINWA]


<b>Metadata</b>	
<b>Scientific Name</b>	Sardinella aurita
<b>Current Assess ID</b>	FAO-SPNWA-RSARDINWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	TBmsy-MT	2010	110,021
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.26
<b>ERrmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	637,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.85	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.848	-	-	
<b>TC</b>	TC-MT	2010	540,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	TB-MT/TBmsy-MT	2010	5.79			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	3.269			
<b>ER/ERrmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Round Sardinella West Africa [RSARDINWA]**

Kobe MSYpref (1990–2010–CHING)





Kobe MGTPref (1990–2010–CHING)



**Spawner Recruit\***


Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

### Round Sardinella West Africa [RSARDINWA]


TB-MT (1990–2010-CHING)




SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP    | --- Lim BRP  | ■ No Data |


Round Sardinella West Africa [RSARDINWA]

TC-MT, TL\*, RecC\* (1990–2010–CHING)


TAC\*, Cpair\*, Cadv\*




survB\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Sardinella West Africa [SARDINWA]


<b>Metadata</b>	
<b>Scientific Name</b>	Sardinella spp
<b>Current Assess ID</b>	FAO-SPNWA-SARDINWA-1990-2010-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	TBmsy-MT	2010	1,157,840
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.28
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TBO</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-MT	2010	637,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.85	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.848	-	-	
<b>TC</b>	TC-MT	2010	540,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	TB-MT/TBmsy-MT	2010	0.55			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	3.036			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Sardinella West Africa [SARDINWA]**


Kobe MSYpref (1990–2010–CHING)




Kobe MGTPref (1990–2010–CHING)



**Spawner Recruit\***




**Production (1990–2010–CHING)**




◆ Start Year   ◆ End Year   \* No Data

Sardinella West Africa [SARDINWA]


TB-MT (1990–2010-CHING)




SSB\*




TN \*




F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)



Recruits\*




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| - - MSY-based BRP    | ·· Lim BRP   | ■ No Data |

Sardinella West Africa [SARDINWA]

TC-MT, TL\*, RecC\* (1990–2010–CHING)

TAC\*, Cpair\*, Cadv\*




survB\*



CPUE\*



EFFORT\*






- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Sardine West Africa Zone A+B [SARDWAZAB]


<b>Metadata</b>	
<b>Scientific Name</b>	Sardina pilchardus
<b>Current Assess ID</b>	FAO-SPNWA-SARDWAZAB-1990-2010-CHING
<b>Area</b>	West Africa Zone A+B
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
Type	ID	Asmt Year	Curr Value	Sex	Age	
<b>TB</b>	TB-MT	2010	95,500	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	5.28	-	-	
<b>ER</b>	ER-calc-ratio	2010	5.288	-	-	
<b>TC</b>	TC-MT	2010	505,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\*****Kobe MGT\*****Spawner Recruit\***

Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

Sardine West Africa Zone A+B [SARDWAZAB]

TB-MT (1990–2010-CHING)


SSB\*



TN \*




F-1/yr (1990–2010-CHING)





ER-calc-ratio (1990–2010-CHING)

Recruits\*




ERmsy\*, ERmg\*, ERlim\*



Sardine West Africa Zone A+B [SARDWAZAB]

TC-MT, TL\*, RecC\* (1990–2010–CHING)

TAC\*, Cpair\*, Cadv\*



survB\*

CPUE\*

EFFORT\*

- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Sardine West Africa Zone C [SARDWAZC]


Metadata	
<b>Scientific Name</b>	Sardina pilchardus
<b>Current Assess ID</b>	FAO-SPNWA-SARDWAZC-1990-2010-CHING
<b>Area</b>	West Africa Zone C
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO Working Group on the Assessment of Small Pelagic Fish Off Northwest Africa
<b>Asmts in RAM</b>	2010

Reference Points			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	TBmsy-MT	2010	3,400,129
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	Fmsy-1/yr	2010	0.25
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TBO</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


Time Series						
Type	ID	Asmt Year	Curr Value	Sex	Age	
<b>TB</b>	TB-MT	2010	2,310,000	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	F-1/yr	2010	0.18	-	-	
<b>ER</b>	ER-calc-ratio	2010	0.182	-	-	
<b>TC</b>	TC-MT	2010	420,000			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	TB-MT/TBmsy-MT	2010	0.679			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	F-1/yr/Fmsy-1/yr	2010	0.72			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

Sardine West Africa Zone C [SARDWAZC]

Kobe MSYpref (1990–2010–CHING)




Kobe MGTPref (1990–2010–CHING)



Spawner Recruit\*


Production (1990–2010–CHING)




◆ Start Year   ◆ End Year   \* No Data

Sardine West Africa Zone C [SARDWAZC]

TB-MT (1990–2010-CHING)




SSB\*




TN \*





F-1/yr (1990–2010-CHING)



ER-calc-ratio (1990–2010-CHING)




Recruits\*




Sardine West Africa Zone C [SARDWAZC]

TC-MT, TL\*, RecC\* (1990–2010–CHING)


TAC\*, Cpair\*, Cadv\*



CPUE\*



EFFORT\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - - MSY                | * No Data |

## Sole West Africa Subgroup 1 [SOLEWASG1]


<b>Metadata</b>	
<b>Scientific Name</b>	Cynoglossus spp
<b>Current Assess ID</b>	FAO-DRSS-SOLEWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	1490		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

Sole West Africa Subgroup 1 [SOLEWASG1]


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***



◆ Start Year ♦ End Year \* No Data

**Sole West Africa Subgroup 1 [SOLEWASG1]**


**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***






- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |

Sole West Africa Subgroup 1 [SOLEWASG1]

TC-MT, TL\*, RecC\* (1994–2007-CHING)

TAC\*, Cpair\*, Cadv\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

## Sole West Africa Subgroup 3 [SOLEWASG3]


<b>Metadata</b>	
<b>Scientific Name</b>	Cynoglossus spp
<b>Current Assess ID</b>	FAO-DRSS-SOLEWASG3-1991-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2007	310	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2007	1690			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Sole West Africa Subgroup 3 [SOLEWASG3]**


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***




◆ Start Year ♦ End Year \* No Data

**Sole West Africa Subgroup 3 [SOLEWASG3]**

TB-index (1991–2007–CHING)

**SSB\***



**TN \***

TBmsy\*, TBmg\*, TBlim\*

**F\***

**ER\***


**Recruits\***

- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |



**Sole West Africa Subgroup 3 [SOLEWASG3]**

TC-MT, TL\*, RecC\* (1991–2007-CHING)

TAC\*, Cpair\*, Cadv\*



MSY\*, MORAT\*



**EFFORT\***



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

## Southern Pink Shrimp West Africa [SPSHRIMPWA]

<b>Metadata</b>	
<b>Scientific Name</b>	Farfantepenaeus notialis
<b>Current Assess ID</b>	FAO-DRSS-SPSHRIMPWA-1990-2007-CHING
<b>Area</b>	West Africa
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	2250		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

**Kobe MSY\***

**Kobe MGT\***

**Spawner Recruit\***

**Production\***

◆ Start Year ♦ End Year \* No Data

**Southern Pink Shrimp West Africa [SPSHRIMPWA]**

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |



Southern Pink Shrimp West Africa [SPSHRIMPWA]

TC-MT, TL\*, RecC\* (1990–2007–CHING)


TAC\*, Cpair\*, Cadv\*



MSY\*, MORAT\*



**EFFORT\***



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

## Threadfin West Africa Subgroup 1 [THREADWASG1]


<b>Metadata</b>	
<b>Scientific Name</b>	Galeoides decadactylus
<b>Current Assess ID</b>	FAO-DRSS-THREADWASG1-1994-2007-CHING
<b>Area</b>	West Africa Subgroup 1
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
Type	ID	Asmt Year	Value
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
Type	ID	Asmt Year	Curr Value	Sex	Age
<b>TB</b>	-	-	-	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	4200		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

Threadfin West Africa Subgroup 1 [THREADWASG1]


**Kobe MSY\***




**Kobe MGT\***



**Spawner Recruit\***



**Production\***



◆ Start Year ♦ End Year \* No Data

Threadfin West Africa Subgroup 1 [THREADWASG1]

**TB\***



**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***





- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - - MSY-based BRP  | - - - Lim BRP    | ■ No Data |

Threadfin West Africa Subgroup 1 [THREADWASG1]

TC-MT, TL\*, RecC\* (1994–2007–CHING)

TAC\*, Cpair\*, Cadv\*



- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |

## Threadfin West Africa Subgroup 2 [THREADWASG2]

<b>Metadata</b>	
<b>Scientific Name</b>	Galeoides decadactylus
<b>Current Assess ID</b>	FAO-DRSS-THREADWASG2-1990-2006-CHING
<b>Area</b>	West Africa Subgroup 2
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2006

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-

<b>Time Series</b>						
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>	
<b>TB</b>	TB-index	2006	15	-	-	
<b>SSB</b>	-	-	-	-	-	
<b>TN</b>	-	-	-	-	-	
<b>R</b>	-	-	-	-	-	
<b>F</b>	-	-	-	-	-	
<b>ER</b>	-	-	-	-	-	
<b>TC</b>	TC-MT	2006	3980			
<b>TL</b>	-	-	-			
<b>TB/TBmsy</b>	-	-	-			
<b>SSB/SSBmsy</b>	-	-	-			
<b>F/Fmsy</b>	-	-	-			
<b>ER/ERmsy</b>	-	-	-			
<b>TB/TBmgt</b>	-	-	-			
<b>SSB/SSBmgt</b>	-	-	-			
<b>F/Fmgt</b>	-	-	-			
<b>ER/ERmgt</b>	-	-	-			

**Kobe MSY\***

**Kobe MGT\***


**Spawner Recruit\***

**Production\***

◆ Start Year ♦ End Year \* No Data

**Threadfin West Africa Subgroup 2 [THREADWASG2]**


TB-index (1990–2006–CHING)




**SSB\***




**TN \***




**F\***



**ER\***



**Recruits\***




- |                      |              |           |
|----------------------|--------------|-----------|
| ■ Listed time series | — Target BRP | — Rec-Est |
| — MSY-based BRP      | — Lim BRP    | ■ No Data |


Threadfin West Africa Subgroup 2 [THREADWASG2]

TC-MT, TL\*, RecC\* (1990–2006–CHING)


TAC\*, Cpair\*, Cadv\*



survB\*



EFFORT\*



■ 1st listed time series	▲ 3rd listed time series	— MORAT
● 2nd listed time series	- - MSY	* No Data

### Threadfin West Africa Subgroup 3 [THREADWASG3]


<b>Metadata</b>	
<b>Scientific Name</b>	Galeoides decadactylus
<b>Current Assess ID</b>	FAO-DRSS-THREADWASG3-1990-2007-CHING
<b>Area</b>	West Africa Subgroup 3
<b>Management Authority</b>	Food and Agriculture Organization of the United Nations
<b>Assessor</b>	FAO/CECAF Working Group on the Assessment of Demersal Resources - Subgroup South
<b>Asmts in RAM</b>	2007

<b>Reference Points</b>			
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Value</b>
<b>TBmsy</b>	-	-	-
<b>SSBmsy</b>	-	-	-
<b>Fmsy</b>	-	-	-
<b>ERmsy</b>	-	-	-
<b>TBmgt</b>	-	-	-
<b>SSBmgt</b>	-	-	-
<b>Fmgt</b>	-	-	-
<b>ERmgt</b>	-	-	-
<b>TB0</b>	-	-	-
<b>SSB0</b>	-	-	-
<b>MSY</b>	-	-	-
<b>M</b>	-	-	-
<b>TBlim</b>	-	-	-
<b>SSBlim</b>	-	-	-
<b>Flim</b>	-	-	-
<b>ERlim</b>	-	-	-


<b>Time Series</b>					
<b>Type</b>	<b>ID</b>	<b>Asmt Year</b>	<b>Curr Value</b>	<b>Sex</b>	<b>Age</b>
<b>TB</b>	TB-index	2007	54	-	-
<b>SSB</b>	-	-	-	-	-
<b>TN</b>	-	-	-	-	-
<b>R</b>	-	-	-	-	-
<b>F</b>	-	-	-	-	-
<b>ER</b>	-	-	-	-	-
<b>TC</b>	TC-MT	2007	1940		
<b>TL</b>	-	-	-		
<b>TB/TBmsy</b>	-	-	-		
<b>SSB/SSBmsy</b>	-	-	-		
<b>F/Fmsy</b>	-	-	-		
<b>ER/ERmsy</b>	-	-	-		
<b>TB/TBmgt</b>	-	-	-		
<b>SSB/SSBmgt</b>	-	-	-		
<b>F/Fmgt</b>	-	-	-		
<b>ER/ERmgt</b>	-	-	-		

Threadfin West Africa Subgroup 3 [THREADWASG3]

**Kobe MSY\***



**Kobe MGT\***



**Spawner Recruit\***




**Production\***



◆ Start Year ♦ End Year \* No Data

Threadfin West Africa Subgroup 3 [THREADWASG3]


TB-index (1990–2007–CHING)




SSB\*




TN \*




F\*



ER\*



Recruits\*




- |                      |                  |           |
|----------------------|------------------|-----------|
| ■ Listed time series | - - - Target BRP | — Rec-Est |
| - - MSY-based BRP    | - - Lim BRP      | ■ No Data |

**Threadfin West Africa Subgroup 3 [THREADWASG3]**

**TC-MT, TL\*, RecC\* (1990–2007-CHING)**

**TAC\*, Cpair\*, Cadv\***



**survB\***

MSY\*, MORAT\*

**CPUE-kg/day (1990–2007-CHING)**

**EFFORT\***

2,500  
0

1990 1994 1998 2002 2006

- |                          |                          |           |
|--------------------------|--------------------------|-----------|
| ■ 1st listed time series | ▲ 3rd listed time series | — MORAT   |
| ● 2nd listed time series | - - MSY                  | * No Data |